QL C41-2

FOR OFFICIAL USE.

NOTES

FROM THE

ROYAL BOTANIC GARDEN, EDINBURGH.

DECEMBER 1919.

CONTENTS.

PAGE

List of Seeds collected in the Royal Botanic Garden, Edinburgh, during the year 1919:—

Genera in alphabetical order—

Plants in the Open clxvii

Plants under Glass ccxiv

Genera in Natural Orders ccxxxiv

EDINBURGH:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

SOLD AT THE GARDEN,

And to be purchased, either directly or through any Bookseller, from

H.M. STATIONERY OFFICE (Scottish Branch),

23 Forth Street, Edinburgh.

[Price 1s. 6d. net.]

[Crown Copyright Reserved.]

P 72

MISSOURI BOTANICAL GARDEN LIBRARY RECEIVED JAN 26 1920

13

During the years of the War—1914, 1915, 1916, 1917, 1918—a List of Seeds was not published.

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1919.

THE following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1919. The quantity of seed obtained from some of the species is of limited amount, and in many cases has been entirely absorbed for sowing in the Garden. Of these, therefore, none can be distributed, otherwise the seeds are available for exchange, but they are not for sale :—

GENERA IN ALPHABETICAL ORDER.

PLANTS IN THE OPEN.

Abelia

triflora, *R. Br.*
umbellata, *Rehder*

Acaena

argentea, *Ruiz* et *Pav.*
Dieckii, *Hort.*
glauca, *Hort.*
inermis, *Hook. f.*
laevigata, *Ait.*
microphylla, *Hook. f.*
— var. glauca
Novae-Zelandiae, *T. Kirk*
ovalifolia, *Ruiz* et *Pav.*
Sanguisorbae, *Vahl*
splendens, *Hook.* et *Arn.*

Acantholimon

acerosum, *Boiss.*
glumaceum, *Boiss.*
venustum, *Boiss.*

Acanthopanax

leucorrhizus, *Harms.*, var. fulvescens

Acanthus

hirsutus, *Boiss.*
lusitanicus, *Hort.*

Acanthus—*continued*

niger, *Mill.*
Perringi, *Siehe*
Schottii, *Hort.*

Acer

circinnatum, *Pursh*
Heldreichii, *Boiss.* et *Heldr.*
monspessulanum, *Linn.*
opulifolium, *Vill.*, var. obtusatum
platanoides, *Linn.*
Pseudo-platanus, *Linn.*
— var. euchlorum
— var. purpureum
— var. tricolor

Achillea

ageratifolia, *Benth.* et *Hook. f.*
Ageratum, *Linn.*
alpina, *Linn.*
crithmifolia, *Waldst.* et *Kit.*
filipendulina, *Lam.*
Hausmanniana ×, *Suend.*
lingulata, *Waldst.* et *Kit.*
macedonica, *Rouy*
macrophylla, *Linn.*
nobilis, *Linn.*
pedemontana, *Vacc.* et *Wilcz.*
Ptarmica, *Linn.*

[Notes, R.B.G., Edin., December 1919.]
Wt. 12532/148—375—12/19.—N. & Co., Ltd. Gp. 10.

Achillea—*continued.*
setacea, *Waldst.* et *Kit:*
spinulifolia, *Fenzl*
taygetea, *Boiss.* et *Heldr.*
tomentosa, *Linn.*
umbellata, *Sibth.* et *Sm.*, var. major.

Aconitum
ferox, *Wall.*
Fischeri, *Reichb.*
Forrestii, *Stapf*
Kusnezoffii, *Reichb.*
Lycoctonum, *Linn.*
— var. album
— var. pyrenaicum
Napellus, *Linn.*
— var. album
reclinatum, *A. Gray*
transsectum, *Diels*
volubile, *Koelle*, var. latisectum
Wilsonii, *Hort. Veitch.*

Actaea
alba, *Mill.*
eburnea, *Rydb.*
spicata, *Linn.*
— var. arguta

Adenocarpus
intermedius, *DC.*

Adenophora
Lamarkii, *Fisch.*
latifolia, *Fisch.*
liliifolia, *Bess.*
polymorpha, *Ledeb.*
Potanini, *Korsh.*
sinensis, *A. DC.*

Adenostyles
alpina, *Kern.*

Aesculus
glabra, *Willd.*

Aethionema
armenum, *Boiss.*
cordatum, *Boiss.*

Aethionema—*continued.*
coridifolium, *DC.*
creticum, *Boiss.* et *Heldr.*
diastrophis, *Bunge*
flavum, *Siehe*
grandiflorum, *Boiss.* et *Hohen.*
Kotschyanum, *Hort. Suend.*
puchellum, *Boiss.* et *Huet*
schistosum, *Boiss.* et *Kotschy*
stylosum, *DC.*

Agathaea
coelestis, *Cass.*

Agrimonia
agrimonoides, *Linn.*
Eupatoria, *Linn.*
odorata, *Mill.*

Agropyron
scabrum, *Beauv.*

Agrostis
vulgaris, *With.*

Ainsliaea
acerifolia, *Sch. Bip.*

Alchemilla
alpina, *Linn.*
chirophylla, *Buser*
hirsuta, *H. B.* et *K.*
retinervis, *Buser*
speciosa, *Buser*
splendens, *Christ*
vulgaris, *Linn.*
— var. glabra

Alisma
Plantago, *Linn.*

Allium
Aschersonianum, *Barbey*
Beesianum, *W. W. Smith*
cardiostemon, *Fisch.* et *Mey.*
cernuum, *Roth*
chrysanthum, *Regel*
cyaneum, *Regel*
— var. macrostemma

Allium—*continued.*
fallax, *Schult. f.*
fistulosum, *Linn.*
hirtifolium, *Boiss.*
Hūteri, *Hort. Suend.*
kansuense, *Regel*
macranthum, *Baker*
montanum, *F. W. Schmidt*
Nevii, *S. Wats.*
Ostrowskianum, *Regel*
Purdomii, *W. W. Sm.*
sikkimense, *Baker*
urceolatum, *Regel*
Wallichianum, *Steud.*
yunnanense, *Diels*

Alnus
cordifolia, *Tenore*
glutinosa, *Medic.*
— var. laciniata
— var. rubrinervia
incana, *Moench*
— var. glauca, *Regel*
— var. hirsuta
— var. orbicularis
japonica, *Sieb.* et *Zucc.*
maritima, *Nutt.*
rhombifolia, *Nutt.*
rubra, *Bongard*
sitchensis, *Sarg.*
viridis, *DC.*

Alstroemeria
aurantiaca, *D. Don*

Althaea
Froloviana, *Fisch.*
officinalis, *Linn.*

Alyssum
Arduini, *Fritsch*
argenteum, *Vitm.*
desertorum, *Stapf*
floribundum, *Boiss.*
gemonense, *Linn.*
halimifolium, *Willd.*
Lagascae, *Janka*
ongicaule, *Boiss.*
minimum, *Willd.*

Alyssum—*continued.*
montanum, *Linn.*
orientale, *Ard.*
podolicum, *Bess.*
saxatile, *Linn.*
strictum, *Willd.*

Amphicarpaea
monoica, *Ell.*

Anacyclus
formosus, *Fenzl*

Anagallis
arvensis, *Linn.*
— var. phoenicea
linifolia, *Linn.*, var. Philipsii
tenella, *Linn.*

Anaphalis
cinnomomea, *C. B. Clarke*
japonica, *Maxim.*
margaritacea, *Benth.* et *Hook. f.*
triplinervis, *Sims*
yedoensis, *Maxim.*

Anchusa
Barrelieri, *Vitm.*, var. variegata
italica, *Retz.*
officinalis, *Linn.*
sempervirens, *Linn.*

Androsace
alpina, *Lam.*
arachnoidea, *Schott*
Bulleyana, *G. Forrest*
Charpentieri, *Heer*
chumbyi ×, *Hort.*
ciliata, *DC.*
coccinea, *Franch.*
lanuginosa, *Wall.*
— var. Leichtlini
occidentalis, *Pursh*
primuloides, *Duby*
sarmentosa, *Wall.*
tibetica, *Knuth*
villosa, *Linn.*

Andryala

ragusina, *Linn.*

Anemone

cylindrica, *A. Gray*
demissa, *Hook. f.* et *Thoms.*
japonica, *Sieb.* et *Zucc.*
magellanica, *Jancz.*
multifida, *Poir.*
— var. Hudsoniana
narcissiflora, *Linn.*
Pavoniana, *Boiss.*
polyanthes *D. Don*, var. lilacina
rivularis, *Buch.-Ham.*
rupicola, *Camb.*
sulphurea, *Linn.*
sylvestris, *Linn.*, var. major
vitifolia, *Buch.-Ham.*
— var. tomentosa

Anemonopsis

macrophylla, *Sieb.* et *Zucc.*

Angelica

sylvestris, *Linn.*

Antennaria

dioica, *Gaertn.*, var. parvifolia
— var. tomentosa
magellanica, *Sch. Bip.*

Anthemis

canescens, *Brot.*
cinerea, *Panč.*
Kotschyana, *Boiss.*
macedonica, *Boiss.*
maritima, *Linn.*
Santolinoides, *Munby*

Anthericum

Liliago, *Linn.*

Anthoxanthum

odoratum, *Linn.*

Anthyllis

Jacquini, *A. Kern.*
montana, *Linn.*
— var. atrorubens

Antirrhinum

Asarina, *Linn.*
glutinosum, *Boiss.*
majus, *Linn.*
sempervirens, *Lapeyr.*

Aphyllanthes

monspeliensis, *Linn.*

Aplopappus

croceus, *A. Gray*
suffruticosus, *A. Gray*

Aponogeton

distachyum, *Thunb.*

Aquilegia

Bertolonii, *Schott*
caerulea, *James*
formosa, *Fisch.*
olympica, *Boiss.*
Ottonis, *Orph.*
Skinneri, *Hook.*
viridiflora, *Pall.*
vulgaris, *Linn.*
— var. atrata
— — Haenkeana

Arabis

albida, *Stev.*
— var. rosea
alpina, *Linn.*
aubrietioides, *Boiss.*
brassicaeformis, *Wallr.*
Breweri, *S. Wats.*
canescens, *Nutt.*
muralis, *Bertol.*, var. rosea
petraea, *Lam.*
stricta, *Huds.*

Arbutus

Menziesii, *Pursh*

Arctium

minus, *Bernh.*
nemorosum, *Lejeune*

Arenaria

biflora, *Linn.*
Capillaris, *Poir.*
capitata, *Lam.*
Cephalotes, *Bieb.*
decussata, *Willd.*
Fendleri, *A. Gray*
foliosa, *Royle*
frigida, *Rupr.*
gothica, *Fries*
gracilis, *Kit.*
graminifolia, *Schrad.*
grandiflora, *Linn.*
gypsophiloides, *Linn.*
juniperina, *Linn.*
Kingii, *M. E. Jones*
laricifolia, *Linn.*
leptoclados, *Boiss.*
montana, *Linn.*, var. grandiflora.
pinifolia, *Bieb.*
pungens, *Clem.*
purpurascens, *Ramond*
sajanensis, *Willd.*
saxatilis, *Linn.*
setacea, *Thuill.*, var. erythrosepala.
striata, *Vill.*
tmolea, *Boiss.*, var. Kotschyana.
Villarsii, *Balb.*, var. villosula

Argemone

mexicana, *Linn.*
— var. ochroleuca, *Lindl.*

Aristolochia

Clematitis, *Linn.*
heterophylla, *Hemsl.*

Armeria

Adamovici, *Hort.*
alpina, *Willd.*
— var. alba
berlengensis, *Daveau*

Armeria—*continued.*

caespitosa, *Boiss.*
canescens, *Boiss.*
elongata, *Hoffm.*
fasciculata, *Willd.*
japonica, *Hort.*
latifolia, *Willd.*, var. bracteata
leucocephala, *Koch*
longearistata, *Boiss.* et *Reut.*
majellensis, *Boiss.*
maritima, *Willd.*
— var. Laucheana
olympica, *Hort.*
pinifolia, *Hoffmgg.* et *Link*
plantaginea, *Willd.*
sibirica, *Turcz.*
Welwitschii, *Boiss.*

Arnica

alpina, *Olin* et *Ladau*
Chamissonis, *Less.*
montana, *Linn.*
sachalinensis, *A. Gray*

Arrhenatherum

avenaceum, *Beauv.*

Artemisia

canadensis, *Michx.*
glomerata, *Ledeb.*
hololeuca, *Bieb.*
lanata, *Willd.*
maritima, *Linn.*
Moorcroftiana, *Wall.*
pontica, *Linn.*
Roezlii, *Hort. Suend.*
sacrorum, *Ledeb.*
sericea, *Weber*
spicata, *Wulf.*
splendens, *Willd.*
tridentata, *Nutt.*
vulgaris, *Linn.*

Asperula

aristata, *Linn.*
hexaphylla, *All.*
humifusa, *Bess.*

Asperula—*continued.*

laevigata, *Linn.*
odorata, *Linn.*
orientalis, *Boiss.* et *Hohen.*

Asphodeline

liburnica, *Reichb.*
lutea, *Reichb.*

Asphodelus

albus, *Willd.*

Aster

acris, *Linn.*
alpinus, *Linn.*
— var. albus
Amellus, *Linn.*, var. amelloides (*Hoffm.*)
— var. bessarabicus (*Bernh.*)
amethystinus, *Nutt.*
Andersoni, *A. Gray*
brachytrichus, *Franch.*
canus, *Waldst.* et *Kit.*
commutatus, *A. Gray*
conspicuus, *Lindl.*
cordifolius, *Linn.*, var. elegans
corymbosus, *Ait.*
Curtisii, *Torr.* et *Gray*
dahuricus, *Benth.*
Delavayi, *Franch.*
diffusus, *Ait.*
diplostephioides, *Benth.* et *Hook. f.*
Douglasii, *Lindl.*
dumosus, *Linn.*
Farreri, *W. W. Sm.*
fastigiatus, *Fisch.*
floribundus, *Nutt.*
foliaceus, *Lindl.*
Fremonti, *A. Gray*
Harrowianus, *Diels*
Hauptii, *Ledeb.*
himalaicus, *C. B. Clarke*
hispidus, *Baker*
junceus, *Ait.*
laevis, *Linn.*
linariifolius, *Linn.*
Linosyris; *Bernh.*
longifolius, *Lam.*

Aster—*continued.*

macrophyllus, *Linn.*
oreophilus, *Franch.*
patens, *Ait.*
Pattersoni, *A. Gray*
puniceus, *Linn.*
— var. lucidulus
Purdomii, *W. W. Sm.*
pyrenaeus, *DC.*
ramulosus, *Hort.*
salicifolius, *Ait.*
sericeus, *Vent.*
sibiricus, *Linn.*
sikkimensis, *Hook, f.* et *Thoms.*
spectabilis, *Ait.*
staticifolius, *Franch.*
Thomsoni, *C. B. Clarke*
Tradescanti, *Linn.*
trinervius, *Roxb.*
umbellatus, *Mill.*
Vahlii, *Hook.* et *Arn.*
vestitus, *Franch.*
yunnanensis, *Franch.*

Astilbe

chinensis, *Franch. et Sav.*
Davidii, *Henry*, var. rosea
japonica, *A. Gray*
simplicifolia, *Makino*
Thunbergii, *Miq.*

Astragalus

alopecuroides, *Linn.*
armeniacus, *Boiss.*
asper, *Jacq.*
chlorostachys, *Lindl.*
danicus, *Retz.*
— var. albus
deinacanthus, *Boiss.*
exscapus, *Linn.*
falcatus, *Lam.*
Glycyphyllos, *Linn.*
Gremlii, *Burnat*
Onobrychis, *Linn.*
penduliflorus, *Lam.*
pentaglottis, *Linn.*
podocarpus, *C. A. Mey.*
ponticus, *Pall.*
Poterium, *Vahl*

Astragalus—*continued.*

Robbinsii, *A. Gray*
Roemeri, *Simonkai*
sikkimensis, *Benth.*
sirinicus, *Tenore*
sulcatus, *Linn.*
utriger, *Pall.*
vaginatus, *Pall.*
verus, *Olivier*
vicioides, *R. Grah.*
yunnanensis, *Franch.*

Astrantia

carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*
pauciflora, *Bertol.*

Astrocarpus

sesamoides, *DC.*

Astrodaucus

orientalis, *Drude*

Athamanta

cretensis, *Linn.*
sicula, *Linn.*
vestina, *A. Kern.*

Atraphaxis

Billardieri, *Jaub.* et *Spach*
lanceolata, *Bunge*

Atriplex

confertifolia, *S. Wats.*

Atropa

Belladonna, *Linn.*

Aubrietia

Columnae, *Guss.*
croatica, *Schott, Nym.* et *Kotschy*
deltoidea, *DC.*, var. cilicica
— var. lutea variegata
— var. Perkinsii
— var. Richardi
— var. Wallacei

Aubrietia—*continued.*

erubescens, *Griseb.*
gracilis, *Sprun.*
Pinardi, *Boiss.*

Avena

bromoides, *Gouan*
sempervirens, *Vill.*

Azorella

pedunculata, *Willd.*

Baccharis

patagonica, *Hook.* et *Arn.*

Ballota

africana, *Benth.*
nigra, *Linn.*
spinosa, *Link*

Bellium

bellidioides, *Linn.*

Berberis

aemulans, *Schneider*
aggregata, *Schneider*, var. Prattii
amurensis, *Rupr.*
Aquifolium, *Pursh*
aristata, *DC.*
brachypoda, *Maxim.*
Darwinii, *Hook.*
Gagnepaini, *Schneider*
japonica, *R. Br.*
polyantha, *Hemsl.*
repens, *Lindl.*
subcaulialata, *Schneider*
virescens, *Hook, f.*
vulgaris, *Linn.*

Berkheya

purpurea, *Benth.* et *Hook. f.*

Betula

alba, *Linn.*
— var. pendula
— var. populifolia

Betula—*continued.*

alba, *Linn.*, var. pubescens
fruticosa, *Pall.*
humilis, *Schrank*
japonica, *Siebold*, var. mandshurica
— var. szechuanica
lutea, *Michx.*
Medwediewi, *Regel*
nana, *Linn.*
papyracea (*Dryand.*), var. excelsa
papyrifera, *Marsh.*
ulmifolia, *Sieb.* et *Zucc.*
utilis, *D. Don*, var. glandulifera
— var. Prattii

Bidens

dahlioides, *S. Wats.*

Biscutella

laevigata, *Linn.*

Bocconia

cordata, *Willd.*
microcarpa, *Maxim.*

Boltonia

asteroides, *L'Hérit.*

Borago

officinalis, *Linn.*

Boykinia

major, *Gray*

Brachycome

Thomsonii, *T. Kirk*

Brachypodium

distachyum, *Beauv.*
ramosum, *Roem.* et *Schult.*
sylvaticum, *Beauv.*

Brassica

campestris, *Linn.*, var. chinensis (*Linn.*)
insularis, *Moris*
oleracea, *Linn.*

Braya

alpina, *Sternb.* et *Hoppe*

Briza

maxima, *Linn.*

Bruckenthalia

spiculifolia, *Reichb.*

Bryanthus

empetriformis, *A. Gray*
— var. Drummondi
erectus ×, *Lindl.* et *Paxt.*
taxifolius, *A. Gray*

Buddleia

albiflora, *Hemsl.*
Colvilei, *Hook. f.*
Davidi, *Franch.*, var. superba
Forrestii, *Diels*
intermedia, *Carr.*
Lindleyana, *Fortune*
macrostachya, *Benth.*
stenostachya, *Rehd.* et *Wils.*
variabilis, *Hemsl.*
— var. Veitchiana

Bulbine

alooides, *Willd.*

Bulbinella

Hookeri, *Benth.* et *Hook. f.*

Buphthalmum

salicifolium, *Linn.*
speciosum, *Schreb.*

Bupleurum

ranunculoides, *Linn.*

Butomus

umbellatus, *Linn.*

Calamintha

grandiflora, *Moench*
graveolens, *Benth.*
umbrosa, *Fisch.* et *Mey.*

Calandrinia

Cotyledon, *S. Wats.*
umbellata, *DC.*

Calceolaria

plantaginea, *Sm.*
scabiosifolia, *Sims*

Callirhoe

digitata, *Nutt.*

Calluna

vulgaris, *Salisb.*
— var. alba
— — — pilosa
— — — pumila
— — — rigida
— var. Alporti
— var. aurea
— var. Hammondii
— var. tomentosa alba

Caltha

leptosepala, *DC.*
scaposa, *Hook. f.*

Camassia

Cusickii, *S. Wats.*

Campanula

acutangula, *Ler.* et. *Lev.*
Allionii, *Vill.*
barbata, *Linn.*
— var. alba
bononiensis, *Linn.*
caespitosa, *Scop.*, var. Vensloi
carpatica, *Jacq.*
— var. pelviformis
— var. turbinata
— — — alba
— — — compacta
— — — pallida
colorata, *Wall.*
crenulata, *Franch.*

Campanula—*continued.*

elegans, *Roem.* et *Schult.*
Erinus, *Linn.*
excisa, *Schleich.*
fenestrellata, *Feer*
fragilis, *Cyrill.*
garganica, *Tenore*
— var. alba
— var. villosa
glomerata, *Linn.*
— var. azurea
— var. superba
kolenatiana, *C. A. Mey.*
latifolia, *Linn.*, var. macrantha
— — — alba
— — — lilacina
linifolia, *Scop.*
macrorrhiza, *J. Gay*
Marchesettii, *Wit.*
mirabilis, *Alboff*
persicifolia, *Linn.*
— var. alba
pilosa, *Pall.*
pulcherrima, *Hort.*
pulla, *Linn.*
pulloides, *Hort. Kew.*
punctata, *Lam.*
pusilla, *Haenke*, var. alba
pyramidalis, *Linn.*, var. alba
pyrenaica, *A. DC.*
Raddeana, *Trautv.*
Rainerii, *Perpent.*
rapunculoides, *Linn.*
Reuteriana, *Boiss.* et *Bal.*
rhomboidalis, *Linn.*
rhomboidea, *Murr.*
rotundifolia, *Linn.*
— var. alba
— var. Baumgartenii
— var. magnifica
salicifolia, *Hort.*
Scheuchzeri, *Vill.*
— var. alba
spicata, *Linn.*
Teymonsii, *Hort.*
thyrsoides, *Linn.*
versicolor, *Sibth.* et *Sm.*

Capsella

Bursa-pastoris, *Medic.*

Caragana

arborescens, *Linn.*, var. cuneifolia
— var. nana
— var. pendula
Boisi, *Schneider*

Carbenia

frutescens, *Medic.*, var. latifolia

Cardamine

pratensis, *Linn.*

Carduncellus

monspeliensium, *All.*

Carduus

cernuus, *Steud.*
Kerneri ×, *Simonk.*

Carex

aquatilis, *Wahlenb.*
atrata, *Linn.*
axillaris, *Good.*
binervis, *Sm.*
canescens, *Linn.*
distans, *Linn.*
divulsa, *Good.*
extensa, *Good.*, var. pumila, *Anders.*
frigida, *All.*
glauca, *Scop.*
Grayii, *Carey*
helvola, *Blytt*
incurva, *Lightf.*
— var. erecta, *O. F. Lang*
laevigata, *Sm.*
leporina, *Linn.*
— var. capitata
microptera, *Mackenzie*
ornithopoda, *Willd.*
paniculata, *Linn.*
Pseudo-cyperus, *Linn.*
punctata, *Gaud.*
remota, *Linn.*
rigida, *Good.*
saxatilis, *Linn.*
sparganioides, *Muehl.*

Carex—*continued.*

stricta, *Good.*
Vilmorini, *Mottet*
vulgaris, *Fries*

Carlina

acanthifolia, *All.*
acaulis, *Linn.*
vulgaris, *Linn.*

Carmichaelia

Enysii, *T. Kirk*
flagelliformis, *Colenso*
Petriei, *T. Kirk*
robusta, *T. Kirk*

Carpoceras

cilicicum, *Boiss.* et *Kurz*

Carum

alpinum, *Benth.* et *Hook. f.*

Cassandra

calyculata, *D. Don*

Cassinia

fulvida, *Hook. f.*
leptophylla, *R. Br.*
retorta, *A. Cunn.*
Vauvilliersii, *Hook. f.*

Cassiope

Mertensiana, *G. Don*

Castanea

sativa, *Mill.*

Catananche

bicolor, *Hort.*
caerulea, *Linn.*
lutea, *Linn.*

Cathcartia

villosa, *Hook. f.*

Cautleya

lutea, *Royle*

Cedronella

cana, *Hook.*
triphylla, *Moench*

Celmisia

coriacea, *Raoul*
densiflora, *Hook. f.*
discolor, *Hook. f.*
Lindsayi, *Hook. f.*
longifolia, *Cass.*
Lyallii, *Hook. f.*, var. pseudo-Lyallii
Munroi, *Hook. f.*
petiolata, *Hook. f.*
spectabilis, *Hook. f.*
verbascifolia, *Hook. f.*
viscosa, *Hook. f.*

Centaurea

cynaroides, *Link*
dealbata, *Willd.*
glastifolia, *Linn.*
gymnocarpa, *Moris* et *De Not.*
Janerii, *Graells*
Kerneriana, *Janka*
macrocephala, *Puschk.*
montana, *Linn.*, var. ochroleuca
— var. rosea
mucronifera, *DC.*
napifolia, *Linn.*
nervosa, *Willd.*
nigra, *Linn.*
nigrescens, *Willd.*
phrygia, *Linn.*
pulcherrima, *Willd.*
pulchra, *DC.*, var. major
ruthenica, *Lam.*
rutifolia, *Sibth.* et *Sm.*
salonitana, *Vis.*
Scabiosa, *Linn.*
sordida, *Willd.*
Tenoreana, *Willk.*

Centranthus

longiflorus, *Stev.*
ruber, *DC.*

Cerastium

grandiflorum, *Waldst.* et *Kit.*
tomentosum, *Linn.*

Chaerophyllum

aromaticum, *Linn.*

Chamaemelum

rimarum, *Siehe*

Chaptalia

alsophila, *Greene*

Cheiranthus

Cheiri, *Linn.*
mutabilis, *L'Hérit.*

Chelidonium

Franchetianum, *Prain*
majus, *Linn.*
— var. laciniatum

Chenopodium

album, *Linn.*
Bonus-Henricus, *Linn.*
capitatum, *Aschers.*

Chlorogalum

pomeridianum, *Kunth*

Chrysanthemum

arcticum, *Linn.*
atratum, *Linn.*
caucasicum, *Pers.*
coccineum, *Willd.*
hakusanense, *Makino*
lacustre, *Brot.*
Leucanthemum, *Linn.*
maximum, *Ramond*
Zawadskii, *Herbich*

Chrysogonum

virginianum, *Linn.*

Chrysopsis

camporum, *Greene*
villosa, *DC.*, var. foliosa
— var. Rutteri

Cimicifuga

cordifolia, *Pursh*
davurica, *Maxim.*
japonica, *Miq.*

Cistus

laurifolius, *Linn.*
populifolius, *Linn.*

Cladothamnus

pyroliflorus, *Bong.*

Clematis

alpina, *Mill.*
Flammula, *Linn.*, var. foliis purpureis
integrifolia, *Linn.*
intermedia, *Carr.*
koreana, *Kom.*
ligusticifolia, *Nutt.*
orientalis, *Linn.*
— var. tangutica, *Maxim.*
recta, *Linn.*
songorica, *Bunge*
Vitalba, *Linn.*

Clintonia

umbellata, *Torr.*

Cneorum

tricoccon, *Linn.*

Cnicus

acaulis, *Willd.*
Bertolonii, *Bertol.*
canus, *Roth*
Carolorum, *Hook. f.*
eriophorus, *Roth*
heterophyllus, *Roth*
monspessulanus, *Roth*
rivularis, *Willd.*, var. atropurpurea
tartaricus, *Willd.*

Cochlearia

glastifolia, *Linn.*

Codonopsis

Bulleyana, *Diels* et *G. Forrest*
ovata, *Benth.*
silvestris, *Kom.*
subglobosa, *W. W. Sm.*
tubulosa, *Komarov*

Colchicum

Bornmuelleri, *Freyn*

Collinsia

bicolor, *Benth.*

Collomia

linearis, *Nutt.*

Colutea

cruenta, *Ait.*
longialata, *Koehne*

Convallaria

majalis, *Linn.*

Convolvulus

althaeoides, *Linn.*
tricolor, *Linn.*

Conyza

squarrosa, *Georgi*

Coprosma

Petriei, *Cheesem.*

Coptis

trifolia, *Salisb.*

Corethrogyne

rigida, *A. A. Heller*

Cornus

alba, *Linn.*, var. foliis tricoloribus
sanguinea, *Linn.*

Corokia

Cotoneaster, *Raoul*, var. fructu-luteo

Coronilla

roseo-alba, *Hort.*
valentina, *Linn.*
varia, *Linn.*

Cortusa

Matthioli, *Linn.*
— var. sinensis

Corydalis

adunca, *Maxim.*

Corynephorus

canescens, *Beauv.*

Cotoneaster

acuminata, *Lindl.*
acutifolia, *Lindl.*
— var. villosula
affinis, *Lindl.*
ambigua, *Rehder* et *Wilson*
apiculata, *Rehder* et *Wilson*
bacillaris, *Wall.*
bullata, *Bois*
— var. macrophylla
Dammeri, *Schneider*
Dielsiana, *Pritzel*, var. elegans
divaricata, *Rehder* et *Wilson*
Francheti, *Bois*
frigida, *Wall.*
horizontalis, *Decne.*
— var. perpusilla
moupinensis, *Franch.*
multiflora, *Bunge*, var. calocarpa
Nummularia, *Fisch.* et *Mey.*
— var. Meyeri
pannosa, Franch.
salicifolia, *Franch.*, var. floccosa
— var. rugosa, *Rehder* et *Wilson*
Simonsii, *Baker*
thymifolia, *Baker*

Cotyledon

chrysantha, *Hort. Edin.*

Crambe

cordifolia, *Stev.*
maritima, *Linn.*
pinnatifida, *R. Br.*

Craspedia

uniflora, *Forst. f.*

Crataegus

acutiloba, *Sargent*
Azarolus, *Linn.*
Blanchardi, *Sargent*
Carrierei, *Vauvel*
coccinea, *Linn.*
— var. flabellata, *Britton*
— var. indentata, *Hort.*
Crus-galli, *Linn.*
intricata, *Lange*
Jackii, *Sargent*
matura, *Sargent*
mollis, *Scheele*
nigra, *Waldst.* et *Kit.*
Oakesiana, *Eggleston*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— var. flore puniceo
— var. foliis luteis
— var. fuscata, *Hort.*
— var. monogyna, *Jacq.*
— var. variegata
pentagyna, *Kit.*
Pyracantha, *Pers.*
— var. Lalandi, *Hort.*
Slavini, *Sargent*
submollis, *Sargent*
tanacetifolia, *Pers.*
virella, *Ashe*

Cremanthodium

reniforme, *Benth.*

Crepis

blattarioides, *Vill.*
grandiflora, *Tausch*
incana, *Sibth.* et *Sm.*
pygmaea, *Linn.*

Cryptomeria

japonica, *D. Don*

Cuminum

Cyminum, *Linn.*

Cupressus

Benthami, *Endl.*
Goveniana, *Gord.*
Lawsoniana, *A. Murr.*
nootkatensis, *Lamb.*
obtusa, *Koch*

Cyananthus

incanus, *Hook. f.* et *Thoms.*,
var. leiocalyx, *Franch.*
inflatus, *Hook. f.* et *Thoms.*
lobatus, *Wall.*
macrocalyx, *Franch.*

Cyclamen

europaeum, *Linn.*
neapolitanum, *Tenore*
repandum, *Sibth.* et *Sm.*

Cydonia

japonica, *Thunb.*
— var. alba
— var. rosea
Maulei, *T. Moore*

Cynara

Cardunculus, *Linn.*

Cynoglossum

amabile, *Stapf* et *Drumm.*
denticulatum, *A. DC.*
furcatum, *Wall.*
nervosum, *Benth.*

Cytisus

albus, *Linn.*
Ardoini, *Fourn.*
austriacus, *Linn.*
capitatus, *Scop.*
eriocarpus, *Boiss.*
nigricans, *Linn.*
praecox ×, *Hort.*
purgans, *Boiss.*
purpureus, *Scop.*, var. erectus
— var. incarnatus

Cytisus—*continued.*

scoparius, *Link*
— var. Andreanus
— var. prostratus
sessilifolius, *Linn.*
shipkaensis, *Dippel*

Daboëcia

polifolia, *D. Don*
— var. alba
— var. bicolor
— var. purpurea

Dactylis

glomerata, *Linn.*
— var. variegata

Dahlia

Merckii, *Lehm.*
variabilis, *Desf.*

Danthonia

Raoulii, *Steud.*

Daphne

acutiloba, *Rehder*
Cneorum, *Linn.*
retusa, *Hemsl.*

Datisca

cannabina, *Linn.*

Datura

Stramonium, *Linn.*

Daucus

Carota, *Linn.*

Deinanthe

caerulea, *Stapf*

Delphinium

altissimum, *Wall.*
azureum, *Michx.*
Brunonianum, *Royle*
Bulleyanum, *G. Forrest*

Delphinium—*continued.*

cashmirianum, *Royle*
corymbosum, *Regel*
Delavayi, *Franch.*
dictyocarpum, *DC.*
Duhmbergii, *Huth*
elatum, *Linn.*
— var. alpinum
flexuosum, *Rafin.*
formosum, *Boiss.* et *Huet*
grandiflorum, *Linn.*
hybridum, *Steph.*
likiangense, *Franch.*
Maackianum, *Regel*
occidentale, *S. Wats.*
pellucidum, *Busch*
Potanini, *Huth*
Przewalskii, *Huth*
Pylzowi, *Maxim.*
Requienii, *DC.*
scopulorum, *A. Gray*
— var. stachydeum
speciosum, *Bieb.*, var. glabratum
tatsienense, *Franch.*
— var. album
vestitum, *Wall.*
viscosum, *Hook. f.* et *Thoms.*

Deschampsia

flexuosa, *Trin.*

Deutzia

gracilis, *Sieb.* et *Zucc.*
longifolia, *Franch.*
parviflora, *Bunge*
Schneideriana, *Rehder*, var. laxiflora
Veitchii, *Hort.*

Dianthus

alpinus, *Linn.*
arboreus, *Linn.*
arenarius, *Linn.*
Armeria, *Linn.*
arvensis, *Hort.*
atrorubens, *All.*
attenuatus, *Sm.*
brachyanthus, *Boiss.*, var. alpinus

Dianthus—*continued.*

caesius, *Sm.*
— var. semiplenus
chinensis, *Linn.*
ciliatus, *Guss.*
cinnabarinus, *Sprun.*
crinitus, *Sm.*
croaticus, *Borbas*
delicatus, *Hort.*
deltoides, *Linn.*
— var. glaucus
fimbriatus, *Bieb.*
Freynii, *Vandas*
furcatus, *Balb.*
gallicus, *Pers.*
grandiflorus, *Poir.*
graniticus, *Jord.*
inodorus, *Hort. Corr.*, var. suavis
lactiflorus, *Fenzl*
longicaulis, *Tenore*
monspessulanus, *Linn.*, var. alpestris
orbelicus, *Hort.*
orientalis, *Donn*
petraeus, *Waldst* et *Kit.*
— var. spiculifolius
plumarius, *Linn.*
pulchellus, *Hort.*
pungens, *Linn.*
scardicus, *Wettst.*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*
superbus, *Linn.*
— var. albus
— var. nanus
sylvestris, *Wulf.*
tymphresteus, *Heldr.* et *Sart.*
velebiticus, *Borb.*
Velenowskyi, *Borb.*
zonatus, *Fenzl*

Dichondra

repens, *Forst.*

Dictamnus

albus, *Linn.*
— var. tauricus

Didissandra

lanuginosa, *C. B. Clarke*

Diervilla

coraeënsis, *DC.*
— var. grandiflora
floribunda, *Sieb.* et *Zucc.*, var. Lowii
florida, *Sieb.* et *Zucc.*
— var. alba
— var. candida

Digitalis

ambigua, *Murr.*
lutea, *Linn.*
obscura, *Linn.*
purpurea, *Linn.*

Dimorphotheca

pluvialis, *Moench*

Dipelta

yunnanensis, *Franch.*

Dipsacus

inermis, *Wall.*

Discaria

Toumatou, *Raoul*

Disporum

lanuginosum, *Nichols.*

Dodecatheon

Meadia, *Linn.*, var. splendidum

Doronicum

caucasicum, *Bieb.*

Dorycnium

rectum, *Ser.*
suffruticosum, *Vill.*

Draba

aizoides, *Linn.*
Aizoon, *Wahlenb.*
alpina, *Linn.*
— var. involucrata
altaica, *Ledeb.*
amplexicaulis, *Franch.*

Draba—*continued.*

arabisans, *Michx.*
athoa, *Boiss.*
aurea, *Vahl*
cornuta, *Hort.*
hirta, *Linn.*
incana, *Linn.*
— var. Adamsii
Kotschyi, *Stur.*
longirostrata, *Schott, Nym.* et *Kotschy*
nemorosa, *Linn.*
nivalis, *Lilj.*
oligosperma, *Hook.*
oxycarpa, *Boiss.* et *Heldr.*
pycnosperma, *Fernald* et *Knowlton*
rupestris, *R. Br.*
scandinavica, *Lindblom*
streptocarpa, *A. Gray*
surculosa, *Franch.*

Dracocephalum

botryoides, *Stev.*
bullatum, *G. Forrest*
fruticulosum, *Steph.*
Isabellae, *G. Forrest*
nodulosum, *Rupr.*
nutans, *Linn.*, var. alpinum, *Regel*
parviflorum, *Nutt.*
Ruprechti, *Regel*
Ruyschiana, *Linn.*
speciosum, *Benth.*
taliense, *G. Forrest*
tanguticum, *Maxim.*

Dryas

octopetala, *Linn.*
Suendermannii, *Hort.*

Drypis

spinosa, *Linn.*

Echinacea

purpurea, *Moench*

Echinops

Ritro, *Linn.*
sphaerocephalus, *Linn.*

Echium

pustulatum, *Hort.*
strictum, *Linn. f.*
violaceum, *Linn.*
vulgare, *Linn.*

Edraianthus

Pumilio, *DC.*

Elaeagnus

umbellata, *Thunb.*

Eleocharis

neo-zelandica, *C. B. Clarke*
palustris, *R. Br.*

Elymus

arenarius, *Linn.*
dasystachya, *Trin.*

Emex

spinosa, *Campd.*

Enkianthus

himalaicus, *Hook. f.* et *Thoms.*
latiflorus, *Craib*
pallidiflorus, *Craib*
pendulus, *Craib*
perulatus, *Schneider*
recurvus, *Craib*
serrulatus, *Schneider*
tectus, *Craib*

Epilobium

angustifolium, *Linn.*
— var. album
cinereum, *A. Rich.*
Cockaynianum, *Petrie*
collinum, *C. C. Gmel.*
Dodonaei, *Vill.*
eriofolium, *Hort.*
glabellum, *Forst.*
Hectori, *Hausskn.*
hirsutum, *Linn.*
latifolium, *Linn.*
luteum, *Pursh*
melanocaulon, *Hook.*
microphyllum, *A. Rich.*

Epilobium—*continued.*

montanum, *Linn.*
obcordatum, *A. Gray*
reticulatum, *C. B. Clarke*
rosmarinifolium, *Haenke*
tetragonum, *Linn.*

Eragrostis

maxima, *Fourn.*

Eranthis

cilicica, *Schott* et *Kotschy*

Eremurus

Bungei, *Baker*, var. magnificus
robustus, *Regel*, var. albus
— var. Elwesianus

Erica

australis, *Linn.*
cinerea, *Linn.*
— var coccinea
— var. pallida
— var. rosea
intermedia, *Klotzsch*
mediterranea, *Linn.*, var. nana
Praegeri ×
Tetralix, *Linn.*, var. Lawsoniana
vagans, *Linn.*, var. alba
— var. alba minor
— var. pallida

Erigeron

aurantiacus, *Regel*
compositus, *Pursh*
Coulteri, *Porter* et *Coulter*
flagellaris, *A. Gray*
glabellus, *Nutt.*
— var. asper
— var. mollis
glabratus, *Hoppe* et *Hornsch*
grandiflorus, *Hook.*
leiomerus, *A. Gray*
macranthus, *Nutt.*
montanensis, *Rydb.*
montevidensis, *Baker*

Erigeron—*continued.*
multiradiatus, *Benth.* et *Hook. f.*
patentisquama, *J. F. Jeffrey*
philadelphicus, *Linn.*
Roylei, *DC.*
salsuginosus, *A. Gray*
speciosus, *DC.*, var. major
— var. superbus, *Linn.*
tegetarius, *Cov.*
trifidus, *Hook.*
— var. albescens
uniflorus, *Linn.*

Erinus

alpinus, *Linn.*
— var. carmineus
— var. hirsutus

Eriogonum

umbellatum, *Torr.*
Wrightii, *Torr.*

Eriophyllum

caespitosum, *Dougl.*
lanatum, *Forbes*, var. obovatum

Eritrichium

strictum, *Decne.*

Erodium

absinthoides, *Willd.*
— var. amanum
— var. Sibthorpianum
carvifolium, *Boiss.*
corsicum, *Leman*
daucoides, *Boiss.*
geifolium, *Munby*
Kolbianum, *Hort.*
leucanthum, *Boiss.*
macradenum, *L'Hérit.*
Manescavi, *Coss.*
petraeum, *Willd.*
supracanum, *L'Hérit.*
trichomanefolium, *L'Hérit.*

Eruca

sativa, *Mill.*

Eryngium

agavifolium, *Griseb.*
alpinum, *Linn.*
campestre, *Linn.*
dichotomum, *Desf.*
eburneum, *Decne.*
grande, *Hemsl.* et *Rose*
planum, *Linn.*
prostratum, *Nutt.*
Serra, *Cham.* et *Schlecht.*
Wrightii, *A. Gray*
yuccaefolium, *Michx.*

Erysimum

asperum, *DC.*
bracteatum, *W. W. Sm.*
capitatum, *Greene*
hieracifolium, *Linn.*
linifolium, *J. Gay*
nanum, *Boiss.* et *Hohen.*
pumilum, *Nutt.*

Erythraea

Centaurium, *Pers.*
littoralis, *Fries*

Escallonia

edinensis ×, *Hort.*
langleyensis, *Vilm.* et *Bois*
macrantha, *Hook.* et *Arn.*, var. punctata
pterocladon, *Hook.*

Eschscholzia

californica, *Cham.*

Eucalyptus

Gunnii, *Hook. f.*

Eucharidium

grandiflorum, *Fisch.* et *Mey.*

Euonymus

europaeus, *Linn.*
latifolius, *Mill.*, var. planipes

Eupatorium

ageratoides, *Linn.*
cannabinum, *Linn.*
deltoideum, *Jacq.*
japonicum, *Thunb.*
purpureum, *Linn.*

Euphorbia

balsamifera, *Ait.*
Myrsinites, *Linn.*
spinosa, *Linn.*
stricta, *Linn.*

Fagopyrum

esculentum, *Moench*

Falcaria

vulgaris, *Dernh.*

Farsetia

clypeata, *R. Br.*

Fendlera

rupicola, *A. Gray*

Ferula

orientalis, *Linn.*

Festuca

Eskia, *Ram.*
ovina, *Linn.*
— var. tenuiflora
punctoria, *Sibth.* et *Sm.*
rubra, *Linn.*
varia, *Haenke*

Foeniculum

giganteum, *Hort.*
vulgare, *Mill.*

Fragaria

californica, *Cham.* et *Schlecht.*
indica, *Andr.*
vesca, *Linn.*, var. monophylla
— var. semperflorens

Fraxinus

excelsior, *Linn.*
— var. heterophylla

Fritillaria

Meleagris, *Linn.*, var. alba

Fuchsia

Riccartoni ×, *Hort.*

Fumaria

officinalis, *Linn.*

Funkia

Sieboldiana, *Hook.*

Gaillardia

aristata, *Pursh*
— var. grandiflora

Galax

aphylla, *Linn.*

Galega

officinalis, *Linn.*
— var. rosea
orientalis, *Lam.*

Galeopsis

Tetrahit, *Linn.*

Galinsoga

parviflora, *Cav.*

Galium

anisophyllon, *Vill.*
boreale, *Linn.*
erectum, *Huds.*
verum, *Linn.*

Galtonia

candicans, *Decne.*

Garrya

elliptica, *Dougl.*

Gaultheria

antipoda, *Forst. f.*
hispida, *R. Br.*, var. fructu albo
nummularioides, *D. Don*
perplexa, *T. Kirk*
pyrolaefolia, *Hook. f.*, var. cuneata
rupestris, *R. Br.*
trichophylla, *Royle*

Gazania

splendens ×, *Hort.*
— var. variegata

Genista

aethnensis, *DC.*
anglica, *Linn.*
dalmatica, *Bartl.* et *Wendl.f.*
depressa, *Bieb.*
elatior, *Koch.*
germanica, *Linn.*
sagittalis, *Linn.*
sericea, *Wulf.*
sylvestris, *Scop.*, var. dalmatica
tinctoria, *Linn.*
— var. apennina
— var. prostrata
Villarsii, *Clementi*
virgata, *DC.*

Gentiana

acaulis, *Linn.*
alba, *Muhl.*
asclepiadea, *Linn.*
— var. alba
crassicaulis, *Duthie*
cruciata, *Linn.*
— var. macrophylla
Farreri, *Balf. f.*
Fetisowi, *Regel* et *Winkler*
macrophylla, *Pall.*
— var. cyanea
Moorcroftiana, *Wall.*
obtusifolia, *Willd.*
pannonica, *Scop.*
phlogifolia, *Schott.* et *Kotschy*
rigescens, *Franch.*

Gentiana—*continued.*

robusta, *King*
septemfida, *Pall.*
— var. cordifolia
— var. latifolia
— var. procumbens
sino-ornata, *Balf. f.*
tibetica, *King*
tubulosa, *Gilg*

Geranium

anemonifolium, *L'Hérit.*
armenum, *Boiss.*
cinereum, *Cav.*
dissectum, *Linn.*
Endressi, *J. Gray*
grandiflorum, *Hort.*
ibericum, *Cav.*
lucidum, *Linn.*
macrorrhizum, *Linn.*
platypetalum, *Franch.*
pratense, *Linn.*
— var. album
— var. bicolor
pyrenaicum, *Burm. f.*
Richardsonii, *Fisch.* et *Trautv.*, var. album
Robertianum, *Linn.*
sanguineum, *Linn.*
— var. album
— var. lancastriense
— var. prostratum
sessiliflorum, *Cav.*
subcaulescens, *L'Hérit.*
Wallichianum, *D. Don*
Webbianum, *Hort.*
yedoense, *Franch.* et *Sav.*

Gerbera

Anandria, *Sch. Bip.*
Delavayi, *Franch.*
Jamesoni, *Bolus*
Kunzeana, *A. Br.* et *Aschers.*
ruficoma, *Franch.*

Geum

atrosanguineum, *Hort.*
Heldreichii, *Hort.*
intermedium ×, *Ehrh.*

Geum—*continued.*

Laxmanni, *Gaertn.*
macrophyllum, *Willd.*
montanum, *Linn.*
— var. corsicum
parviflorum, *Commers.*
pyrenaicum, *Mill.*
rhaeticum, *Bruegg.*
rivale, *Linn.*
Rossii, *Seringe*
tirolense, *Kern.*

Gladiolus

imbricatus, *Linn.*
palustris, *Gaud.*

Glaucium

flavum, *Crantz*

Globularia

lindavica, *Hort.*
spinosa, *Linn.*
trichosantha, *Fisch.* et *Mey.*

Gnaphalium

supinum, *Linn.*
sylvaticum, *Linn.*, var. scoparium

Gueldenstaedtia

himalaica, *Baker*

Gunnera

chilensis, *Lam.*

Gymnolomia

multiflora, *Benth.* et *Hook. f.*

Gypsophila

cerastoides, *D. Don*
curvifolia, *Fenzl*
paniculata, *Linn.*
prostrata, *Linn.*
repens, *Linn.*
Suendermannii, *Hort.*
transsylvanica, *Spreng.*

Habenaria

conopsea, *Benth.*
odoratissima, *Franch.*

Haberlea

Ferdinandi-Coburgii, *Urumoff*
kewensis, *Hort.*
rhodopensis, *Frivald.*

Halenia

elliptica, *D. Don*
Perrottetii, *Griseb.*

Hastingsia

alba, *S. Wats.*

Hebenstretia

comosa, *Hochst.*

Hedysarum

boreale, *Nutt.*
coronarium, *Linn.*
obscurum, *Linn.*
philoscia, *A. Nelson*

Helenium

autumnale, *Linn.*, var. Halleri
— var. magnificum
— var. pumilum
Hoopesii, *A. Gray*

Helianthella

quinquenervis, *A. Gray*
uniflora, *Torr.* et *Gray*

Helianthemum

alpestre, *Dunal*
canum, *Boiss.*
glaucum, *Boiss.*, var. bicolor, (*Presl*)
hymettium, *Boiss.* et *Heldr.*
pilosum, *Benth.*
— var. purpureum
polifolium, *DC.*
rupifragum, *A. Kern.*
Tuberaria, *Mill.*
umbellatum, *Mill.*

Helianthemum—*continued.*
vulgare, *Gaertn.*
— var. cruentum
— var. mutabile
— var. roseum
— var. variegatum

Helianthus
annuus, *Linn.*
decapetalus, *Darl.*
giganteus, *Linn.*
Nuttallii, *Torr.* et *Gray*
pumilus, *Nutt.*

Helichrysum
callichrysum, *DC.*
diosmaefolium, *Sweet*
frigidum, *Willd.*
lanatum, *DC.*
plicatum, *DC.*
rutidolepis, *DC.*

Heliophila
amplexicaulis, *Linn. f.*

Heliopsis
laevis, *Pers.*
padula, *Wender.*
scabra, *Dun.*

Helleborus
lividus, *Ait.*

Hemiphragma
heterophyllum, *Wall.*

Heracleum
asperum, *Bieb.*
lanatum, *Michx.*
sibiricum, *Linn.*, var. angustifolium
villosum, *Fisch.*

Herniaria
glabra, *Linn.*
latifolia, *Lapeyr.*

Hesperis
matronalis, *Linn.*

Heuchera
americana, *Linn.*
bracteata, *Ser.*
cylindrica, *Dougl.*
Drummondii, *Hort.*
glabra, *Willd.*
hispida, *Pursh*
micrantha, *Dougl.*
pilosa, *Hort.*
rubescens, *Torr.*
sanguinea, *Engelm.*

Hieracium
alpinum, *Linn.*
Auricula, *Linn.*
Bornmuelleri, *Freyn*
brevifolium, *Hort.*
callistophyllum, *Hanbury*
curvatum, *Elfstr.*
cylindraceum, *Stenström*, var. glabellum
Gouani, *Hegetschw.*
gymnocephalum, *Griseb.*
humile, *Jacq.*
incanum, *Bieb.*
incisum, *Hoppe*
intybaceum, *Jacq.*
lanatum, *Waldst.* et *Kit.*
pallidum, *Biv.*
pannosum, *Boiss.*
Pilosella, *Linn.*

Hippocrepis
comosa, *Linn.*

Hippophaë
rhamnoides, *Linn.*

Holcus
lanatus, *Linn.*
mollis, *Linn.*

Homeria
collina, *Vent.*

Horminum

pyrenaicum, *Linn.*
— var. album
— var. purpureum
— var. roseum

Hosackia

Torreyi, *A. Gray*

Hyacinthus

amethystinus, *Linn.*
azureus, *Baker*

Hydrangea

Sargentiana, *Rehder*

Hydrocotyle

moschata, *Forst.*

Hymenanthera

crassifolia, *Hook. f.*

Hymenophysa

pubescens, *C. A. Mey.*

Hyoscyamus

niger, *Linn.*

Hypecoum

leptocarpum, *Hook. f.* et *Thoms.*

Hypericum

Androsaemum, *Linn.*
Coris, *Linn.*
elatum, *Ait.*
fragile, *Heldr.* et *Sart.*
Gebleri, *C. A. Mey.*
hircinum, *Linn.*
Hookerianum, *Wight* et *Arn.*
hyssopifolium, *Vill.*
inodorum, *Mill.*
intermedium, *Steud.*
Kotschyanum, *Boiss.*
lysimachioides, *Wall.*
montanum, *Linn.*
patulum, *Thunb.*

Hypericum—*continued.*

perforatum, *Linn.*
polyphyllum, *Boiss.*
Przewalskii, *Maxim.*
pulchrum, *Linn.*
repens, *Linn.*
Richeri, *Vill.*
— var. Burseri, *Spach*
tetrapterum, *Fries*
Webbii, *Steud.*

Hyptis

pectinata, *Poit.*

Hyssopus

officinalis, *Linn.*
— var. grandiflorus

Iberis

Jordani, *Boiss.*
Pruiti, *Tineo*
saxatilis, *Linn.*
semperflorens, *Linn.*
sempervirens, *Linn.*
— var. superba
umbellata, *Linn.*

Ilex

Aquifolium, *Linn.*
— var. argentea marginata
— — — medio-picta
— var. aurea angustifolia
— var. camelliaefolia
— var. flavescens
— var. fructu luteo
— var. handsworthensis
— var. intermedia
— var. Lawsoniana
— var. lurida variegata
— var. platyphylla
Hodginsii ×, *Hort.*
— var. variegata
Pernyi, *Franch.*

Impatiens

Roylei, *Walp.*

Incarvillea

grandiflora, *Bur.* et *Franch.*, var. brevipes
variabilis, *Batalin*
— var. Przewalskii

Indigofera

Gerardiana, *Wall.*

Inula

auriculata, *Boiss.* et *Bal.*
britannica, *Linn.*
ensifolia, *Linn.*
glandulosa, *Puschk.*
grandiflora, *Willd.*
Helenium, *Linn.*
montana, *Linn.*
Oculus-Christi, *Linn.*
racemosa, *Hook. f.*
Royleana, *DC.*
salicina, *Linn.*, var. subhirsuta
squarrosa, *Linn.*

Iris

aphylla, *Linn.*
bucharica, *Foster*
Chamaeiris, *Bertol.*
Clarkei, *Baker*
Douglasiana, *Herb.*
ensata, *Thunb.*, var. biglumis (*Vahl*)
falcifolia, *Bunge*
foetidissima, *Linn.*
Forrestii, *Dykes*
juncea, *Poir.*, var. lusitanica
Junonia, *Schott* et *Kotschy*
kumaonensis, *Wall.*
laevigata, *Fisch.*
Milesii, *Baker*
orientalis, *Thunb.*
prismatica, *Pursh*
Pseudacorus, *Linn.*
pumila, *Linn.*, var. lutea
sibirica, *Linn.*
— var. alba
— var. coreana
— var. grandis
— var. sanguinea

Iris—*continued.*

Sintenisii, *Janka*
tectorum, *Maxim.*
— var. lilacina
virginica, *Linn.*
Xiphioides, *Ehrh.*

Isatis

aleppica, *Scop.*
alpina, *All.*
tinctoria, *Linn.*

Jasione

humilis, *Loisel.*
perennis, *Lam.*

Jasminum

Beesianum, *G. Forrest* et *Diels*
humile, *Linn.*

Juncus

alpinus, *Vill.*
arcticus, *Willd.*
balticus, *Willd.*
bufonius, *Linn.*
effusus, *Linn.*
Novae-Zelandiae, *Hook. f.*
squarrosus, *Linn.*

Juniperus

chinensis, *Linn.*
recurva, *Buch.-Ham.*

Jurinea

glycacantha, *DC.*

Kalmia

angustifolia, *Linn.*, var. rubra
glauca, *Ait.*

Kirengeshoma

palmata, *Yatabé*

Kitaibelia

vitifolia, *Willd.*

Kniphofia

aloides, *Moench*
breviflora, *Harv.*
pauciflora, *Baker*
Rooperi, *Lem.*
Tysoni, *Baker*

Koeleria

cristata, *Pers.*, var. gracilis
setacea, *DC.*

Laburnum

Adami ×, *Lavall.*
alpinum, *J. S. Presl*
— var. austriacum
— var. autumnalis
vulgare, *J. S. Presl*

Lactuca

Bourgaei, *Hort.*
macrantha, *C. B. Clarke*
macrorrhiza, *Hook. f.*
Plumieri, *Gren.* et *Godr.*
thianschanica, *Hort. Edin.*
virosa, *Linn.*

Lagenophora

pinnatifida, *Hook. f.*

Lagotis

brachystachya, *Maxim.*

Lamium

album, *Linn.*
longiflorum, *Tenore*
maculatum, *Linn.*
Orvala, *Linn.*
puralbum ×
striatum, *Sibth.* et *Sm.*

Larix

europaea, *DC.*

Laserpitium

gallicum, *Linn.*
Siler, *Linn.*

Lathyrus

angulatus, *Linn.*
Drummondii, *Hort.*
Gorgoni, *Parl.*
hirsutus, *Linn.*
latifolius, *Linn.*
— var. albus
luteus, *Baker*
— var. aureus
macrorrhizus, *Wimm.*
maritimus, *Bigel.*
niger, *Bernh.*
polyanthus, *Boiss.* et *Blanche*
sphaericus, *Retz.*
splendens, *Kellogg*
undulatus, *Boiss.*
venosus, *Muhl.*
vernus, *Bernh.*
— var. azureus
— var. flaccidus

Lavandula

vera, *DC.*
— var. compacta

Lavatera

maritima, *Gouan*

Ledum

palustre, *Linn.*
— var. latifolium, *Michx.*

Leiopyhllum

buxifolium, *Ell.*

Leontodon

hastilis, *Linn.*
hispidus, *Linn.*

Leontopodium

alpinum, *Cass.*
— var. himalaicum
— var. transsylvanicum
hybridum, *Hort. Suend.*
japonicum, *Miq.*
sibiricum, *Cass.*

Leonurus

sibiricus, *Linn.*

Lepachys

pinnatifida, *Rafin.*

Lepidium

latifolium, *Linn.*
pubicarpum, *A. Nelson*

Leucojum

autumnale, *Linn.*

Leuzea

conifera, *DC.*

Levisticum

officinale, *Koch*

Leycesteria

formosa, *Wall.*

Liatris

pycnostachya, *Michx.*
spicata, *Willd.*

Libertia

grandiflora, *Sweet*
ixioides, *Spreng.*

Ligusticum

acutilobum, *Sieb.* et *Zucc.*
involucratum, *Franch.*

Ligustrum

Ibota, *Sieb.*
ionandrum, *Diels*
ovalifolium, *Hassk.*
Regelianum, *Hort.*
vulgare, *Linn.*
— var. italicum
— var. pendulum

Lilium

canadense, *Linn.*
Forrestii, *W. W. Sm.*
Kesselringii, *Hort.*

Lilium—*continued.*

Martagon, *Linn.*
— var. dalmaticum (*Vis.*)
philippinense, *Baker*
tigrinum, *Ker-Gawl.*, var. splendens (*Baker*)
Willmottiae, *Wilson*

Linaria

alpina, *Mill.*
anticaria, *Boiss.* et *Reu.*
Cymbalaria, *Mill.*
italica, *Trevir.*
macedonica, *Griseb.*
parviflora, *Desf.*
pilosa, *DC.*
purpurea, *Linn.*
repens, *Mill.*
— var. atropurpurea
Rodriguezii, *Porta*
supina, *Desf.*
triornithophora, *Willd.*
tristis, *Mill.*
yunnanensis, *W. W. Sm.*

Lindelofia

spectabilis, *Lehm.*
— var. afghanica

Linum

angustifolium, *Huds.*
flavum, *Linn.*
grandiflorum. *Desf.*
— var. rubrum
marginale, *A. Cunn.*
monogynum, *Forst.*
perenne, *Linn.*
— var. sibiricum (*DC.*)
tenuifolium, *Linn.*

Lithospermum

graminifolium, *Viv.*
prostratum, *Loisel.*
— var. caerulescens

Loasa

papaverifolia, *H. B.* et *K.*

Lonicera

bella, *Zabel*
— var. albida
— var. rosea
etrusca, *Santi*
Henryi, *Hemsl.*
— var. subcoriacea
lanceolata, *Wall.*
Morrowii, *A. Gray*
parvifolia, *Edgew.*, var. depressa
— var. Myrtillus
Periclymenum, *Linn.*
subaequalis, *Rehder*
Sullivantii, *A. Gray*
tomentella, *Hook. f.* et *Thoms.*

Lophanthus

scrophulariaefolius, *Benth.*

Lophosciadium

meifolium, *DC.*

Lotus

corniculatus, *Linn.*
hispidus, *Desf.*

Lupinus

arboreus, *Sims*
— var. violaceus
luteus, *Linn.*
micranthus, *Dougl.*
nootkatensis, *Donn*
polycarpus, *Greene*
polyphyllus, *Lindl.*
— var. albus
— var. Foxii
— var. Moerheimi
— var. roseus
— var. violaceus
rivularis, *Dougl.*

Luzula

campestris, *DC.*

Lychnis

alpina, *Linn.*
— var. lapponica

Lychnis—*continued*

chalcedonica, *Linn.*
coronaria, *Desr.*
— var. alba
dioica, *Linn.*
Flos-cuculi, *Linn.*
— var. alba
Flos-Jovis, *Desr.*
Haageana, *Lemaire*
Lagascae, *Hook. f.*
Miqueliana, *Rohrb.*
nigrescens, *Edgew.*
nivalis, *Kit.*
nutans, *Benth.*
Preslii, *Sekera*
Sartori, *Hort. Leichtl.*
Viscaria, *Linn.*
— var. alba

Lycium

horridum, *Phil.*

Lycopus

europaeus, *Linn.*

Lyonia

paniculata, *Nutt.*

Lysichitum

camtschatcense, *Schott*

Lysimachia

barystachys, *Bunge*
Delavayi, *Franch.*
Henryi, *Hemsl.*
Leschenaultii, *Duby*
lichiangensis, *G. Forrest*
punctata, *Linn.*

Lythrum

Salicaria, *Linn.*
— var. cinereum
— var. roseum
virgatum, *Linn.*

Macropodium

nivale, *R. Br.*

Maianthemum

Convallaria, *Weber*

Malva

Alcea, *Linn.*
— var. fastigiata (*Ca.*)
moschata, *Linn.*
parviflora, *Linn.*, var. argentea
sylvestris, *Linn.*
Tournefortiana, *Linn.*

Marrubium

Kotschyi, *Boiss.*
supinum, *Linn.*

Matthiola

fastigiata, *Hort.*
fenestralis, *R. Br.*
fragrantissima, *Hort.*
tricuspidata, *R. Br.*

Meconopsis

cambrica, *Vig.*
eximia, *Prain*
horridula, *Hook. f.* et *Thoms.*
latifolia, *Prain*
napaulensis, *DC.*
paniculata, *Prain*
pseuso-integrifolia, *Prain*
quintuplinervia, *Regel*
racemosa, *Maxim.*
rudis, *Prain*
simplicifolia, *G. Don*
sinuata, *Prain*
Wallichii, *Hook.*

Medicago

arborea, *Linn.*
Aschersoniana, *Urban*
carstiensis, *Wulf.*
disciformis, *DC.*
falcata, *Linn.*
sativa, *Linn.*

Melica

altissima, *Linn.*

Melilotus

alba, *Desr.*

Melissa

officinalis, *Linn.*, var. variegata

Melittis

Melissophyllum, *Linn.*, var. alba

Mentha

Pulegium, *Linn.*
viridis, *Linn.*

Menziesia

ciliicalyx, *Maxim.*

Mercurialis

annua, *Linn.*

Mertensia

oblongifolia, *G. Don.*

Meum

athamanticum, *Jacq.*

Micromeria

croatica, *Schott*
microphylla, *Benth.*
rupestris, *Benth.*

Mimulus

cardinalis, *Dougl.*
Langsdorfii, *Donn*
Lewisii, *Pursh*
luteus, *Linn.*
primuloides, *Benth.*
ringens, *Linn.*

Mirabilis

Jalapa, *Linn.*

Mitella

pentandra, *Hook.*

Modiola

multifida, *Moench*

Molopospermum

cicutarium, *DC.*

Moltkia

petraea, *Boiss.*

Monarda

didyma, *Linn.*
fistulosa, *Linn.*

Morina

Delavayi, *Franch.*
longifolia, *Wall.*

Muehlenbeckia

axillaris, *Walp.*
ephedroides, *Hook. f.*

Muscari

alpinum, *J. Gay*
Argaei, *Hort. Siehe*
armeniacum, *Baker*
botryoides, *Mill.*
comosum, *Mill.*
elegans, *Hort.*
polyanthum, *Boiss.*

Myosotis

cespitosa, *Schultz*
Forsteri, *Lehm.*
macrantha, *Hook. f.*
palustris, *Lam.*
refracta, *Boiss.*
Traversii, *Hook. f.*
Welwitschii, *Boiss.* et *Reut.*

Myosurus

minimus, *Linn.*

Myriactis

Wallichii, *Less.*

Myricaria

germanica, *Desv.*

Myrrhis

odorata, *Scop.*

Nardostachys

grandiflora, *DC.*
Jatamansi, *DC.*

Narthecium

ossifragum, *Huds.*

Neillia

opulifolia, *Benth.* et *Hook. f.*, var. lutea

Nemophila

integrifolia, *Abrams*

Nepeta

cilicica, *Boiss.*
cyanea, *Stev.*
distans, *Royle*
kokanica, *Regel*
lamiopsis, *Benth.*
macrantha, *Fisch.*
nuda, *Linn.*
racemosa, *Lam.*, var. crassifolia
Sibthorpii, *Benth.*
Stewartiana, *Diels*
ucranica, *Linn.*

Nicotiana

Tabacum, *Linn.*

Noccaea

alpina, *Reichb.*
Auerswaldii, *Willk.*

Nonnea

rosea, *Link*

Odontospermum

maritimum, *Sch. Bip.*

Oenanthe

crocata, *Linn.*
Lachenalii, *C. C. Gmel.*
silaifolia, *Bieb.*

Oenothera

glauca, *Michx.*
pumila, *Linn.*
Romanzowii, *Ledeb.*
rosea, *Ait.*
sinuata, *Linn.*
triloba, *Nutt.*

Olearia

Haastii, *Hook. f.*
ilicifolia, *Hook. f.*
myrsinoides, *F. Muell.*
nitida, *Hook. f.*
nummularifolia, *Hook. f.*
stellulata, *DC.*

Omphalodes

Luciliae, *Boiss.*

Onobrychis

saxatilis, *Lam.*
supina, *DC.*
viciaefolia, *Scop.*

Ononis

antiquorum, *Linn.*
aragonensis, *Asso*
arvensis, *Linn.*
fruticosa, *Linn.*
hircina, *Jacq.*
rotundifolia, *Linn.*

Onopordon

Acanthium, *Linn.*

Onosma

albo-roseum, *Fisch.* et *Mey.*

Ophiopogon

Jaburan, *Lodd.*

Opopanax

Chironium, *Koch*

Orchis

coriophora, *Linn.*
foliosa, *Soland.*
maculata, *Linn.*

Origanum

Dictamnus, *Linn.*
sipyleum, *Linn.*
vulgare, *Linn.*
— var. aurea

Ornithogalum

oligophyllum, *Clarke*
pyrenaicum, *Linn.*

Oryzopsis

miliacea, *Benth.* et *Hook. f.*

Osteospermum

moniliferum, *Linn.*

Ostrya

carpinifolia, *Scop.*

Ourisia

macrocarpa, *Hook. f.*
macrophylla, *Hook.*

Oxalia

corniculata, *Linn.*, var. atropurpurea
— var. tropaeoloides
enneaphylla, *Cav.*
valdiviensis, *Barn.*

Oxyria

digyna, *Hill*

Oxytropis

argentata, *Pers.*
baicalensis, *Pall.*

Oxytropis—*continued*

campestris, *DC.*
foetida, *DC.*
montana, *DC.*
ochroleuca, *Bunge*
pilosa, *DC.*
sulphurea, *Fisch.*
uralensis, *DC.*

Paederota

Churchillii, *Huter*

Paeonia

anomala, *Linn.*
corallina, *Retz.*
decora, *Anders.*, var. elatior
Delavayi, *Franch.*
lutea, *Delavay*
Veitchii, *Lynch*
Wittmanniana, *Hartwiss*
Woodwardii, *Hort.*

Papaver

aculeatum, *Thunb.*
anomalum, *Fedde*
nudicaule, *Linn.*
— var. radicatum, *DC.*
pilosum, *Sibth.* et *Sm.*, var. hybridum
Rhoeas, *Linn.*, var. pinnatum
somniferum, *Linn.*
spicatum, *Boiss.* et *Bal.*
tauricolum, *Boiss.*

Paracaryum

glochidiatum, *Benth.* et *Hook. f.*

Paradisea

Liliastrum, *Bertol.*

Parietaria

officinalis, *Linn.*

Paris

polyphylla, *Sm.*

Parnassia

mysorensis, *Heyne*
nubicola, *Wall.*
ovata, *Ledeb.*

Paronychia

capitata, *Lam.*
polygonifolia, *DC.*

Parthenium

integrifolium, *Linn.*

Pentstemon

arizonicus, *Heller*
barbatus, *Roth*
breviflorus, *Lindl.*
campanulatus, *Willd.*
confertus, *Dougl.*
— var. coeruleo-purpureus
cristatus, *Fras.*
Davidsonii, *Greene*
deustus, *Dougl.*
glaber, *Pursh*, var. alpinus
— var. cyananthus
glaucus, *R. Grah.*
gracilis, *Nutt.*
grandiflorus, *Fras.*
Hallii, *A. Gray*
humilis, *Nutt.*
imberbis, *Trautv.*
laevigatus, *Ait.*
Menziesii, *Hook.*, var. Douglasii
— var. Newberryi
— var. Scouleri
Palmeri, *A. Gray*
pubescens, *Soland.*
Richardsonii, *Dougl.*
spectabilis, *Thunb.*
stenosepalus, *Howell*
virgatus, *A. Gray*

Perantha

Forrestii, *Craib*

Peraphyllum

ramosissimum, *Nutt.*

Perezia

multiflora, *Less.*

Pernettya

mucronata, *Gaudich.*
nigra, *Hort.*

Petteria

ramentacea, *Presl*

Peucedanum

angustifolium, *Reichb. f.*
coriaceum, *Reichb.*
Ostruthium, *Koch*

Phacelia

pimpinelloides, *A. Gray*

Philadelphus

colombianus, *Koehne*
coronarius, *Linn.*
— var. foliis aureis
— var. tomentosus
Delavayi, *Henry*
Gordonianus, *Lindl.*
— var. cordatus
grandiflorus, *Willd.*
— var. floribundus
incanus, *Koehne*
Lemoinei ×, *Hort.*
Lewisii, *Pursh*
Magdalenae, *Koehne*
Satsumi, *Siebold*, var. acuminatus
sericanthus, *Koehne*
Wilsonii, *Koehne*

Phlomis

fruticosa, *Linn.*
macrophylla, *Wall.*
samia, *Linn.*
umbrosa, *Turcz.*, var. australis
viscosa, *Poir.*

Phormium

tenax, *Forst.*

Photinia

variabilis, *Hemsl.*

Phuopsis

stylosa, *Benth.* et *Hook f.*

Phygelius

capensis, *E. Mey.*

Physalis

Alkekengi, *Linn.*

Phyteuma

canescens, *Waldst.* et *Kit.*
comosum, *Linn.*
linifolium, *Boiss.* et *Heldr.*
Michelii, *All.*
— var. betonicaefolia
orbiculare, *Linn.*
Scheuchzeri, *All.*
— var. Charmelii, *Vill.*
Sieberi, *Spreng.*
spicatum, *Linn.*, var. caeruleum

Phytolacca

clavigera, *W. W. Sm.*

Picea

nigra, *Link*

Pimpinella

magna, *Linn.*, var. rosea

Piptanthus

bicolor, *Craib*

Pisum

formosum, *Alef.*
sativum, *Linn.*

Plagianthus

Lyallii, *Hook. f.*
pulchellus, *A. Gray*

Plantago

alpina, *Linn.*
arborescens, *Poir.*
argentea, *Chaix*
brachystachys, *Kunze*
Brownii, *Rafin.*
Coronopus, *Linn.*
fuscescens, *Jord.*
lanceolata, *Linn.*
— vár. variegata
major, *Linn.*, var. monstrosa
maritima, *Linn.*
media, *Linn.*
nevadensis, *Hort.*
nivalis, *Boiss.*
Raoulii, *Decne.*
Rugelii, *Decne.*

Platycodon

grandiflorum, *A. DC.*, var. Mariesii

Platystemon

californicus, *Benth.*

Pleurospermum

apiolens, *C. B. Clarke*

Plumbago

Larpentae, *Lindl.*

Poa

caespitosa, *Forst. f.*
Maniototo, *Petrie*

Podophyllum

Emodi, *Wall.*
— var. majus

Polemonium

boreale, *Adams*
caeruleum, *Linn.*
— var. album
— var. gracile (*Willd.*)
— var. himalayanum, *Baker*
carneum, *A. Gray*
filicinum, *Greene*
flavo-caeruleum ×, *Hort.*

Polemonium—*continued.*

flavum, *Greene*
grandiflorum, *Benth.*
mexicanum, *Cerv.*
pauciflorum, *S. Wats.*
reptans, *Linn.*

Polygala

major, *Jacq.*
— var. alba
Vayredae, *Costa*

Polygonum

affine, *D. Don*
amplexicaule, *D. Don*
baldschuanicum, *Regel*
Bistorta, *Linn.*
— var. major
cuspidatum, *Sieb.* et *Zucc.*
Emodi, *Meissn.*
macrophyllum, *D. Don*
paniculatum, *Blume*
sibiricum, *Laxm.*
sinocapitatum, *Hort.*
sinosphaerocephalum, *Hort.*
viviparum, *Linn.*
Weyrichii, *F. Schmidt*

Pomaderris

phylicaefolia, *Lodd.*

Potentilla

adscharica, *Somm.* et *Lev.*
albifolia, *Wall.*
alchemilloides, *Lapeyr.*
alpestris, *Hall. f.*
ambigua, *Cambess.*
apennina, *Tenore*
argentea, *Linn.*
argyrophylla, *Wall.*
aurea, *Linn.*
bifurca, *Linn.*
Clusiana, *Jacq.*
Convallaria, *Rydb.*
crinita, *A. Gray*
Degenii, *Sieg.*
Delavayi, *Franch.*
delphinensis, *Gren.* et *Godr.*
Detommasii, *Tenore*

Potentilla—*continued.*

dissecta, *Pursh*
Dombeyi, *Nestl.*
effusa, *Dougl.*
eriocarpa, *Wall.*
fruticosa, *Linn.*
— var. alba
— var. glabrata
— var. humilis
— var. mandschurica
— var. rigida
— var. Vilmoriniana
fulgens, *Wall.*
gracilis, *Dougl.*
grammopetala, *Moretti*
Griffithii, *Hook. f.*, var. concolor
Herbichii, *Blocki*
Hippiana, *Lehm.*
hirta, *Linn.*
— var. taurica
Kerneri ×, Borb.
kurdica, *Boiss.* et *Hohen.*
lanuginosa, *Fisch.* et *Sweet*
Leschenaultiana, *Ser.*
Macnabiana ×, *Lem.*
micrandra, *Koehne*
montenegrina, *Pantoč*
monticola, *Zimm.*
Mooniana, *Wight*
multifida, *Linn.*
nepalensis, *Hook.*
— var. Willmottiana
nitida, *Linn.*
— var. alba
— var. elongata
nivea, *Linn.*
palustris, *Scop.*
pensylvanica, *Linn.*
recta, *Linn.*
— var. pedata
— var. sulphurea
rhomboidea, *Rydb.*
rupestris, *Linn.*
— var. pygmaea
Sibbaldi, *Hall. f.*
speciosa, *Willd.*
Tormentilla, *Neck.*
tridentata, *Soland.*
Valderia, *Linn.*, var. glabra
viscosa, *Donn*

Poterium

hakusanense, *Hort.*
rhodopeum, *Velen.*
tenuifolium, *Franch.* et *Sav.*
verrucosum, *Ehrenb.*

Pratia

angulata, *Hook. f.*
arenaria, *Hook. f.*
begonifolia, *Lindl.*
montana, *Hassk.*
repens, *Gaudich.*

Prenanthes

purpurea, *Linn.*

Primula

algida, *Adam*
anisodora, *Balf. f.* et *Forrest*
apennina, *Widm.*
Beesiana, *G. Forrest*
Bulleyana, *G. Forrest*
burmanica, *Balf. f.* et *Ward*
chionantha, *Balf. f.* et *Forrest*
chungensis, *Balf. f.* et *Forrest*
Cockburniana, *Hemsl.*
conica, *Balf. f.* et *Forrest*
crispata, *Balf. f.* et *W. W. Sm.*
cyanantha, *Balf. f.* et *Forrest*
deflexa, *Franch.*
elatior, *Hill*
Ellisiae, *Pollard* et *Cockerell*
erythrocarpa, *Craib*
frondosa, *Janka*
glaucescens, *Moretti*
helodoxa, *Balf. f.*
japonica, *A. Gray*
kichanensis, *Franch.*
leucophylla, *Pax*
lichiangensis, *G. Forrest*
Littoniana, *G. Forrest*
longiflora, *All.*
Miyabeana, *Ito* et *Kawakama*
Mooreana, *Balf. f.* et *W. W. Sm.*
muscarioides, *Hemsl.*
nipponica, *Yatabe*
nutans, *Franch.*

Primula—*continued.*

oblanceolata, *Balf. f.*
obliqua, *W. W. Sm.*
pinnatifida, *Franch.*
platycrana, *Craib*
Poissonii, *Franch.*
pseudo-capitata, *F. K. Ward*
pulverulenta, *Duthie*
reticulata, *Wall.*
Rusbyi, *Greene*
saxatilis, *Komarov*
scotica, *Hook.*
septemloba, *Franch.*
sikkimensis, *Hook. f.*
sinopurpurea, *Balf. f.* et *Forrest*
Smithiana, *Craib*
sphaerocephala, *Balf. f.* et *Forrest*
spicata, *Franch.*
suffrutescens, *A. Gray*
Veitchii, *Duthie*
vincaeflora, *Franch.*
vittata, *Franch.*
Wardii, *Balf. f.*
Watsoni, *Dunn*

Prosartes

oregana, *S. Wats.*

Prunella

grandiflora, *Jacq.*
— var. rosea
hyssopifolia, *Linn.*
laciniata, *Linn.*
vulgaris, *Linn.*

Prunus

acida, *Borkh.*, var. semperflorens
Laurocerasus, *Linn.*, var. colchica
Mahaleb, *Linn.*, var. chrysocarpa
spinosa, *Linn.*, var. communis

Psoralea

acaulis, *Stev.*

Ptelea

Baldwinii, *Torr.* et *Gray*
trifoliata, *Linn.*

Pulicaria

dysentrica, *Gaertn.*
vulgaris, *Gaertn.*

Pyrola

rotundifolia, *Linn.*, var. incarnata

Pyrus

alpina, *Willd.*
— var. superaria
americana, *DC.*
arbutifolia, *Linn. f.*, var. floribunda
Aucuparia, *Gaertn.*
— var. Dirkenii
— var. discolor
— var. Fifeana
— var. fructu luteo
— var, moravica
— var. pendula variegata
— var. rossica
— var. satureifolia, *Hort.*
baccata, *Linn.*, var. cerasifera
— var. costata
canescens, *Spach*
communis, *Linn.*
— var. fascicularis
germanica, *Hook. f.*
hybrida, *Moench*
lanuginosa, *DC.*
melanocarpa, *K. Koch*
orthocarpa, *Nichols.*
pekinensis, *Koehne*
pinnatifida, *Ehrh.*
prunifolia, *Willd.*
— var. Colvillei
— var. fructu dulci
— var. fructu luteo
— var. pendula
rivularis, *Dougl.*, var. integrifolia
rotundifolia, *Bechst.*
salicifolia, *Pall.*
Sorbus, *Gaertn.*

Pyrus—*continued.*

theifera, *Rehder*
Toringo, *Sieb.*
— var. incisa
Torminalis, *DC.*
Vilmorini, *Schneider*
Zumi, *Matsum.*

Quercus

pedunculata, *Ehrh.*
pontica, *C. Koch*
sessiliflora, *Salisb.*

Ramondia

pyrenaica, *Rich.*
— var. Myconi
— var. rosea
serbica, *Pančić*, var. Nathaliae

Ranunculus

aconitifolius, *Linn.*
acris, *Linn.*
amplexicaulis, *Linn.*
californicus, *Benth.*, var. latilobus
Cymbalaria, *Pursh*
gramineus, *Linn.*
hirtus, *Banks* et *Sól.*
libanoticus, *Freyn*
Munroi, *Hook. f.*
parviflorus, *Linn.*
Weyleri, *Marès*

Raoulia

australis, *Hook. f.*
subsericea, *Hook. f.*

Reseda

alba, *Linn.*
complicata, *Bory*
glauca, *Linn.*
odorata, *Linn.*
Phyteuma, *Linn.*, var. hispidula

Rhamnus

alpina, *Linn.*
californica, *Eschsch.*
cathartica, *Linn.*
Frangula, *Linn.*
Purshiana, *DC.*
rupestris, *Scop.*

Rhazya

orientalis, *A. DC.*

Rheum

Alexandrae, *Batalin*
Rhaponticum, *Linn.*

Rhododendron

ambiguum, *Hemsl.*
Anthopogon, *D. Don*
arborescens, *Torr.*
arboreum, *Sm.*
argenteum, *Hook. f.*
Augustinii, *Hemsl.*
brachyanthum, *Franch.*
californicum, *Hook.*
camelliaeflorum, *Hook. f.*
campylocarpum, *Hook. f.*
carolinianum, *Rehder*
catawbiense, *Michx.*
caucasicum, *Pall.*
chartophyllum, *Franch.*
ciliatum, *Hook. f.*
cinnabarinum, *Hook. f.*
Davidsonianum, *Rehd.* et *Wils.*
decorum, *Franch.*
Falconeri, *Hook. f.*
fastigiatum, *Franch.*
ferrugineum, *Linn.*
— var. album
— var. atrococcineum
— var. grandiflorum
— var. latifolium
— var. majus
flavum, *G. Don*
Fortunei, *Lindl.*
glaucum, *Hook. f.*
Grievei ×
hedyosmum, *Balf. f.*
hirsutum, *Linn.*, var. album

Rhododendron—*continued.*
intricatum, *Franch.*
irroratum, *Franch.*
Kaempferi, *Planch.*
Keiskei, *Miq.*
Kotschyi, *Simonkai*
ledoides, *Balf. f.* et *W. W. Sm.*
lepidotum, *Wall.*
longistylum, *Rehd.* et *Wils.*
Maddeni, *Hook. f.*
manipurense, *Balf. f.* et *Watt*
Metternichii, *Sieb.* et *Zucc.*
micranthum, *Turcz.*
multiflorum ×
oleifolium, *Franch.*
oreotrephes, *W. W. Sm.*
ponticum, *Linn.*
salignum, *Hook. f.*
Sargentianum, *Rehd.* et *Wils.*
Searsiae, *Rehd.* et *Wils.*
Smirnowi, *Trautv.*
sycnanthum, *Balf. f.* et *W. W. Sm.*
Thomsoni, *Hook. f.*
thyodocum, *Balf. f.* et *Cooper*
triflorum, *Hook. f.*
Tschonoskii, *Maxim.*
Vaseyi, *A. Gray*
virgatum, *Hook. f.*
viscosum, *Torr.*

Rhodotypos
kerrioides, *Sieb.* et *Zucc.*

Rhus
glabra, *Linn.*
typhina, *Linn.*, var. laciniata
— var. filicina

Ribes
Koehneanum ×, *Jancz.*
nigrum, *Linn.*
rubrum, *Linn.*, var. scandicum
sanguineum, *Pursh*, var. albidum
speciosum, *Pursh*
vulgare ×

Richardsonia
pilosa, *H. B.* et *K.*

Rodgersia
aesculifolia, *Batalin*
pinnata, *Franch.*
— var. rosea
sambucifolia, *Hemsl.*

Romanzoffia
sitchensis, *Bong.*
unalaschcensis, *Cham.*

Rosa
alpina, *Linn.*
— var. pyrenaica
Banksiopsis, *Baker*
blanda, *Ait.*
— var. arkansana
— var. Sayi
californica, *Schlecht.*
cinnamomea, *Linn.*, var. davurica
damascena, *Mill.*
Davidi, *Crép.*, var. elongata
Fendleri, *Crép.*
glauca, *Vill.*
Jundzilli, *Besser*
laevigata, *Michx.*, var. anemone
laxa, *Retz.*
macrophylla, *Lindl.*
— var. Prattii
Malyi, *Kern.*
moschata, *Herrm.*
Moyesii, *Hemsl.* et *Wilson*
— var. rosea
multiflora, *Thunb.*
pomifera, *Herrm.*
poteriifolia, *Hort.*
rugosa, *Thunb.*
— var. alba
— var. Regelliana
Seraphini, *Viv.*
setipoda, *Hemsl.*
spinosissima, *Linn.*
Szaboi, *Bord.*
tomentosa, *Sm.*

Rosa—*continued.*

Webbiana, *Wall.*
— var. pimpinellifolia
Woodsii, *Lindl.*

Roscoea

alpina, *Royle*
auriculata, *K. Schum.*
cautleoides, *Gagnep.*
intermedia, *Gagnep.*
purpurea, *Sm.*

Rubus

amabilis, *Focke*
Henryi, *Hemsl.*

Rudbeckia

laevigata, *Pursh*
nitida *Nutt.*
triloba, *Linn.*

Rumex

flexuosus, *Soland.*
scutatus, *Linn.*

Ruta

graveolens, *Linn.*
— var. va iegata

Sagina

glabra, *Fenzl,* var. pilifera

Salvia

bracteata, *Russ.*
chamaedryoides, *Cav.*
cleistogama, *De Bary* et *Paul*
flava, *G. Forrest,* var. megalantha, *Diels*
glutinosa, *Linn.*
grandiflora, *Etling.*
hians, *Royle*
nutans, *Linn.*
officinalis, *Linn.*
pratensis, *Linn.*
— var. alba
Przewalskii, *Maxim.*
Roemeriana, *Scheele*

Salvia—*continued.*

Sclarea, *Linn.*
— var. alba
Souliei, *Hort.*
verbascifolia, *Bieb.*
verticillata, *Linn.*
virgata, *Ait.*, var. nemorosa

Sambucus

canadensis, *Linn.*
glauca, *Nutt.*

Sanicula

europaea, *Linn..*
marilandica, *Linn.*

Santolina

Chamaecyparissus, *Linn.*
pinnata, *Viv.*

Saponaria

caespitosa, *DC.*
ocymoides, *Linn.*
pulvinaris, *Boiss.*
Wiemanni ×, *Fritsch*

Sarothamnus

Reverchonii, *Degen* et *Hervier*

Satureia

cuneifolia, *Tenore*
montana, *Linn.*
— var. amoena
— var. illyrica
— var. pygmaea

Saussurea

hypoleuca, *Spreng.*
salicifolia, *DC.*
uniflora, *Wall.*

Saxifraga

aizoides, *Linn.*
Aizoon, *Jacq.*
— f cultrata
— f. hirsuta

Saxifraga—*continued.*

Aizoon, *Jacq.*, f. La-graveana
— f. minima
— f. rosularis (*Haw.*)
— f. Sturmiana (*Schott, Nym.* et *Kotschy*)
ambigua ×, *DC.*
aquatica, *Lapeyr.*
Borisii ×, *Kellerer*
bracteosa, *Suksd.*
Brunoniana, *Wall.*
caesia, *Linn.*
caespitosa, *Linn.*
canaliculata, *Boiss.* et *Reut.*
cochlearis, *Reichb.*
— var. minor
Cotyledon, *Linn.*
— var. montavoniensis
— var. pyrenaica
crassifolia, *Linn.*
cuneata, *Willd.*
cuneifolia, *Linn.*
— f. apennina (*Bertol.*)
— f. davurica
— f. infundibuliformis
decipiens, *Ehrh.*
— f. adscendens
— f. globosa
— f. grandiflora
— f. hibernica
— f. hirta
— f. hybrida grandiflora
— f. platypetala
— f. pulchella
— f. Sternbergii (*Willd.*)
Delavayi, *Franch.*
diversifolia, *Wall.*, var. angustibracteata *Engl.* et *Irmscher*
flagellaris, *Willd.*
Forbesii, *Vasey*
geranioides, *Linn.*
Geum, *Linn.*
— f. crenulata
— f. crispa
— — minor
— f. Donii
— f. ovalifolia
— f. reniformis
hispidula, *Don*, var. Doniana, *Engl.*

Saxifraga—*continued.*

Hostii, *Tausch.*
— var. altissima
Huetiana, *Boiss*
hypnoides, *Linn.*
incrustata, *Vest*
irrigua, *Bieb.*
juniperifolia, *Adams.*
lingulata, *Bell.*
longifolia, *Lepeyr.*
luteo-viridis, *Schott* et *Kotschy*
macrostigma, *Franch.*, var. longipes
Maweana, *Baker*
Mertensiana, *Bong.*
micrantha, *Edgew.*
— var. corymbiflora, *Engl.* et *Irmscher*
mutata, *Linn.*
nivalis, *Linn.*
obscura, *Gren.* et *Godr.*
oranensis, *Munby*
paradoxa ×, *Sternb.*
pedatifida, *Ehrh.*
pedemontana, *All.*
— var. aromatica, *Niven*
— var. cervicornis (*Viv.*)
pensylvanica, *Linn.*
pentadactylis, *Lapeyr.*
perdurans, *Kit.*
Petraschii ×, *Suend.*
porophylla, *Bertol.*
pseudo-sancta, *Janka*
rotundifolia, *Linn.*, f. glandulosa, *Griseb.*
— f. hirsuta
sancta, *Griseb.*
squarrosa, *Sieber*
Stansfieldii ×
transsilvanica, *Fuss*
umbrosa, *Linn.*
— f. primuloides
vochinensis ×, *Gusm.*
yunnanense, *Franch.*
Zelebori, *Schott*

Scabiosa

arvensis, *Linn.*
balcanica, *Velen.*
caucasica, *Bieb.*

Scabiosa—*continued.*

fumarioides, *Vis.* et *Panč.*
graminifolia, *Linn.*
Hookeri, *C. B. Clarke*
magnifica, *Benth.* et *Hook, f.*
montana, *Bieb.*
ochroleuca, *Linn.*, var. Webbiana, *D. Don*
Pterocephala, *Linn.*
Succisa, *Linn.*
— var. alba

Schizocodon

soldanelloides, *Sieb.* et *Zucc.*

Schizostylis

coccinea, *Backh.* et *Harv.*

Scilla

festalis, *Salisb.*
— var. alba
hispanica, *Mill.*

Scirpus

Eriophorum, *Michx.*
Holoschoenus, *Linn.*
lacustris, *Linn.*, var. Tabernaemontani

Scolymus

grandiflorus, *Desf.*

Scopolia

lurida, *Dun.*

Scorzonera

cinerea, *Boiss.*
hispanica, *Linn.*
purpurea, *Linn.*

Scrophularia

alata, *Gilib.*
alpestris, *J. Gay*
auriculata, *Linn.*
nodosa, *Linn.*
Scorodonia, *Linn.*

Scutellaria

alpina, *Linn.*
altissima, *Linn.*
balearica, *Barc.*
Brittonii, *Porter*
hirta, *Sibth.* et *Sm.*
indica, *Linn.*, var. japonica
macrantha, *Fisch.*
peregrina, *Linn.*
splendens, *Link, Klotzsch* et *Otto*

Sedum

acre, *Linn.*
Aizoon, *Linn.*
album, *Linn.*
Anacampseros, *Linn.*
asiaticum, *Spreng.*
Ewersii, *Ledeb.*
hispanicum, *Linn.*
hybridum, *Linn.*
kamtschaticum, *Fisch.* et *Mey.*
Maximowiczii, *Regel*
maximum, *Suter*
— var. purpureum
multicaule, *Wall.*
pilosum, *Bieb.*
populifolium, *Pall.*
Praegerianum, *W. W. Sm.*
pruinatum, *Brot.*, var. Forsterianum
rhodanthum, *A. Gray*
roseum, *Scop.*
— var. Scopoli
rupestre, *Linn.*
sempervivoides, *Fisch.*
Stephani, *Cham.*
stoloniferium, *S. T. Gmel.*, var. ibericum
Telephium, *Linn.*
— var. purpureum
trifidum, *Wall.*
Winkleri, *Wolley-Dod*
yunnanense, *Franch.*, var. valerianoides, *Hamet*

Selinum

pyrenaeum, *Gouan*
tenuifolium, *Wall.*
— var. album

Sempervivum

arenarium, *Koch*
barbatum, *C. Sm.*
Boutignyanum, *Billot* et *Gren.*
glaucum, *Tenore*
sanguineum, *Jeanb.*
Schnittspahni, *Lagg.*
tectorum, *Linn.*
— var. densum
— var. glaucum
— var. pulchrum
— var. robustum
triste, *Hort.*
— var. sanguineum

Senebiera

pinnatifida, *DC.*

Senecio

abrotanifolius, *Linn.*
— var. grandiflorus
acuminatus, *Wall.*
adonidifolius, *Loisel.*
bellidioides, *Hook. f.*
Bigelovii, *A. Gray*
clivorum, *Maxim.*
— var. subcrenatus
compactus, *T. Kirk*
Correvonianus, *Hort.*
Doria, *Linn.*
Doronicum, *Linn.*
Fuchsii, *C. C. Gmel.*
graciliflorus, *DC.*
Greyii, *Hook. f.*
Hodgsoni, *Benth.* et *Hook. f.*
japonicus, *Sch. Bip.*
laxifolius, *J. Buch.*
Ligularia, *Hook. f.*
mosoynensis, *Franch.*
Munroi, *Hook. f.*
nemorensis, *Linn.*
pulcher, *Hook.* et *Arn.*
quinqueflorus, *DC.*
rosmarinifolius, *Linn. f.*
Smithii, *DC.*
speciosus, *Willd.*
tuberivagus, *W. W. Sm.*
Veitchianus, *Hemsl.*
viscosus, *Linn.*

Serratula

coronata, *Linn.*
Gmelini, *Ledeb.*
macrocephala, *Bertol.*
tinctoria, *Linn.*

Seseli

caespitosum, *Sibth. et Sm.*

Sesleria

argentea, *Savi*, var. robusta

Sidalcea

candida, *A. Gray*
diploscypha, *A. Gray*
malvaeflora, *A. Gray*
— var. atropurpurea
neo-mexicana, *A. Gray*
spicata, *Greene*

Sideritis

hyssopifolia, *Linn.*
scordioides, *Linn.*

Silaus

tenuifolius, *DC.*

Silene

adenantha, *Franch.*
alpestris, *Jacq.*
Armeria, *Linn.*
— var. alba
auriculata, *Sibth.* et *Sm.*
caucasica, *Boiss.*
chloraefolia, *Sm.*
ciliata, *Pourr.*
conica, *Linn.*
Cucubalus, *Wibel*
dichotoma, *Ehrh.*, var. crassifolia
Fabaria, *Sibth.* et *Sm.*
fruticosa, *Linn.*
fruticulosa, *Sieber*
gigantea, *Linn.*
Hookeri, *Nutt.*
italica, *Pers.*
Keiskii, *Miq.*

Silene—*continued.*

Lerchenfeldiana, *Baumg.*
linicola, *C. C. Gmel.*
longiflora, *Ehrh.*
maritima, *With.*
mollissima, *Sibth.* et *Sm.*
multicaulis, *Guss.*
Otites, *Sm.*
palaestina, *Boiss.*
pharnaceifolia, *Fenzl*
picta, *Pers.*
quadridentata, *Pers.*
— var. pusilla
rosiflora, *F. K. Ward*
Saxifraga, *Linn.*
Schafta, *Gmel.*
Sendtneri, *Boiss.*
Thorei, *Duf.*
turgida, *Bieb.*
vallesia, *Linn.*
viridiflora, *Linn.*
Watsoni, *W. W. Sm.*
Zawadzkii, *Herbich*

Siler

trilobum, *Crantz*

Silphium

perfoliatum, *Linn.*

Silybum

Marianum, *Gaertn.*

Sisymbrium

Alliaria, *Scop.*
myriophyllum, *H. B.* et *K.*
strictissimum, *Linn.*

Sisyrinchium

angustifolium, *Mill.*
— var. anceps, *Cav.*
— var. bellum (*S. Wats.*)
— var. mucronatum
pachyrhizum, *Baker*
striatum, *Sm.*

Skimmia

Fortunei, *Mast.*
Laureola, *Sieb.* et *Zucc.*, var. oblata

Smilacina

racemosa, *Desf.*
stellata, *Desf.*

Solanum

crispum, *Ruiz* et *Pav.*

Solidago

aurea, *Spreng.*
Buckleyi, *Torr.* et *Gray*
caesia, *Linn.*
canadensis, *Linn.*
elongata, *Nutt.*
glomerata, *Michx.*
multiradiata, *Ait.*
neglecta, *Torr.* et *Gray*
nemoralis, *Ait.*
odora, *Ait.*
ohioensis, *Riddell*
pallida, *Rydberg*
rigida, *Linn.*
rigidiuscula, *Porter*
rugosa, *Mill.*
sempervirens, *Linn.*
Virgaurea, *Linn.*

Sonchus

arvensis, *Linn.*
oleraceus, *Linn.*
palustris, *Linn.*

Sparganium

ramosum, *Curt.*

Spartium

junceum, *Linn.*

Spenceria

ramalana, *Trimen*

Spergula

vernalis, *Willd.*
— var. normalis

Spergularia

rubra, *J.* et *C. Presl*

Spiraea

Aitchisoni, *Hemsl.*
Aruncus, *Linn.*
bracteata, *Zabel*
caespitosa, *Nutt.*
— var. argentea
crenata, *Linn.*
discolor, *Pursh*
— var. dumosa
Douglasii, *Hook.*
japonica, *Linn. f.*
— var. rubra
laevigata, *Linn.*
Lindleyana, *Wall.*
lobata, *Jacq.*
Millefolium, *Torr.*
Nobleana, *Hook.*
palmata, *Sternb.*
Rosthornii, *E. Pritz.*
salicifolia, *Linn.*
sorbifolia, *Linn.*
Ulmaria, *Linn.*

Stachys

alopecuros, *Benth.*
Betonica, *Benth.*
— var. alba
discolor, *Benth.*
germanica, *Linn.*
grandiflora, *Benth.*
— var. robusta,
heraclea, *All.*
lanata, *Jacq.*
recta, *Linn.*
repens, *Mart.* et *Gal.*
setifera, *C. A. Mey.*

Statice

altaica, *Hort.*
auriculaefolia, *Vahl*
echioides, *Linn.*
Gougetiana, *Girard*
latifolia, *Sm.*
spathulata, *Desf.*
speciosa, *Linn.*
tatarica, *Linn.*

Stenanthium

angustifolium, *Kunth*

Stephanandra

flexuosa, *Sieb.* et *Zucc.*

Stevia

purpurea, *Pers.*

Stipa

pennata, *Linn.*

Stokesia

cyanea, *L'Hérit.*
— var. alba

Stranvaesia

Davidiana, *Decne.*, var. undulata

Styrax

Wilsonii, *Rehder*

Swertia

pubescens, *Franch.*

Symphoricarpus

occidentalis, *Hook.*
orbiculatus, *Moench*
racemosus, *Michx.*

Symphyandra

ossetica, *A. DC.*
pendula, *A. DC.*
Wanneri, *Heuff.*

Synthyris

reniformis, *Benth.*, var. cordata (*Greene*)

Syringa

Adamiana, *Balf. f.* et *W. W. Sm.*
Emodi, *Wall.*
— var. variegata
Josikaea, *Jacq.*
villosa, *Vahl*
vulgaris, *Linn.*
— var. alba

Tamus

communis, *Linn.*

Tanacetum

argenteum, *Willd.*
— var. minor
nubigenum, *Wall.*
Pseudachillea, *C. Winkl.*
vulgare, *Linn.*
— var. crispum

Taraxacum

officinale, *Weber*

Taxus

baccata, *Linn.*
— var. adpressa
— var. dovastoni

Teesdalia

nudicaulis, *R. Br.*

Telephium

Imperati, *Linn.*

Tetragonia

echinata, *Ait.*

Teucrium

Chamaedrys, *Linn.*
lanceolatum, *Rafin.*
lancifolium, *Boiss.*
lucidum, *Linn.*
montanum, *Linn.*
palmatum, *Benth.*
Polium, *Linn.*, var. achaemensis
pyrenaicum, *Linn.*
Scorodonia, *Linn.*
— var. crispum

Thalictrum

angustifolium, *Linn.*
— var. minus
aquilegiaefolium, *Linn.*
calabricum, *Spreng.*
Chelidonii, *DC.*

Thalictrum—*continued.*

dioicum, *Linn.*
elegans, *Wall.*
glaucum, *Desf.*
isopyroides, *C. A. Mey.*
minus, *Linn.*
— var. adiantifolium
— var. saxatile
purpurascens, *Linn.*
simplex, *Linn.*

Thermopsis

angustata, *Greene*
fabacea, *DC.*
lanceolata, *R. Br.*

Thlaspi

montanum, *Linn.*

Thymus

Chamaedrys, *Fries*
— var. nummularius
nitidus, *Guss.*
Serpyllum, *Linn.*
— var. coccineus
— var. comosus (*Heuff.*)
— var. Marschallianus (*Willd.*)
— var. pannonicus
— var. pulchellus (*Bluff.* et *Fingerh.*)
vulgaris, *Linn.*, var. argentea
Zygis, *Linn.*

Tiarella

polyphylla, *D. Don*
trifoliata, *Linn.*

Tofieldia

calyculata, *Wahlenb.*
palustris, *Huds.*

Tradescantia

virginiana, *Linn.*
— var. alba
— var. atropurpurea
— var. elata

Tragopogon
castellanus, *Levier*

Trautvetteria
palmata, *Fisch.* et *Mey.*

Tricholepis
furcata, *DC.*

Tridax
procumbens, *Linn.*

Trientalis
europaea, *Linn.*

Trifolium
alpinum, *Linn.*
medium, *Linn.*
pannonicum, *Jacq.*
pratense, *Linn.*, var. nivale
— var. quinquefolium
repens, *Linn.*
rubens, *Linn.*

Triglochin
bulbosum, *Linn.*

Trigonella
arabica, *Delile*
caerulea, *Ser.*

Trillium
grandiflorum, *Salisb.*

Trisetum
argentum, *Roem.* et *Schult.*
cernuum, *Trin.*
flavescens, *Beauv.*

Tritonia
rosea, *Klatt*

Trochodendron
aralioides, *Sieb.* et *Zucc.*

Trollius
altaicus, *C. A. Mey.*
americanus, *Muhl.*
asiaticus, *Linn.*
caucasicus, *Stev.*
europaeus, *Linn.*
patulus, *Salisb.*
— var. pedunculatus
pumilus, *D. Don*
— var. yunnanensis

Tropaeolum
speciosum, *Poepp.* et *Endl.*

Tulipa
Didieri, *Jord.*
pulchella, *Fenzl*, var. lycaonica
vitellina, *Hort.*

Tunica
Saxifraga, *Scop.*

Typha
latifolia, *Linn.*
Laxmanni, *Lepech.*
Shuttleworthii, *Koch* et *Send.*

Ulex
europaeus, *Linn.*

Uncinia
compacta, *R. Br.*

Vaccinium
Myrtillus, *Linn.*
padifolium, *Sm.*

Valeriana
alliariaefolia, *Vahl*
oligantha, *Boiss.* et *Heldr.*
Phu, *Linn.*, var. aurea
tripteris, *Linn.*

Veratrum
album, *Linn.*

Verbascum

Lychnitis, *Linn.*
phoeniceum, *Linn.*
pyramidatum, *Bieb.*

Verbesina

Purpusii, *Brandegee*

Veronica

Allionii, *Vill.*
alpina, *Linn.*
anomala, *Armstr.*
aphylla, *Linn.*
arborea, *J. Buch.*
austriaca, *Linn.*
— var. dentata
— var. multifida
— var. pinnatifida
— var. prenja
Bidwillii, *Hook.*
Buchanani, *Hook. f.*
buxifolia, *Benth.*
carnosula, *Hook. f.*
catarractae, *Forst. f.*
— var. compacta
chathamica, *J. Buch.*
Colensoi, *Hook. f.*
— var. glauca
corymbosa, *Hort.*, var. variegata
crassifolia, *Zeyh.*, var. alba
cuneifolia, *D. Don*
cupressoides, *Hook. f.*, var. variabilis
decumbens, *Armstr.*
decussata, *Moench*
Dorrien-Smithii, *Cockayne*
Eastonii, *Hort.*
Fairfieldii ×, *Hort. Martin*
filifolia, *Lipsky*
Forrestii, *Diels*
glaucophylla, *Cockayne*
grandis, *Fisch.*
Guthrieana ×, *Hort.*
Hookeriana, *Walp.*
Hulkeana, *F. Muell.*
ignobilis, *Less.*
imperialis, *Hort.*
incana, *Linn.*

Veronica—*continued.*

laevis, *Benth.*
latifolia, *Linn.*
Lavaudiana, *Raoul*
longifolia, *Linn.*
— var. alba
— var. subsessilis
Lyalii, *Hook. f.*
Matthewsii, *Cheeseman*
monticola, *Armstr.*
multifida, *Linn.*
nivalis, *Hort.*
obovata, *T. Kirk*
parviflora, *Vahl*, var. angustifolia, *Hook. f.*
peduncularis, *Bieb.*
peregrina, *Linn.*
pimeleoides, *Hook. f.*
— var. glauco-caerulea
pinguifolia, *Hook. f.*
— var. decumbens
pinnata, *Linn.*
praecox, *All.*
prostrata, *Linn.*, var. alba
pseudo-Traversii, *Cockayne*
rakaiensis, *Armstr.*
salicifolia, *Forst. f.*
saxatilis, *Scop.*
— var. alba
spicata, *Linn.*
— var. rosea
spuria, *Linn.*
Teucrium, *Linn.*
Tournefortii, *C. C. Gmel.*
Traversii, *Hook. f.*
vernicosa, *Hook. f.*
— var. canterburiensis
virginica, *Linn.*
Wardiensis ×

Vesicaria

utriculata, *DC.*

Viburnum

burejaeticum, *Regel* et *Herd.*
crassifolium, *Rehder*
Davidi, *Franch.*
foetidum, *Wall.*
hupehense, *Rehder*
Lantana, *Linn.*

Viburnum—*continued.*

Lantana, *Linn.*, var. lanceolatum
Lentago, *Linn.*
Opulus, *Linn.*
— var. fructu-luteo
ovatifolium, *Rehder*
rhytidophyllum, *Hemsl.*
theiferum, *Rehder*
tomentosum, *Thunb.*

Vicia

Cracca, *Linn.*
ochroleuca, *Tenore*
onobrychioides, *Linn.*
oroboides, *Wulf.*
pyrenaica, *Pourr.*
sylvatica, *Linn.*
únijuga, *A. Braun*

Vincetoxicum

fuscatum, *Reichb. f.*
officinale, *Moench*

Viola

canina, *Linn.*
— var. alba
— var. rosea
cognata, *Greene*
cornuta, *Linn.*
— var. alba
elatior, *Fries*
gracilis, *Sibth.* et *Sm.*
odorata, *Linn.*, var. sulfurea (*Cariot*)
Patrinii, *Ging.*
stagnina, *Kit.*
sylvestris, *Lam.*
tricolor, *Linn.*
— var. atlantica

Vitis

betulifolia, *Diels* et *Gilg*

Wahlenbergia

pendula, *Schrad.*
serpyllifolia, *G. Beck*
— var. dinarica
vincaeflora, *Decne.*, var. alba

Wendlandia

subalpina, *W. W. Sm.*

Wulfenia

Amherstiana, *Benth.*
carinthiaca, *Jacq.*

Wyethia

angustifolia, *Nutt.*
mollis, *A. Gray*

Xerophyllum

asphodeloides, *Nutt.*

Zanthoxylum

alatum, *Roxb.*

Zenobia

speciosa, *D. Don.*

Zygadenus

elegans, *Pursh*
venenosus, *S. Wats.*

PLANTS UNDER GLASS.

Abutilon

megapotamicum, *St. Hil.* et *Naud.*, var. variegatum

Acacia

armata, *R. Br.*
brachybotrya, *Benth.*
cyanophylla, *Lindl.*
Dietrichiana, *F. Muell.*
elongata, *Sieber*
microbotrya, *Benth.*
neriifolia, *A. Cunn.*
rostellifera, *Benth.*
spadicigera, *Cham.* et *Schlecht.*
stricta, *Willd.*
suaveolens, *Willd.*
undulaefolia, *A. Cunn.*
Whanii, *F. Muell.*

Acalypha

hispida, *Burm.*
sidaefolia, *A. Rich.*
Wilkesiana, *Muell. Arg.*

Agapanthus

inapertus, *Beauverd.*
umbellatus, *L'Hérit.*

Agapetes

variegata, *D. Don*

Aglaonema

commutatum, *Schott*

Albizzia

lophantha, *Benth.*

Albuca

Nelsoni, *N. E. Br.*

Alchornea

ilicifolia, *Muell.*

Allamanda

cathartica, *Linn.*
grandiflora, *Hort.*

Allionia

melanotricha, *Standley*

Alonsoa

acutifolia, *Ruiz* et *Pav.*

Alpinia

calcarata, *Rosc.*
malaccensis, *Rosc.*
mutica, *Roxb.*
Sanderae, *Hort. Sand.*

Altamiranoa

elongata, *Rose*
Goldmani, *Rose*

Alternanthera

paronychioides, *St. Hil.*

Alyxia

buxifolia, *R. Br.*

Amasonia

calycina, *Hook. f.*

Amorphophallus

bulbifer, *Blume*

Amphicome

arguta, Royle

Anacampseros

arachnoides, *Sims*
filamentosa, *Sims*
lanceolata, *Sweet*

Anchusa

capensis, *Thunb.*

Androsace

Chamaejasme, *Willd.*
saxifragaefolia, *Bunge*
spinulifera, *Franch.*

Angianthus

humifusus, *Benth.*

Anhalonium

Williamsii, *Lem.*, var. Lewinii

Anigozanthos

rufa, *Labill.*

Annesorhiza

elata, *Eckl.* et *Zeyh.*

Anopterus

glandulosus, *Labill.*

Antholyza

aethiopica, *Linn.*

Anthurium

Andreanum, *Linden*
Gustavi, *Regel*
hybridum, *Hort.*
leuconeurum, *Lem.*

Anthyllis

cytisoides, *Linn.*
Vulneraria, *Linn.*, var. Webbiana

Aphelandra

aurantiaca, *Lindl.*, var. Roezlii

Arachis

hypogaea, *Linn.*

Ardisia

crenata, *Roxb.*
— var. fructu albo
mamillata, *Hance*
polycephala, *Wall.*
umbellata, *Baker*
Wallichii, *A. DC.*

Argyreia

speciosa, *Sweet*

Arisaema

consanguineum, *Schott*

Aristea

corymbosa, *Benth.* et *Hook. f.*
Eckloni, *Baker*

Aristolochia

elegans, *Mast.*

Arthraxon

microphyllus, *Hochst.*

Artocarpus

laciniata, *Hort.*

Asclepias

curassavica, *Linn.*
linifolia, *H. B.* et *K.*

Asparagus

gonocladus, *Baker*
madagascariensis, *Baker*
plumosus, *Baker*
racemosus, *Willd.*
scandens, *Thunb.*
Sprengeri, *Regel*

Aspilia

buphthalmiflora, *Griesb.*

Astelia

Banksii, *A. Cunn.*
Cunninghamii, *Hook. f.*

Astrocaryum
mexicanum, *Liebm.*

Astroloma
pinifolium, *Benth.*

Asystasia
bella, *Harv.*

Atriplex
spongiosa, *F. Muell.*

Babiana
stricta, *Ker-Gawl.*, var. rubrocyanea

Baeckea
camphorata, *R. Br.*
linifolia, *Rudge*

Barleria
collina, *R. Br.*
cristata, *Linn.*

Barnadesia
rosea, *Lindl.*

Bauera
rubioides, *Andr.*

Begonia
carminata ×, *Hort.*
dichotoma, *Jacq.*
Dregei, *Otto* et *Dietr.*
erfordia, *Hort.*
fuchsioides, *Hook.*
gracilis, *H. B.* et *K.*
Haageana, *W. Watson*
Harrowiana, *Diels*
luxurians, *Scheidw.*
maculata, *Raddi*
malabarica, *Lam.*
manicata, *Cels*, var. variegata
platanifolia, *Schott*
prismatocarpa, *Hook.*

Begonia—*continued.*
sanguinea, *Raddi*
Teuscheri, *Linden*
ulmifolia, *Willd.*

Belamcanda
punctata, *Moench*

Bertolonia
maculata, *DC.*
marmorata, *Naud.*

Beschorneria
tubiflora, *Kunth*

Biophytum
sensitivum, *DC.*

Blumea
laciniata, *DC.*

Boehmeria
biloba, *Miq.*
platyphylla, *D. Don*

Boenninghausenia
albiflora, *Reichb.*

Bomarea
Lehmanni, *Baker*

Bontia
daphnoides, *Linn.*

Boronia
serrulata, *Sm.*

Bossiaea
eriocarpa, *Benth.*

Brachysema
subcordatum, *Benth.*

Briggsia
Agnesiae, *Craib*

Browallia
speciosa, *Hook.*
— var. major

Brownea
coccinea, *Jacq.*
grandiceps, *Jacq.*

Brunfelsia
americana, *Linn.*

Bryophyllum
crenatum, *Baker*

Buettneria
urticifolia, *K. Schum.*

Burbidgea
nitida, *Hook. f.*

Calandrinia
grandiflora, *Lindl.*

Calceolaria
fuchsiaefolia, *Hort.*
integrifolia, *Murr.*
Sinclairii, *Hook.*

Callicarpa
purpurea, *Juss.*

Callistemon
phoeniceus, *Lindl.*
pithyoides, *Miq.*
rigidus, *R. Br.*
salignus, *Sweet*

Callitris
australis, *Sweet*
oblonga, *Rich.*

Calophanes
Perrottetii, *Nees*

Calvoa
sessiliflora, *Cogn.*

Calycotome
infesta, *Guss.*

Camellia
cuspidata, *Hort. Veitch*
Thea, *Link*

Camoensia
maxima, *Welw.*

Campanula
Barrelieri, *Marnock*
Vidalii, *H. C. Wats.*

Campomanesia
cerasoides, *A. Gray*

Canavalia
ensiformis, *DC.*

Canna
angustifolia, *Linn.*
indica, *Linn.*

Capparis
flexuosa, *Blume*

Capsicum
annuum, *Linn.*
microcarpum, *Cav.*

Carex
baccans, *Nees*
japonica, *Thumb.*
limosa, *Linn.*

Carissa
acuminata, *A. DC.*
Arduina, *Lam.*

Carludovica
Gardneri, *Hook*
Wendlandii, *Hort.*

Carmichaelia

australis, *R. Br.*
grandiflora, *Hook. f.*
subulata, *T. Kirk*

Cassia

Absus, *Linn.*
laevigata, *Willd.*
Tora, *Linn.*

Cavendishia

acuminata, *Benth.*

Celastrus

Cunninghamii, *F. Muell.*

Celosia

argentea, *Linn.*
cristata, *Linn.*, var. pyramidalis

Celsia

brevipedicellata, *Engl.*

Centaurea

canariensis, *Willd.*
ragusina, *Linn.*

Centradenia

floribunda, *Planch.*

Ceratopetalum

gummiferum, *Sm.*

Cereus

erinaceus, *Haw.*

Ceropegia

bulbosa, *Roxb.* (bulbil)
debilis, *N. E. Br.* (bulbil)
Woodii, *Schlechter* (bulbil)

Cestrum

Newellii, *Veitch*
Smithii, *Hort. Bull.*

Chamaedorea

Sartorii, *Liemb.*

Chirita

barbata, *Sprague*

Chironia

baccifera, *Linn.*
linoides, *Linn.*

Chlorophytum

elatum, *R. Br.*
— var. variegatum
Orchidastrum, *Lindl.*

Chorizema

ilicifolium, *Labill.*

Cissus

adenopodus, *Sprague*

Citrus

Aurantium, *Linn.*
Medica, *Linn.*, var. Limonum
nobilis, *Lour.*, var. major

Clematis

grewiaeflora, *DC.*
uncinata, *Champ.*

Cleome

spinosa, *Jacq.*

Clerodendron

fallax, *Lindl.*
infortunatum, *Gaertn.*
splendens, *G. Don*
Thomsonae, *Balf.*
— var. variegatum

Clethra

arborea, *Ait.*

Clianthus

puniceus, *Banks* et *Sol.*
— var. albus

Clitoria
Ternatea, *Linn.*

Clivia
miniata, *Regel*
nobilis, *Lindl.*

Cobaea
scandens, *Cav.*
— var. variegata

Coffea
arabica, *Linn.*

Coleus
Mahonii, *Baker*

Colobanthus
acicularis, *Hook. f.*

Columnea
aureonitens, *Hook.*

Combretum
grandiflorum, *G. Don*

Commelina
pallida, *Willd.*

Conandron
ramondioides, *Sieb.* et *Zucc.*

Corchorus
pilolobus, *Link*

Coriaria
nepalensis, *Wall.*

Coronilla
viminalis, *Salisb.*

Corydalis
thalictrifolia, *Jameson*
tomentosa, *N. E. Br.*
Wilsoni, *N. E. Br.*

Corymbium
nervosum, *Thunb.*

Costus
discolor, *Rosc.*
igneus, *N. E. Br.*

Cotyledon
adunca, *Baker*
dichotoma, *Haw.*
edulis, *Brewer*
fulgens, *Baker*
Grusoni, *Hort.*
linguaefolia, *Lem.*
orbiculata, *Linn.*
racemosa, *E. Mey.*
roseata, *Baker*
secunda, *Baker*
teretifolia, *Thunb.*
Zeyheri, *Harv.*

Crassula
Cooperi, *Regel*
ericoides, *Haw.*
falcata, *Wendl.*
imbricata, *Burm. f.*
perfoliata, *Linn.*
rubicunda, *E. Mey.*

Crawfurdia
fasciculata, *Wall.*

Crinum
Macowani, *Baker*
Moorei, *Hook. f.*, var. variegatum

Crossandra
undulaefolia, *Salisb.*

Cullumia
setosa, *R. Br.*

Cupressus
arizonica, *Greene*

Cuscuta
reflexa, *Roxb.*

Cyananthus

Hookeri, *C. B. Clarke*

Cyanotis

somaliensis, *C. B. Clarke*

Cyathula

geniculata, *Lour.*

Cyclanthera

explodens, *Naud.*

Cyperus

alternifolius, *Linn.*
— var. compactus
bulbosus, *Vahl*
fertilis, *Boeck.*
nutans, *Vahl*
Papyrus, *Linn.*

Cyphomandra

betacea, *Sendt.*

Cytisus

canariensis, *Steud.*
Fontanesii, *Spach*
fragrans, *Lam.*

Dalechampia

Roezliana, *Muell. Arg.*
scandens, *Linn.*

Debregeasia

velutina, *Gaudich.*

Decaisnea

Fargesii, *Franch.*

Dermatobotrys

Saundersii, *Bolus*

Desmodium

gyrans, *DC.*
incanum, *DC.*
tortuosum, *DC.*
viridiflorum, *Beck*

Dianella

caerulea, *Sims*
intermedia, *Endl.*
revoluta, *R. Br.*

Dianthera

nodosa, *Benth.* et *Hook. f.*

Dicentra

scandens, *Walp.*
thalictrifolia, *Hook. f.*

Dichroa

febrifuga, *Lour.*

Didymanthus

Roei, *Endl.*

Dionaea

muscipula, *Ellis*

Dioscorea

sativa, *Linn.* (tuber)

Dipladenia

boliviensis, *Hook. f.*

Dolichos

Lablab, *Linn.*

Dorstenia

Drakena, *Linn.*
urceolata, *Schott*
yambuyaensis, *De Wild.*

Dracaena

elliptica, *Thunb.*
Godseffiana, *Baker*
surculosa, *Lindl.*

Drimys

Winteri, *Forst.*

Drosera

binata, *Labill.*
— var. dichotoma

Drosera—*continued.*
capensis, *Linn.*
hilaris, *Cham.* et *Schlecht.*
pygmaea, *DC.*
rotundifolia, *Linn.*
spathulata, *Labill.*

Drosophyllum
lusitanicum, *Link*

Dryandra
floribunda, *R. Br.*
formosa, *R. Br.*

Duranta
Plumieri, *Jacq.*

Echeandia
eleutherandra, *C. Koch*

Echeveria
alpina, *Rose*
cuspidata, *Rose*
gibbiflora, *DC.*, var. metallica
gracilis, *Rose*
Hookeri, *Salm-Dyck*
lutea, *Rose*
microcalyx, *Britt.* et *Rose*
multicaulis, *Rose*
nodulosa, *Otto*
nuda, *Baker*
obtusifolia, *Rose*
Pringlei, *Rose*
pulchella, *Berger*

Echinocactus
mammulosus, *Lem.*

Echium
plantagineum, *Linn.*

Elaeocarpus
cyaneus, *Sims*

Eleusine
indica, *Gaertn.*

Episcia
punctata, *Hanst*

Eragrostis
falcata, *Gaudich.*
interrupta, *Beauv.*

Eranthemum
albiflorum, *Hook.*
leuconeurum, *Hort.*

Erica
albens, *Linn.*
melanthera, *Linn.*

Eriostemon
buxifolius, *Sm.*

Erythrochiton
brasiliensis, *Nees*

Erythroxylum
Coca, *Lam.*

Eucalyptus
ficifolia, *F. Muell.*
polyanthemos, *Schau.*

Eucomis
bicolor, *Baker*

Eugenia
apiculata, *DC.*
Jambos, *Linn.*
myrtifolia, *Sims*

Eupatorium
riparium, *Regel*
Rothrockii, *A. Gray*
Weinmannianum, *Regel* et *Koern.*

Euphorbia
alcicornis, *Baker*
globosa, *Sims*
Regis-Jubae, *Webb* et *Berth.*
sikkimensis, *Boiss.*

Eustrephus

latifolius, *R. Br.*
— var. angustifolius

Evax

anatolica, *Boiss.* et *Heldr.*

Evodia

elegans, *Hort.*

Fallugia

paradoxa, *Endl.*

Ficus

Carica, *Linn.*
diversifolia, *Blume*
pyriformis, *Hook.* et *Arn.*

Francoa

appendiculata, *Cav.*
ramosa, *D. Don*
sonchifolia, *Cav.*

Frankenia

hirsuta, *Linn.*

Fuchsia

corymbiflora, *Ruiz* et *Pav.*
fulgens, *DC.*
integrifolia, *Cambess.*
parviflora, *Lindl.*
procumbens, *R. Cunn.*

Garcinia

Xanthochymus, *Hook. f.*

Gaultheria

antipoda, *Forst. f.*
— var. erecta

Geitonoplesium

cymosum, *A. Cunn.*

Gelasine

azurea, *Herb.*

Genista

stenopetala, *Webb* et *Berth.*

Geonoma

pumila, *H. Wendl.*

Geranium

canariense, *Reut.*

Globba

alba, *Hort.* (bulbil)
strobilifera, *Zoll.* (bulbil)

Gloriosa

superba, *Linn.*
virescens, *Lindl.*

Glycosmis

pentaphylla, *Correa*

Gmelina

Hystrix, *Schult.*

Gomphia

olivaeformis, *St. Hil.*

Goodia

latifolia, *Salisb.*
pubescens, *Sims*

Gossypium

herbaceum, *Linn.*

Grevillea

alpina, *Lindl.*
Baueri, *R. Br.*
Forsteri, *Hort.*
glabrata, *Meissn.*
occidentalis, *R. Br.*

Gunnera

monoica, *Raoul*

Haemanthus

Katherinae, *Baker*

Hakea

acicularis, *Knight*
cristata, *R. Br.*
ferruginea, *Sweet*
gibbosa, *Cav.*
microcarpa, *R. Br.*
Preissii, *Meissn.*
ulicina, *R. Br.*, var. carinata

Haloragis

alata, *Jacq.*
erecta, *Schlinder*

Hamelia

patens, *Jacq.*

Hedychium

Horsfieldii, *R. Br.*

Heeria

elegans, *Schlecht.*

Helichrysum

crassifolium, *D. Don*
virgineum, *Griesb.*

Heliotropium

anchusaefolium, *Poir.*
peruvianum, *Linn.*

Hermannia

hyssopifolia, *Linn.*

Hewittia

bicolor, *Wight* et *Arn.*

Hibbertia

dentata, *R. Br.*

Hibiscus

Denisoni, *Hort.*
Hamabo, *Sieb.* et *Zucc.*

Homalanthus

Leschenaultianus, *A. Juss.*

Howittia

trilocularis, *F. Muell.*

Humea

elegans, *Sm.*

Hydrangea

Hortensia, *Siebold*, var. stellata

Hydrocotyle

asiatica, *Linn.*

Hymenanthera

dentata, *R. Br.*
— var. angustifolia

Hymenocallis

macrostephana, *Baker*

Hypericum

balearicum, *Linn.*
nanum, *Poir.*

Hypolytrum

latifolium, *Rich.*

Hypoxis

Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

Hyptis

suaveolens, *Poit.*

Ilex

insignis, *Hook. f.*

Impatiens

Balsamina, *Linn.*
radiata, *Hook, f.*
sulcata, *Wall.*

Indigofera

australis, *Willd.*

Ipomœa
Quamoclit, *Linn.*

Iresine
celosioides, *Linn.*

Isomeris
arborea, *Nutt.*

Isotoma
axillaris, *Lindl.*
— var. subpinnatifida

Jasminum
lucidum, *Banks*

Jatropha
podagrica, *Hook.*

Jussieuia
Sprengeri, *Hort.*
suffruticosa, *Linn.*

Justicia
calycotricha, *Link*

Kalanchoë
Cassiopeja, *Damm.*
flammea, *Stapf*
rotundifolia, *Haw.*

Kennedya
prostrata, *R. Br.*
— var. glabrata
— var. Marryattae
retrorsa, *Hemsl.*
rubicunda, *Vent.*

Klugia
Notoniana, *A. DC.*

Kunzea
corifolia, *Reichb.*

Kyllinga
brevifolia, *Rottb.*
nepalensis, *C. B. Clarke*

Labichea
lanceolata, *Benth.*

Lagenaria
vulgaris, *Ser.*
— var. pelegrina, *Hort.*

Lantana
Camara, *Linn.*

Lapeyrousia
cruenta, *Benth.*

Laportea
moroides, *Wedd.*

Lathyrus
pubescens, *Hook.* et *Arn.*

Lavandula
dentata, *Linn.*

Leea
sambucina, *Willd.*

Leptodermis
lanceolatus, *Wall.*
pilosa (*Franch.*), *Diels*

Leptospermum
arachnoideum, *Sm.*
ericoides, *A. Rich.*, var. lineatum
laevigatum, *F. Muell.*
Liversidgei, *R. T. Baker* et *H. G. Smith*
pubescens, *Lam.*
scoparium, *Forst.*
— var. Chapmanni
— var. Nicholli

Leucophae
dasygnaphala, *Webb* et *Berth.*

Leucothoe
Keiskei, *Miq.*

Leucopogon
fasciculatus, *A. Rich.*
Richei, *R. Br.*

Lhotskya
ericoides, *Schau.*

Lilium
roseum, *Wall.*

Limosella
aquatica, *Linn.*
— var. tenuifolia

Lindenbergia
urticaefolia, *Lehm.*

Lippia
nodiflora, *Michx.*

Littonia
modesta, *Hook.*

Lobelia
tenuior, *R. Br.*
triquetra, *Linn.*

Lonicera
sempervirens, *Linn.*, var. minor

Ludovia
crenifolia, *Drude*

Luffa
ægyptiaca, *Mill.*
cylindrica, *Roem.*

Lupinus
saxatilis, *Ulbrich*

Lycopersicum
esculentum, *Mill.*

Lysimachia
amoena, *G. Forrest*
euxantha, *Hort.*

Macrozamia
Moorei, *F. Muell.*

Mallotus
japonicus, *Muell. Arg.*

Malvastrum
capense, *Garcke*
hypomadarum, *Sprague*
lateritium, *Nichols.*

Mammillaria
multiceps, *Salm-Dyck*

Maranta
noctiflora, *Regel* et *Koernicke*

Marcetia
taxifolia, *DC.*, var. pubescens

Marica
caerulea, *Ker-Gawl.*
Northiana, *Ker-Gawl.*

Martynia
proboscidea, *Glox.*

Maurandia
erubescens, *A. Gray*
scandens, *A. Gray*
— var. coccinea

Melaleuca
hypericifolia, *Sm.*

Melasphaerula
graminea, *Ker-Gawl.*

Melianthus

major, *Linn.*

Melocactus

communis, *Link* et *Otto*

Mesembryanthemum

barbatum, *Linn.*
blandum, *Haw.*
Bolusii, *Hook. f.*
Brownii, *Hook. f.*
cordifolium, *Linn.*
cultratum, *Hort.*
curviflorum, *Haw.*
deltoides, *Linn.*
Ecklonis, *Salm-Dyck*
Elishae, *N. E. Br.*
falciforme, *Haw.*
flexuosum *Haw.*
formosum, *Haw.*
glomeratum, *Linn.*
Haworthii, *Donn*
inflexum, *Haw.*
lepidum, *Haw.*
longum, *Haw.*
pauxillum, *N. E. Br.*
pictum, *N. E. Br.*
rhomboideum, *Salm-Dyck*
roseum, *Willd.*
rubricaule, *Willd.*
spectabile, *Haw.*
stellatum, *Mill.*
tigrinum, *Haw.*
verruculatum, *Linn.*

Metrosideros

robusta, *A. Cunn.*

Micromeria

Douglasii, *Benth.*
filiformis, *Benth.*

Mimosa

pudica, *Linn.*

Mimulus

glutinosus, *Wendl.*
var. puniceus

Miscanthus

nepalensis, *Hack.*
sinensis, *Anders.*, var. gracillima univittata

Mitraria

coccinea, *Cav.*

Mitriostigma

axillare, *Hochst.*

Momordica

cochinchinensis, *Spreng.*

Monanthes

agriostaphys, *Christ*
atlantica, *Ball.*
polyphylla, *Haw.*

Monochaetum

alpestre, *Naud.*

Monolena

primulaeflora, *Hook. f.*

Moraea

flexuosa, *Linn.*
iridioides, *Linn.*

Muehlenbeckia

complexa, *Meissn.*

Musschia

Wollastoni, *Lowe*

Mutisia

decurrens, *Cav.*
ilicifolia, *Cav.*

Myoporum

oppositifolium, *R. Br.*

Myosotis

capitata, *Hook. f.*, var. albiflora

Myrica

aethiopica, *Linn.*

Myrsine

africana, *Linn.*

Myrtus

communis, *Linn.*
nummularia, *Poir.*
Ugni, *Mol.*

Neonicholsonia

Georgei, *Damm.*
Watsoni, *Damm.*

Nepeta

amethystina, *Desf.*

Nephthytis

liberica, *N. E. Br.*

Nerine

Bowdeni, *W. Watson*
candida, *Hort.*

Nertera

Balfouriana, *Cockayne*
ciliata, *T. Kirk*
depressa, *Banks*

Nicandra

physaloides, *Gaertn.*

Nicotiana

glauca, *R. Grah.*
Sanderae ×, *Hort.*

Nierembergia

frutescens, *Dur.*

Notelaea

longifolia, *Vent.*

Ochna

mossambicensis, *Klotzsch*
multiflora, *DC.*

Ocimum

sanctum, *Linn.*
viride, *Willd.*

Oenothera

hirtella, *Greene*
mollissima, *Linn.*
tenuifolia, *Cav.*

Olea

capensis, *Linn.*

Opuntia

Ficus-indica, *Mill.*
grandis, *Hort.*

Oreocharis

Henryana, *Oliver*

Oreostylidium

subulatum, *Berggr.*

Ornithogalum

tenellum, *Jacq.*
thyrsoides, *Jacq.*

Orobanche

Hederae, *Duby*

Oryza

sativa, *Linn.*
— var. atropurpurea
— var. mutica
— var. perennis
— var. rufibarba

Osteomeles

anthyllidifolia, *Lindl.*

Oxalis

Hirthii, *Phil.*

Oxylobium

Callistachys, *Benth.*
cuneatum, *Benth.*

Pachyphytum

longifolium, *Rose*

Palisota

Barteri, *Hook. f.*
Pynaertii, *Wildem.*

Pancratium

fragrans, *Salisb.*

Panicum

Crus-galli, *Linn.*
plicatum, *Lam.*

Parochetus

communis, *Buch.-Ham.*

Paronychia

arabica, *DC.*
argentea, *Lam.*

Passiflora

Banksii, *Benth.*
caerulea, *Linn.*
edulis, *Sims*
elegans, *Mart.*
quadrangularis, *Linn.*
suberosa, *Linn.*

Paullinia

thalictrifolia, *Juss.*

Pavonia

grandiflora, *A. St. Hil.*
hastata, *Cav.*
spinifex, *Cav.*

Pelargonium

Endlicherianum, *Fenzl*
saniculaefolium, *Willd.*
scandens, *Ehrh.*
Skelii, *Hoffmgg.*

Pellionia

Daveauana, *N. E. Br.*
pulchra, *N. E. Br.*

Pentarhaphia

libanensis, *Hanst.*

Pentas

carnea, *Benth.*
— var. kermesina.

Peperomia

cordulata, *C. DC.*
galioides, *H. B.* et *K.*
rubella, *Hook.*
Sandersii, *C. DC.*

Petiveria

alliacea, *Linn.*

Petrophila

pedunculata, *R. Br.*
sessilis, *Sieber*

Phagnalon

rupestre, *DC.*, var. tomentosa

Philodendron

digitatum, *Hort.*

Phyllanthus

montanus, *Sw.*
reticulatus, *Poir.*

Physalis

minima, *Linn.*
peruviana, *Linn.*

Picramnia

polyantha, *Planch.*

Pieris

formosa, *D. Don*

Pilea

grandis, *Wedd.*
muscosa, *Lindl.*
Spruceana, *Wedd.*

Pimelea

ligustrina, *Labill.*
Traversii, *Hook. f.*

Pitcairnia

aphelandraeflora, *Verschaff.*
flammea, *Lindl.*
Lamarcheana, *E. Morr.*
maidifolia, *Decne.*

Pittosporum

Ralphii, *T. Kirk*
viridiflorum, *Sims*

Plantago

mexicana, *Link*

Plectranthus

glaucocalyx, *Maxim.*
irroratus, *G. Forrest*

Pleuropetalum

costaricense, *Hemsl.*

Plumbago

scandens, *Linn.*

Pogostemon

Patchouli, *Pellet.*

Polyalthia

suberosa, *Benth.* et *Hook. f.*

Polycarpaea

divaricata, *Balf. f.*

Polygonum

lichiangense, *W. W. Sm.*

Pomaderris

lanigera, *Sims*
prunifolia, *A. Cunn.*
subrepanda, *F. Muell.*

Posoqueria

multiflora, *Lem.*

Poterium

diandrum, *Hook. f.*

Prasium

majus, *Linn.*

Primula

alsophila, *Balf. f.* et *Forrest*
blattariformis, *Franch.*
capitata, *Hook.*
conspersa, *Balf. f.* et *Purdom*
floribunda, *Wall.*
— var. Isabellae
Forbesii, *Franch.*
Forrestii, *Balf. f.*
Fortunei, *Vatke*
gemmifera, *Batalin*
geraniifolia, *Hook. f.*
jesoana, *Miq.*
Maclareni, *Balf. f.*
malacoides, *Franch.*
Menziesiana, *Balf. f.* et *W. W. Sm.*
mollis, *Nutt.*
pulchella, *Franch.*
pulchelloides, *F. K. Ward*
Reidii, *Duthie*
rufa, *Balf. f.*
sinolisteri, *Balf. f.*
stenocalyx, *Maxim.*
tenella, *King*
verticillata, *Forsk.*
werringtonensis, *Wallace*

Procris

frutescens, *Blume*

Prostanthera

lasianthos, *Labill.*
linearis, *R. Br.*
nivea, *A. Cunn.*

Protea
cynaroides, *Linn.*

Proustia
pyrifolia, *Lag.*

Prunus
ilicifolia, *Walp.*

Pseuderanthemum
seticalyx, *Stapf*

Psidium
montanum, *Sw.*

Ptilotrichum
purpureum, *Boiss.*
Reverchonii, *Degen* et *Hervier*

Ranunculus
alpeophilus, *A. Nelson*
Chius, *DC.*
ophioglossifolius, *Vill.*
trilobus, *Desf.*

Reinwardtia
trigyna, *Planch.*

Remusatia
vivipara, *Schott*

Rhabdothamnus
Solandri, *A. Cunn.*

Rhodochiton
volubile, *Zucc.*

Rhododendron
afghanicum, *Aitch.* et *Hemsl.*
Aucklandii, *Hook. f.*

Rhoeo
discolor, *Hance*

Rhopalostylis
sapida, *H. Wendl.* et *Drude*

Rhynchoglossum
obliquum, *Blume*

Rhytidophyllum
tomentosum, *Mart.*

Richardia
africana, *Kunth*, var. ungeriensis

Ricinus
communis, *Linn.*

Rivina
humilis, *Linn.*
tinctoria, *Buch.-Ham.*

Roettlera
Forrestii, *Diels*

Romanzoffia
Suksdorfii, *Greene*

Rondeletia
odorata, *Jacq.*

Ruellia
macrantha, *Mart.*
Portellae, *Hook. f.*
rubicaulis, *Cav.*
tuberosa, *Linn.*

Sabal
Blackburniana, *Glazebr.*

Sagittaria
guayanensis, *H. B.* et *K.*

Salvia
canariensis, *Linn.*
coccinea, *Juss.*
judaica, *Boiss.*
Lemmoni, *A. Gray*
spinosa, *Linn.*

Samolus

ebracteatus, *H. B.* et *K.*
littoralis, *Schrank*

Sarracenia

purpurea, *Linn.*

Saxifraga

adscendens, *Linn.*
Balfourii, *Engl.* et *Irmscher*
cortusaefolia, *Sieb.* et *Zucc.*
diversifolia, *Wall.*
— var. alpina, *Engl.* et *Irmscher*
— var. foliata, *Engl.* et *Irmscher*
Eastwoodiae (*Small*)
Fortunei, *Hook.*
gemmipara, *Franch.*
hederacea, *Linn.*
reflexa, *Hook.*
sarmentosa, *Linn.*
turfosa, *Engl.* et *Irmscher*
Veitchiana, *Balf. f.*

Schismatoglottis

Roebelina, *Hort.*

Schizanthus

pinnatus, *Ruiz* et *Pav.*
— var. grandiflorus

Scirpus

riparius, *J.* et *C. Presl*

Scrophularia

pyrenaica, *Benth.*

Scutellaria

discolor, *Colebr.*

Sedastrum

glabrum, *Rose*

Sedum

dasyphyllum. *Linn.*
multiceps, *Coss.* et *Dur.*
Palmeri, *S. Wats.*

Sedum—*continued.*

potosinum, *Rose*
pruinatum, *Brot.*
spectabile, *Bor.*
Stahlii, *Solms*
stellatum, *Linn.*
trullipetalum, *Hook. f.* et *Thoms.*

Selago

corymbosa, *Linn.*

Sempervivum

arachnoideum, *Linn.*
Castello-Paivae, *Christ*
Mauriquerorum, *Christ*
poculiforme, *A. Berger*
tabulaeforme, *Haw.*
urbicum, *C. Sm.*
Webbianum, *Hort.*
Youngianum, *Webb* et *Berth.*

Senecio

Blumeri, *Greene*
echinatus, *DC.*
grandifolius, *Less.*
macroglossus, *DC.*
Moorei ×
populifolius, *DC.*
scandens, *Buch.-Ham.*
tropaeolifolius, *MacOwan*

Sibthorpia

africana, *Linn.*
europaea, *Linn.*, var. variegata

Sida

acuta, *Burm.*

Siphocampylus

lanceolatus, *Regel*

Sisyrinchium

californicum, *Dryand.*

Skimmia

Veitchii, *Carr.*

Solanum
aculeatissimum, *Jacq.*
auriculatum, *Ait.*
aviculare, *Forst. f.*
jasminoides, *Paxt.*
Seaforthianum, *Andr.*

Solenomelus
chilensis, *Miers*

Sollya
Drummondi, *C. Morr.*
heterophylla, *Lindl.*

Sonerila
margaritacea, *Lindl.*

Spathiphyllum
cannaefolium, *Schott*
cochlearispathum, *Engl.*

Sphacele
campanulata, *Benth.*

Sphaeralcea
pedata, *Torr.*

Sphaerolobium
alatum, *Benth.*
vimineum, *Sm.*

Spyridium
globulosum, *Benth.*

Stachytarpheta
indica, *Vahl*

Statice
echioides, *Linn.*
filicaulis, *Boiss.*
remotispicula, *Lacaita*

Streptocarpus
Blythini ×, *Hort.*
Holstii, *Engl.*
kewensis ×, *Hort.*
Wendlandii, *Sprenger*

Stylidium
adnatum, *R. Br.*
articulatum, *R. Br.*

Stylophyllum
Hassei, *Rose*

Sutherlandia
frutescens, *R. Br.*

Swainsona
coronillaefolia, *Salisb.*, var. rosea
Greyana, *Lindl.*, var. coccinea

Synechanthus
fibrosus, *H. Wendl.*

Synedrella
nodiflora, *Gaertn.*

Tacca
artocarpifolia, *Seem.*
cristata, *Jack*
integrifolia, *Ker-Gawl.*
viridis, *Hemsl.*

Tacsonia
mollissima, *H. B.* et *K.*
Van-Volxemii, *Hook.*

Talinum
patens, *Willd.*

Templetonia
retusa, *R. Br.*

Tetragonia
expansa, *Murr.*

Tetranema
mexicanum, *Benth.*

Teucrium
Marum, *Linn.*

Thomasia
solanacea, *Benth.* et *Hook.*

Tibouchina
semidecandra, *Cogn.*
— var. floribunda

Tigridia
Pavonia, *Ker-Gawl.*, var. alba
— var. conchiflora (*Sweet*)
— var. speciosa rubra

Tillaea
pharnaceoides, *Hochst.*

Tinnea
aethiopica, *Kotschy* et *Peyr.*

Torenia
cordifolia, *Roxb.*

Trachelium
caeruleum, *Linn.*
rumelianum, *Hampe*

Triglochin
striatum, *Ruiz* et *Pav.*

Tripterygium
Forrestii, Loes.

Triumfetta
rhomboidea, *Jacq*

Trochocarpa
laurina, *R. Br.*

Tulbaghia
acutiloba, *Harv.*

Tydaea
Lindeniana, *Regel.*

Urena
sinuata, *Linn.*

Uroskinnera
spectabilis, *Lindl.*

Utricularia
emarginata, *Benj.*
prehensilis, *E. Mey.*

Vanilla
planifolia, *Andr.*

Vellozia
equisetoides, *Baker*

Villadia
guatemalensis, *Rose*
imbricata, *Rose*

Villarsia
parnassiaefolia, *R. Br.*

Vitis
antarctica, *Benth.*
heterophylla, *Thunb.*, var. humulifolia

Wachendorfia
paniculata, *Linn.*
thyrsiflora, *Linn.*

Wahlenbergia
saxicola, *A. DC.*
tasmanica, *Hort.*

Xanthosia
rotundifolia, *DC.*

Zauschneria
californica, *Presl*

Zephyranthes
Lindleyana, *Herb.*

GENERA IN NATURAL ORDERS.

PLANTS IN THE OPEN AND UNDER GLASS.

ACANTHACEAE.

Acanthus
hirsutus, *Boiss.*
lusitanicus, *Hort.*
niger, *Mill.*
Perringi, *Siehe*
Schottii, *Hort.*

Aphelandra
aurantiaca, *Lindl.*, var. Roezlii

Asystasia
bella, *Harv.*

Barleria
collina, *R. Br.*
cristata, *Linn.*

Calophanes
Perrottetii, *Nees*

Crossandra
undulaefolia, *Salisb.*

Dianthera
nodosa, *Benth.* et *Hook. f.*

Eranthemum
albiflorum, *Hook.*
leuconeurum, *Hort.*

Justicia
calycotricha, *Link*

Pseuderanthemum
seticalyx, *Stapf*

Ruellia
macrantha, *Mart.*
Portellae, *Hook. f.*
rubicaulis, *Cav.*
tuberosa, *Linn.*

ALISMACEAE.

Alisma
Plantago, *Linn.*

Butomus
umbellatus, *Linn.*

Sagittaria
guayanensis, *H. B.* et *K.*

AMARANTHACEAE.

Alternanthera
paronychioides, *St. Hil.*

Celosia
argentea, *Linn.*
cristata, *Linn.*, var. pyramidalis

Cyathula
geniculata, *Lour.*

Iresine
celosioides, *Linn.*

AMARYLLIDEAE.

Alstroemeria
aurantiaca, *D. Don*

Beschorneria
tubiflora, *Kunth*

Bomarea
Lehmanni, *Baker*

Clivia
miniata, *Regel*
nobilis, *Lindl.*

AMARYLLIDEAE—*continued.*

Crinum

Macowani, *Baker*
Moorei, *Hook. f.*, var. variegatum

Haemanthus

Katherinae, *Baker*

Hymenocallis

macrostephana, *Baker*

Hypoxis

Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

Leucojum

autumnale, *Linn.*

Nerine

Bowdeni, *W. Watson*
candida, *Hort.*

Pancratium

fragrans, *Salisb.*

Vellozia

equisetoides, *Baker*

Zephyranthes

Lindleyana, *Herb.*

AMPELIDEAE.

Cissus

adenopodus, *Sprague*

Leea

sambucina, *Willd.*

Vitis

antarctica, *Benth.*
betulifolia, *Diels* et *Gilg*
heterophylla, *Thunb.*, var. humulifolia

ANACARDIACEAE.

Rhus

glabra, *Linn.*
typhina, *Linn.*, var. laciniata
— var. filicina

ANONACEAE.

Polyalthia

suberosa, *Benth.* et *Hook. f.*

APOCYNACEAE.

Allamanda

cathartica, *Linn.*
grandiflora, *Hort.*

Alyxia

buxifolia, *R. Br.*

Carissa

acuminata, *A. DC.*
Arduina, *Lam.*

Dipladenia

boliviensis, *Hook. f.*

Rhazya

orientalis, *A. DC.*

ARALIACEAE.

Acanthopanax

leucorrhizus, *Harms.*, var. fulvescens

ARISTOLOCHIACEAE.

Aristolochia

Clematitis, *Linn.*
elegans, *Mast.*
heterophylla, *Hemsl.*

AROIDEAE.

Aglaonema
commutatum, *Schott*

Amorphophallus
bulbifer, *Blume*

Anthurium
Andreanum, *Linden*
Gustavi, *Regel*
hybridum, *Hort.*
leuconeurum, *Lem.*

Arisaema
consanguineum, *Schott*

Lysichitum
camtschatcense, *Schott*

Nephthytis
liberica, *N. E. Br.*

Philodendron
digitatum, *Hort.*

Remusatia
vivipara, *Schott*

Richardia
africana, *Kunth*, var. ungeriensis

Schismatoglottis
Roebelina, *Hort.*

Spathiphyllum
cannaefolium, *Schott*
cochlearispathum, *Engl.*

ASCLEPIADEAE.

Asclepias
curassavica, *Linn.*
linifolia, *H. B.* et *K.*

ASCLEPIADEAE—*continued.*

Ceropegia
bulbosa, *Roxb.* (bulbil)
debilis, *N. E. Br.* (bulbil)
Woodii, *Schlechter* (bulbil)

Vincetoxicum
fuscatum, *Reichb. f.*
officinale, *Moench*

BEGONIACEAE.

Begonia
carminata ×, *Hort.*
dichotoma, *Jacq.*
Dregei, *Otto* et *Dietr.*
erfordia, *Hort.*
fuchsioides, *Hook.*
gracilis, *H. B.* et *K.*
Haageana, *W. Watson*
Harrowiana, *Diels*
luxurians, *Scheidw.*
maculata, *Raddi*
malabarica, *Lam.*
manicata, *Cels*, var. variegata
platanifolia, *Schott*
prismatocarpa, *Hook.*
sanguinea, *Raddi*
Teuscheri, *Linden*
ulmifolia, *Willd.*

BERBERIDEAE.

Berberis
aemulans, *Schneider*
aggregata, *Schneider*, var. Prattii
amurensis, *Rupr.*
Aquifolium, *Pursh*
aristata, *DC.*
brachypoda, *Maxim.*
Darwinii, *Hook.*
Gagnepaini, *Schneider*
japonica, *R. Br.*
polyantha, *Hemsl.*
repens, *Lindl.*
subcaulialata, *Schneider*
virescens, *Hook. f.*
vulgaris, *Linn.*

BERBERIDEAE—*continued.*

Decaisnea

Fargesii, *Franch.*

Podophyllum

Emodi, *Wall.*
— var. majus

BIGNONIACEAE.

Amphicome

arguta, *Royle*

Incarvillea

grandiflora, *Bur.* et *Franch.*, var. brevipes
variabilis, *Batalin*
— var. Przewalskii

BORAGINEAE.

Anchusa

Barrelieri, *Vitm.*
— var. variegata
capensis, *Thumb.*
italica, *Retz.*
officinalis, *Linn.*
sempervirens, *Linn.*

Borago

officinalis, *Linn.*

Cynoglossum

amabile, *Stapf* et *Drumm.*
denticulatum, *A. DC.*
furcatum, *Wall.*
nervosum, *Benth.*

Echium

plantagineum, *Linn.*
pustulatum, *Hort.*
strictum, *Linn. f.*
violaceum, *Linn.*
vulgare, *Linn.*

Eritrichium

strictum, *Decne.*

BORAGINEAE—*continued.*

Heliotropium

anchusiaefolium, *Poir.*
peruvianum, *Linn.*

Lindelofia

spectabilis, *Lehm.*
— var. afghanica

Lithospermum

graminifolium, *Viv.*
prostratum, *Loisel.*
— var. caerulescens.

Mertensia

oblongifolia, *G. Don*

Moltkia

petraea, *Boiss.*

Myosotis

capitata, *Hook. f.*, var. albiflora
cespitosa, *Schultz*
Forsteri, *Lehm.*
macrantha, *Hook. f.*
palustris, *Lam.*
refracta, *Boiss.*
Traversii, *Hook. f.*
Welwitschii, *Boiss.* et *Reut.*

Nonnea

rosea, *Link*

Omphalodes

Luciliae, *Boiss.*

Onosma

albo-roseum, *Fisch.* et *Mey.*

Paracaryum

glochidiatum, *Benth.* et *Hook. f.*

BROMELIACEAE.

Pitcairnia
aphelandraeflora, *Verschaff.*
flammea, *Lindl.*
Lamarcheana, *E. Morr.*
maidifolia, *Decne.*

CACTEAE.

Anhalonium
Williamsii, *Lem.*, var. Lewinii

Cereus
erinaceus, *Haw.*

Echinocactus
mammulosus, *Lem.*

Mammillaria
multiceps, *Salm-Dyck*

Melocactus
communis, *Link et Otto*

Opuntia
Ficus-indica, *Mill.*
grandis, *Hort.*

CAMPANULACEAE.

Adenophora
Lamarkii, *Fisch.*
latifolia, *Fisch.*
liliifolia, *Bess.*
polymorpha, *Ledeb.*
Potanini, *Korsh.*
sinensis, *A. DC.*

Campanula
acutangula, *Ler.* et *Lev.*
Allionii, *Vill.*
barbata, *Linn.*
— var. alba
Barrelieri, *Marnock*
bononiensis, *Linn.*
caespitosa, *Scop.*, var. Vensloi

Campanula—*continued.*
carpatica, *Jacq.*
— var. pelviformis
— var. turbinata
— — — alba
— — — compacta
— — — pallida
colorata, *Wall.*
crenulata, *Franch.*
elegans, *Roem.* et *Schult.*
Erinus, *Linn.*
excisa, *Schleich.*
fenestrelata, *Feer*
fragilis, *Cyrill.*
garganica, *Tenore*
— var. alba
— var. villosa
glomerata, *Linn.*
— var. azurea
— var. superba
kolenatiana, *C. A. Mey.*
latifolia, *Linn.*, var. macrantha
— — — alba
— — — lilacina
linifolia, *Scop.*
macrorrhiza, *J. Gay*
Marchesettii, *Wit.*
mirabilis, *Alboff*
persicifolia, *Linn.*
— var. alba
pilosa, *Pall.*
pulcherrima, *Hort.*
pulla, *Linn.*
pulloides, *Hort. Kew.*
punctata, *Lam.*
pusilla, *Haenke*, var. alba
pyramidalis, *Linn.*, var. alba
pyrenaica, *A. DC.*
Raddeana, *Trautv.*
Rainerii, *Perpent.*
rapunculoides, *Linn.*
Reuteriana, *Boiss.* et *Bal.*
rhomboidalis, *Linn.*
rhomboidea, *Murr.*
rotundifolia, *Linn.*
— var. alba
— var. Baumgartenii
— var. magnifica
salicifolia, *Hort.*
Scheuchzeri, *Vill.*

CAMPANULACEAE—*continued.*

Campanula—*continued.*

Scheuchzeri, *Vill.*, var. alba
spicata, *Linn.*
Teymonsii, *Hort.*
thyrsoides, *Linn.*
versicolor, *Sibth.* et *Sm.*
Vidalii, *H. C. Wats.*

Codonopsis

Bulleyana, *Diels* et *G. Forrest*
ovata, *Benth.*
silvestris, *Kom.*
subglobosa, *W. W. Sm.*
tubulosa, *Komarov*

Cyananthus

Hookeri, *C. B. Clarke*
incanus, *Hook. f.* et *Thoms.*, var. leiocalyx, *Franch.*
inflatus, *Hook. f.* et *Thoms.*
lobatus, *Wall.*
macrocalyx, *Franch.*

Edraianthus

Pumilio, *DC.*

Isotoma

axillaris, *Lindl.*
— var. subpinnatifida

Jasione

humilis, *Loisel.*
perennis, *Lam.*

Lobelia

tenuior, *R. Br.*
triquetra, *Linn.*

Musschia

Wollastoni, *Lowe*

Phyteuma

canescens, *Waldst.* et *Kit.*
comosum, *Linn.*
linifolium, *Boiss.* et *Heldr.*
Michelii, *All.*
— var. betonicaefolia
orbiculare, *Linn.*

CAMPANULACEAE—*continued.*

Phyteuma—*continued.*

Scheuchzeri, *All.*
— var. Charmelii, *Vill.*
Sieberi, *Spreng.*
spicatum, *Linn.*, var. caeruleum

Platycodon

grandiflorum, *A. DC.*, var. Mariesii

Pratia

angulata, *Hook. f.*
arenaria, *Hoook. f.*
begonifolia, *Lindb.*
montana, *Hassk.*
repens, *Gaudich.*

Siphocampylus

lanceolatus, *Regel*

Symphyandra

ossetica, *A. DC*
pendula, *A. DC.*
Wanneri, *Heuff.*

Trachelium

caeruleum, *Linn.*
rumelianum, *Hampe*

Wahlenbergia

pendula, *Schrad.*
saxicola, *A. DC.*
serpyllifolia, *G. Beck*
— var. dinarica
tasmanica, *Hort.*
vincaeflora, *Decne.*, var. alba

CAPPARIDEAE.

Capparis

flexuosa, *Blume*

Cleome

spinosa, *Jacq.*

Isomeris

arborea, *Nutt.*

CAPRIFOLIACEAE.

Abelia

triflora, *R. Br.*
umbellata, *Rehder*

Diervilla

coraeënsis, *DC.*
— var. grandiflora
floribunda, *Sieb.* et *Zucc.*, var. Lowii
florida, *Sieb.* et *Zucc.*
— var. alba
— var. candida

Dipelta

yunnanensis, *Franch.*

Leycesteria

formosa, *Wall.*

Lonicera

bella, *Zabel*
— var. albida
— var. rosea
etrusca, *Santi*
Henryi, *Hemsl.*
— var. subcoriacea
lanceolata, *Wall.*
Morrowii, *A. Gray*
parvifolia, *Edgew.*, var. depressa
— var. Myrtillus
Periclymenum, *Linn.*
sempervirens. *Linn.*, var. minor
subaequalis, *Rehder*
Sulivantii, *A. Gray*
tomentella, *Hook. f.* et *Thoms.*

Sambucus

canadensis, *Linn.*
glauca, *Nutt.*

Symphoricarpus

occidentalis, *Hook.*
orbiculatus, *Moench*
racemosus, *Michx.*

CAPRIFOLIACEAE—*continued.*

Viburnum

burejaeticum, *Regel* et. *Herd.*
crassifolium, *Rehder*
Davidi, *Franch.*
foetidum, *Wall.*
hupehense, *Rehder*
Lantana, *Linn.*
— var. lanceolatum
Lentago, *Linn.*
Opulus, *Linn.*
— var. fructu-luteo
ovatifolium, *Rehder*
rhytidophyllum, *Hemsl.*
theiferum, *Rehder*
tomentosum, *Thunb.*

CARYOPHYLLEAE.

Arenaria

biflora, *Linn.*
Capillaris, *Poir.*
capitata, *Lam.*
Cephalotes, *Bieb.*
decussata, *Willd.*
Fendleri, *A. Gray*
foliosa, *Royle*
frigida, *Rupr.*
gothica, *Fries*
gracilis, *Kit.*
graminifolia, *Schrad.*
grandiflora, *Linn.*
gypsophiloides, *Linn.*
juniperina, *Linn.*
Kingii, *M. E. Jones*
laricifolia, *Linn.*
leptoclados, *Boiss.*
montana, *Linn.*, var. grandiflora
pinifolia, *Bieb.*
pungens, *Clem.*
purpurascens, *Ramond*
sajanensis, *Willd.*
saxatilis, *Linn.*
setacea, *Thuill.*, var. erythrosepala
striata, *Vill.*
tmolea, *Boiss.*, var. Kotschyana
Villarsii, *Balb.*, var. villosula

CARYOPHYLLEAE—*continued.*

Cerastium

grandiflorum, *Waldst.* et *Kit.*
tomentosum, *Linn.*

Colobanthus

acicularis, *Hook. f.*

Dianthus

alpinus, *Linn.*
arboreus, *Linn.*
arenarius, *Linn.*
Armeria, *Linn.*
atrorubens, *All.*
attenuatus, *Sm.*
arvensis, *Hort.*
brachyanthus, *Boiss.*, var. alpinus
caesius, *Sm.*
— var. semiplenus
chinensis, *Linn.*
ciliatus, *Guss.*
cinnabarinus, *Sprun.*
crinitus, *Sm.*
croaticus, *Borbas*
delicatus, *Hort.*
deltoides, *Linn.*
— var. glaucus
fimbriatus, *Bieb.*
Freynii, *Vandas*
furcatus, *Balb.*
gallicus, *Pers.*
grandiflorus, *Poir.*
graniticus, *Jord.*
inodorus, *Hort. Corr.*, var. suavis
lactiflorus, *Fenzl*
longicaulis, *Tenore*
monspessulanus, *Linn.*, var. alpestris
orbelicus, *Hort.*
orientalis, *Donn*
petraeus, *Waldst.* et *Kit.*
— var. spiculifolius
plumarius, *Linn.*
pulchellus, *Hort.*
pungens, *Linn.*
scardicus, *Wettst.*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*

CARYOPHYLLEAE—*continued.*

Dianthus—*continued.*

suberbus, *Linn.*
— var, albus
— var. nanus
sylvestris, *Wulf.*
tymphresteus, *Heldr.* et *Sart.*
velebiticus, *Borb.*
Velenowskyi, *Borb.*
zonatus, *Fenzl*

Drypis

spinosa, *Linn.*

Gypsophila

cerastoides, *D. Don*
curvifolia, *Fenzl*
paniculata, *Linn.*
prostrata, *Linn.*
repens, *Linn.*
Suendermannii, *Hort.*
transsylvanica, *Spreng.*

Lychnis

alpina, *Linn.*
— var. lapponica
chalcedonica, *Linn.*
coronaria, *Desr.*
— var. alba
dioica, *Linn.*
Flos-cuculi, *Linn.*
— var. alba
Flos-Jovis, *Desr.*
Haageana, *Lemaire*
Lagascae, *Hook. f.*
Miqueliana, *Rohrb.*
nigrescens, *Edgew.*
nivalis, *Kit.*
nutans, *Benth.*
Preslii, *Sekera*
Sartori, *Hort. Leichtl.*
Viscaria, *Linn.*
— var. alba

Polycarpaea

divaricata, *Balf. f.*

Sagina

glabra, *Fenzl*, var. pilifera

CARYOPHYLLEAE—*continued.*

Saponaria

caespitosa, *DC.*
ocymoides, *Linn.*
pulvinaris, *Boiss.*
Wiemanni ×, *Fritsch*

Silene

adenantha, *Franch.*
alpestris, *Jacq.*
Armeria, *Linn.*
— var. alba
auriculata, *Sibth.* et *Sm.*
caucasica, *Boiss.*
chloraefolia, *Sm.*
ciliata, *Pourr.*
conica, *Linn.*
Cucubalus, *Wibel*
dichotoma, *Ehrh.*, var. crassifolia
Fabaria, *Sibth.* et *Sm.*
fruticosa, *Linn.*
fruticulosa, *Sieber*
gigantea, *Linn.*
Hookeri, *Nutt.*
italica, *Pers.*
Keiskii, *Miq.*
Lerchenfeldiana, *Baumg.*
linicola, *C. C. Gmel.*
longiflora, *Ehrh.*
maritima, *With.*
mollissima, *Sibth.* et *Sm.*
multicaulis, *Guss.*
Otites, *Sm.*
palaestina, *Boiss.*
pharnaceifolia, *Fenzl*
picta, *Pers.*
quadridentata, *Pers.*
— var. pusilla
rosiflora, *F. K. Ward*
Saxifraga, *Linn.*
Schafta, *Gmel.*
Sendtneri, *Boiss.*
Thorei, *Duf.*
turgida, *Bieb.*
Vallesia, *Linn.*
viridiflora, *Linn.*
Watsonii, *W. W. Sm.*
Zawadzkii, *Herbich*

CARYOPHYLLEAE—*continued.*

Spergula

vernalis, *Willd.*
— var. normalis

Spergularia

rubra, *J.* et *C. Presl*

Tunica

Saxifraga, *Scop.*

CELASTRINEAE.

Celastrus

Cunninghamii, *F. Muell.*

Euonymus

europaeus, *Linn.*
latifolius, *Mill.*, var. planipes

Tripterygium

Forresti, *Loes.*

CHENOPODIACEAE.

Atriplex

confertifolia, *S. Wats.*
spongiosa, *F. Muell.*

Chenopodium

album, *Linn.*
Bonus-Henricus, *Linn.*
capitatum, *Aschers.*

Didymanthus

Roei, *Endl.*

CISTINEAE.

Cistus

laurifolius, *Linn.*
populifolius, *Linn.*

Helianthemum

alpestre, *Dunal*
canum, *Boiss.*
glaucum, *Boiss.*, var. bicolor (*Presl*)

CISTINEAE—*continued.*

Helianthemum—*continued.*

hymettium, *Boiss.* et *Heldr.*
pilosum, *Benth.*
— var. purpureum
polifolium, *DC.*
rupifragum, *A. Kern.*
Tuberaria, *Mill.*
umbellatum, *Mill.*
vulgare, *Gaertn.*
— var. cruentum
— var. mutabile
— var. roseum
— var. variegatum

COMBRETACEAE.

Combretum

grandiflorum, *G. Don*

COMMELINACEAE.

Commelina

pallida, *Willd.*

Cyanotis

somaliensis, *C. B. Clarke*

Palisota

Barteri, *Hook. f.*
Pynaertii, *Wildem.*

Rhoeo

discolor, *Hance*

Tradescantia

virginiana, *Linn.*
— var. alba
— var. atropurpurea
— var. elata

COMPOSITAE.

Achillea

ageratifolia, *Benth.* et *Hook. f.*
Ageratum, *Linn.*
alpina, *Linn.*

COMPOSITAE—*continued.*

Achillea—*continued.*

crithmifolia, *Waldst.* et *Kit.*
filipendulina, *Lam.*
Hausmanniana ×, *Suend.*
lingulata, *Waldst.* et *Kit.*
macedonica, *Rouy*
macrophylla, *Linn.*
nobilis, *Linn.*
pedemontana, *Vacc. et Wilcz.*
Ptarmica, *Linn.*
setacea, *Waldst.* et *Kit.*
spinulifolia, *Fenzl*
taygetea, *Boiss.* et *Heldr.*
tomentosa, *Linn.*
umbellata, *Sibth.* et *Sm.*, var. major

Adenostlyes

alpina, *Kern.*

Agathaea

coelestis, *Cass.*

Ainsliaea

acerifolia, *Sch. Bip.*

Anacyclus

formosus, *Fenzl*

Anaphalis

cinnomomea, *C. B. Clarke*
japonica, *Maxim.*
margaritacea, *Benth.* et *Hook. f.*
triplinervis, *Sims*
yedoensis, *Maxim.*

Andryala

ragusina, *Linn.*

Angianthus

humifusus, *Benth.*

Antennaria

dioica, *Gaertn.*, var. parvifolia
— var. tomentosa
magellanica, *Sch. Bip.*

COMPOSITAE—*continued.*

Anthemis

canescens, *Brot.*
cinerea, *Pančˇ.*
Kotschyana, *Boiss.*
macedonica, *Boiss.*
maritima, *Linn.*
santolinoides, *Munby*

Aplopappus

croceus, *A. Gray*
suffruticosus, *A. Gray*

Arctium

minus, *Bernh.*
nemorosum, *Lejeune*

Arnica

alpina, *Olin.* et *Ladau*
Chamissonis, *Less.*
montana, *Linn.*
sachalinensis, *A. Gray*

Artemisia

canadensis, *Michx.*
glomerata, *Ledeb.*
hololeuca, *Bieb.*
lanata, *Willd.*
maritima, *Linn.*
Moorcroftiana, *Wall.*
pontica, *Linn.*
Roezlii, *Hort. Sünd.*
sacrorum, *Ledeb.*
sericea, *Weber*
spicata, *Wulf.*
splendens, *Willd.*
tridentata, *Nutt.*
vulgaris, *Linn.*

Aspilia

buphthalmiflora, *Griesb.*

Aster

acris, *Linn.*
alpinus, *Linn.*
— var. albus
Amellus, *Linn.*, var. amelloides (*Hoffm.*)

COMPOSITAE—*continued.*

Aster—*continued*

Amellus, *Linn.*, var. bessarabicus (*Bernh.*)
amethystinus, *Nutt.*
Andersoni, *A. Gray*
brachytrichus, *Franch.*
canus, *Waldst.* et *Kit.*
commutatus, *A. Gray*
conspicuus, *Lindl.*
cordifolius, *Linn.*, var. elegans
corymbosus, *Ait.*
Curtisii, *Torr.* et *Gray*
dahuricus, *Benth.*
Delavayi, *Franch.*
diffusus, *Ait.*
diplostephioides, *Benth.* et *Hook. f.*
Douglasii, *Lindl.*
dumosus, *Linn.*
Farreri, *W. W. Sm.*
fastigiatus, *Fisch.*
floribundus, *Nutt.*
foliaceus, *Lindl.*
Fremonti, *A. Gray*
Harrowianus, *Diels*
Hauptii, *Ledeb.*
himalaicus, *C. B. Clarke*
hispidus, *Baker*
junceus, *Ait.*
laevis, *Linn.*
linariifolius, *Linn.*
linosyris, *Bernh.*
longifolius, *Lam.*
macrophyllus, *Linn.*
oreophilus, *Franch.*
patens, *Ait.*
Pattersoni, *A. Gray*
puniceus, *Linn.*
— var. lucidulus
Purdomii, *W. W. Sm.*
pyrenaeus, *DC.*
ramulosus, *Hort.*
salicifolius, *Ait.*
sericeus, *Vent.*
sibiricus, *Linn.*
sikkimensis, *Hook. f.* et *Thoms.*
spectabilis, *Ait.*
staticifolius, *Franch.*
Thomsoni, *C. B. Clarke*

COMPOSITAE—*continued.*

Aster—*continued.*

Tradescanti, *Linn.*
trinervius, *Roxb.*
umbellatus, *Mill.*
Vahlii, *Hook.* et *Arn.*
vestitus, *Franch.*
yunnanensis, *Franch.*

Baccharis

patagonica, *Hook. et Arn.*

Barnadesia

rosea, *Lindl.*

Bellium

bellidioides, *Linn.*

Berkheya

purpurea, *Benth.* et *Hook. f.*

Bidens

dahlioides, *S. Wats.*

Blumea

laciniata, *DC.*

Boltonia

asteroides, *L'Hérit.*

Brachycome

Thomsonii, *T. Kirk*

Buphthalmum

salicifolium, *Linn.*
speciosum, *Schreb.*

Carbenia

frutescens, *Medic.*, var. latifolia

Carduncellus

monspeliensium, *All.*

Carduus

cernuus, *Steud.*
Kerneri ×, *Simonk.*

COMPOSITAE—*continued.*

Carlina

acanthifolia, *All.*
acaulis, *Linn.*
vulgaris. *Linn.*

Cassinia

fulvida, *Hook. f.*
leptophylla, *R. Br.*
retorta, *A. Cunn.*
Vauvilliersii, *Hook. f.*

Catananche

bicolor, *Hort.*
caerulea, *Linn.*
lutea, *Linn.*

Celmisia

coriacea, *Raoul*
densiflora, *Hook. f.*
discolor, *Hook. f.*
Lindsayi, *Hook. f.*
longfolia, *Cass.*
Lyallii, *Hook. f.*, var. pseudo-Lyallii
Munroi, *Hook. f.*
petiolata, *Hook. f.*
spectabilis, *Hook. f.*
verbascifolia, *Hook. f.*
viscosa, *Hook. f.*

Centaurea

canariensis, *Willd.*
cynaroides, *Link*
dealbata, *Willd.*
glastifolia, *Linn.*
gymnocarpa, *Moris* et *De Not.*
Janerii, *Graells*
Kerneriana, *Janka*
macrocephala, *Puschk.*
montana, *Linn.*, var. ochroleuca
— var. rosea
mucronifera, *DC.*
napifolia, *Linn.*
nervosa, *Willd.*
nigra, *Linn.*
nigrescens, *Willd.*
phrygia, *Linn.*

COMPOSITAE—*continued.*

Centaurea—*continued.*

pulcherrima, *Willd.*
pulchra, *DC.*, var. major
ragusina, *Linn.*
ruthenica, *Lam.*
rutifolia, *Sibth.* et *Sm.*
salonitana, *Vis.*
Scabiosa, *Linn.*
sordida, *Willd.*
Tenoreana, *Willk.*

Chamaemelum

rimarum, *Siehe*

Chaptalia

alsophila, *Greene*

Chrysanthemum

arcticum, *Linn.*
atratum, *Linn.*
caucasicum, *Pers.*
coccineum, *Willd.*
hakusanense, *Makino*
lacustre, *Brot.*
leucanthemum, *Linn.*
maximum, *Ramond*
Zawadskii, *Herbich*

Chrysogonum

virgineanum, *Linn.*

Chrysopsis

camporum, *Greene*
villosa, *DC.*, var. foliosa
— var. Rutteri

Cnicus

acaulis, *Willd.*
Bertolonii, *Bertol.*
canus, *Roth*
Carolorum, *Hook. f.*
eriophorus, *Roth*
heterophyllus, *Roth*
monspessulanus, *Roth*
rivularis, *Willd.*, var. atropurpurea
tartaricus, *Willd.*

COMPOSITAE—*continued*

Conyza

squarrosa, *Georgi*

Corethrogyne

rigida, *A. A. Heller*

Corymbium

nervosum, *Thunb.*

Craspedia

uniflora, *Forst. f.*

Cremanthodium

reniforme, *Benth.*

Crepis

blattarioides, *Vill.*
grandiflora, *Tausch*
incana, *Sibth.* et *Sm.*
pygmaea, *Linn.*

Cullumia

setosa, *R. Br.*

Cynara

Cardunculus, *Linn.*

Dahlia

Merckii, *Lehm.*
variabilis, *Desf.*

Dimorphotheca

pluvialis, *Moench*

Doronicum

caucasicum, *Bieb.*

Echinacea

purpurea, *Moench*

Echinops

Ritro, *Linn.*
sphaerocephalus, *Linn.*

COMPOSITAE—*continued.*

Erigeron

aurantiacus, *Regel*
compositus, *Pursh*
Coulteri, *Porter* et *Coulter*
flagellaris, *A. Gray*
glabellus, *Nutt.*
— var. asper
— var. mollis
glabratus, *Hoppe* et *Hornsch.*
grandiflorus, *Hook.*
leiomerus, *A Gray*
macranthus, *Nutt.*
montanensis, *Rydb.*
montevidensis, *Baker*
multiradiatus, *Benth.* et *Hook. f.*
patentisquama, *J. F. Jeffrey*
philadelphicus, *Linn.*
Roylei, *DC.*
salsuginosus, *A. Gray*
speciosus, *DC.*, var. major, *Linn.*
— var. superbus
tegetarius, *Cov.*
trifidus, *Hook.*
— var. albescens
uniflorus, *Linn.*

Eriophyllum

caespitosum, *Dougl.*
lanatum, *Forbes*, var. obovatum

Eupatorium

ageratoides, *Linn.*
cannabinum, *Linn.*
deltoideum, *Jacq.*
japonicum, *Thunb.*
purpureum, *Linn.*
riparium, *Regel*
Rothrockii, *A. Gray*
Weinmannianum, *Regel* et *Koern.*

Evax

anatolica, *Boiss.* et *Heldr.*

COMPOSITAE—*continued*

Gaillardia

aristata, *Pursh*
— var. grandiflora

Galinsoga

parviflora, *Cav.*

Gazania

splendens ×, *Hort.*
— var. variegata

Gerbera

Anandria, *Sch. Bip.*
Delavayi, *Franch.*
Jamesoni, *Bolus*
Kunzeana, *A. Br.* et *Aschers.*
ruficoma, *Franch.*

Gnaphalium

supinum, *Linn.*
sylvaticum, *Linn.*, var. sco-parium

Gymnolomia

multiflora, *Benth.* et *Hook. f.*

Helenium

autumnale, *Linn.*, var. Halleri
— var. magnificum
— var. pumilum
Hoopesii, *A. Gray*

Helianthella

quinquenervis, *A. Gray*
uniflora, *Torr.* et *Gray*

Helianthus

annuus, *Linn.*
decapetalus, *Darl.*
giganteus, *Linn.*
Nuttallii, *Torr.* et *Gray*
pumilus, *Nutt.*

Helichrysum

callichrysum, *DC.*
crassifolium, *D. Don*
diosmaefolium, *Sweet*

COMPOSITAE—*continued.*

Helichrysum—*continued.*
frigidum, *Willd.*
lanatum, *DC.*
plicatum, *DC.*
rutidolepsis, *DC.*
virgineum, *Griesb.*

Heliopsis
laevis, *Pers.*
padula, *Wender.*
scabra, *Dun.*

Hieracium
alpinum, *Linn.*
Auricula, *Linn.*
Bornmuelleri, *Freyn*
brevifolium, *Hort.*
callistophyllum, *Hanbury*
curvatum, *Elfstr.*
cylindraceum, *Stenström*, var. glabellum
Gouani, *Hegetschw.*
gymnocephalum, *Griseb.*
humile, *Jacq.*
incanum, *Bieb.*
incisum, *Hoppe*
intybaceum, *Jacq.*
lanatum, *Waldst.* et *Kit.*
pallidum, *Biv.*
pannosum, *Boiss.*
Pilosella, *Linn.*

Humea
elegans, *Sm.*

Inula
auriculata, *Boiss.* et *Bal.*
britannica, *Linn.*
ensifolia, *Linn.*
glandulosa, *Puschk.*
grandiflora, *Wildl.*
Helenium, *Linn.*
montana, *Linn.*
Oculus-Christi, *Linn.*
racemosa, *Hook. f.*
Royleana, *DC.*
salicina, *Linn.*, var. subhirsuta
squarrosa, *Linn.*

COMPOSITAE—*continued.*

Jurinea
glycacantha, *DC.*

Lactuca
Bourgaei, *Hort.*
macrantha, *C. B. Clarke*
macrorrhiza, *Hook. f.*
Plumieri, *Gren.* et *Godr.*
thianschanica, *Hort. Edin.*
virosa, *Linn.*

Lagenophora
pinnatifida, *Hook. f.*

Leontodon
hastilis, *Linn.*
hispidus, *Linn.*

Leontopodium
alpinum, *Cass.*
— var. himalaicum,
— var. transsylvanicum
hybridum, *Hort. Siind*
japonicum, *Miq.*
sibiricum, *Cass.*

Lepachys
pinnatifida, *Rafin.*

Leuzea
conifera, *DC.*

Liatris
pycnostachya, *Michx.*
spicata, *Willd.*

Mulgedium
Bourgaei, *Boiss.*

Mutisia
decurrens, *Cav.*
ilicifolia, *Cav.*

Myriactis
Wallichii, *Less.*

COMPOSITAE—*continued.*

Odontospermum

maritimum, *Sch. Bip.*

Olearia

Haastii, *Hook. f.*
ilicifolia, *Hook. f.*
myrsinoides, *F. Muell.*
nitida, *Hook. f.*
nummularifolia, *Hook. f.*
stellulata, *DC.*

Onopordon

Acanthium, *Linn.*

Osteospermum

moniliferum, *Linn.*

Parthenium

integrifolium, *Linn.*

Perezia

multiflora, *Less.*

Phagnalon

rupestre, *DC.*, var. tomentosa

Prenanthes

purpurea, *Linn.*

Proustia

pyriforme, *Lag.*

Pulicaria

dysenterica, *Gaertn.*
vulgaris, *Gaertn.*

Raoulia

australis, *Hook. f.*
subsericea, *Hook. f.*

Rudbeckia

laevigata, *Pursh*
nitida, *Nutt.*
triloba, *Linn.*

COMPOSITAE—*continued.*

Santolina

Chamaecyparissus, *Linn.*
pinnata, *Viv.*

Saussurea

hypoleuca, *Spreng.*
salicifolia, *DC.*
uniflora, *Wall.*

Scolymus

grandiflorus, *Desf.*

Scorzonera

cinerea, *Boiss.*
hispanica, *Linn.*
purpurea, *Linn.*

Senecio

abrotanifolius, *Linn.*
— var. grandiflorus
acuminatus, *Wall.*
adonidifolius, *Loisel.*
bellidioides, *Hook. f.*
Bigelovii, *A. Gray*
Blumeri, *Greene*
clivorum, *Maxim.*
— var. subcrenatus
compactus, *T. Kirk*
Correvonianus, *Hort.*
Doria, *Linn.*
Doronicum, *Linn.*
echinatus, *DC.*
Fuchsii, *C. C. Gmel.*
graciliflorus, *DC.*
grandifolius, *Less.*
Greyii, *Hook. f.*
Hodgsoni, *Benth.* et *Hook. f.*
japonicus, *Sch. Bip.*
laxifolius, *J. Buch.*
Ligularia, *Hook. f.*
macroglossus, *DC.*
Moorei ×
mosoynensis, *Franch.*
Munroi, *Hook. f.*
nemorensis, *Linn.*
populifolius, *DC.*
pulcher, *Hook.* et *Arn.*
quinqueflorus, *DC.*

COMPOSITAE—*continued.*

Senecio—*continued.*
rosmarinifolius, *Linn. f.*
scandens, *Buch.-Ham.*
Smithii, *DC.*
speciosus, *Willd.*
tropaeolifolius, *MacOwan*
tuberivagus, *W. W. Sm.*
Veitchianus, *Hemsl.*
viscosus, *Linn.*

Serratula
coronata, *Linn.*
Gmelini, *Ledeb.*
macrocephala, *Bertol.*
tinctoria, *Linn.*

Silphium
perfoliatum, *Linn.*

Silybum
Marianum, *Gaertn.*

Solidago
aurea, *Spreng.*
Buckleyi, *Torr.* et *Gray*
caesia, *Linn.*
canadensis, *Linn.*
elongata, *Nutt.*
glomerata, *Michx.*
multiradiata, *Ait.*
neglecta, *Torr.* et *Gray*
nemoralis, *Ait.*
odora, *Ait.*
ohioensis, *Riddell*
pallida, *Rydberg*
rigida, *Linn.*
rigidiuscula, *Porter*
rugosa, *Mill.*
sempervirens, *Linn.*
Virgaurea, Linn.

Sonchus
arvensis, *Linn.*
oleraceus, *Linn.*
palustris, *Linn.*

Stevia
purpurea, *Pers.*

COMPOSITAE—*continued.*

Stokesia
cyanea, *L'Hérit.*
— var. alba

Synedrella
nodiflora, *Gaertn.*

Tanacetum
argenteum, *Willd.*
— var. minor
nubigenum, *Wall.*
Pseudachillea, *C. Winkl.*
vulgare, *Linn.*
— var. crispum

Taraxacum
officinale, *Weber*

Tragopogon
castellanus, *Levier*

Tricholepis
furcata, *DC.*

Tridax
procumbens, *Linn.*

Verbesina
Purpusii, *Brandegee*

Wyethia
angustifolia, *Nutt.*
mollis, *A. Gray*

CONIFERAE.

Callitris
australis, *Sweet*
oblonga, *Rich.*

Cryptomeria
japonica, *D. Don*

CONIFERAE—*continued.*

Cupressus

arizonica, *Greene*
Benthami, *Endl.*
Goveniana, *Gord.*
Lawsoniana, *A. Murr.*
nootkatensis, *Lamb.*
obtusa, *Koch*

Juniperus

chinensis, *Linn.*
recurva, *Buch.-Ham.*

Larix

europaea, *DC.*

Picea

nigra, *Link*

Taxus

baccata, *Linn.*
— var. adpressa
— var. dovastoni

CONVOLVULACEAE.

Argyreia

speciosa, *Sweet*

Convolvulus

althaeoides, *Linn.*
tricolor, *Linn.*

Cuscuta

reflexa, *Roxb.*

Dichondra

repens, *Forst.*

Hewittia

bicolor, *Wight* et *Arn.*

Ipomœa

Quamoclit, *Linn.*

CORIARIEAE.

Coriaria

nepalensis, *Wall.*

CORNACEAE.

Cornus

alba, *Linn.*
— var. foliis tricoloribus
sanguinea, *Linn.*

Corokia

Cotoneaster, *Raoul*, var. fructu-luteo

Garrya

elliptica, *Dougl.*

CRASSULACEAE.

Altamiranoa

elongata, *Rose*
Goldmani, *Rose*

Bryophyllum

crenatum, *Baker*

Cotyledon

adunca, *Baker*
chrysantha, *Hort. Edin.*
dichotoma, *Haw.*
edulis, *Brewer*
fulgens, *Baker*
Grusoni, *Hort.*
linguaefolia, *Lem.*
orbiculata, *Linn.*
racemosa, *E. Mey.*
roseata, *Baker*
secunda, *Baker*
teretifolia, *Thunb.*
Zeyheri, *Harv.*

Crassula

Cooperi, *Regel*
ericoides, *Haw.*
falcata, *Wendl.*

CRASSULACEAE—*continued.*

Crassula—*continued.*

imbricata, *Burm. f.*
perfoliata, *Linn.*
rubicunda, *E. Mey.*

Echeveria

alpina, *Rose*
cuspidata, *Rose*
gibbiflora, *DC.*, var. metallica
gracilis, *Rose*
Hookeri, *Salm-Dyck*
lutea, *Rose*
microcalyx, *Britt.* et *Rose*
multicaulis, *Rose*
nodulosa, *Otto*
nuda, *Baker*
obtusifolia, *Rose*
Pringlei, *Rose*
pulchella, *Berger*

Kalanchoë

Cassiopeja, *Damm.*
flammea, *Stapf*
rotundifolia, *Haw.*

Monanthes

agriostaphys, *Christ*
atlantica, *Ball*
polyphylla, *Haw.*

Pachyphytum

longifolium, *Rose*

Sedastrum

glabrum, *Rose*

Sedum

acre, *Linn.*
Aizoon, *Linn.*
album, *Linn.*
Anacampseros, *Linn.*
asiaticum, *Spreng.*
dasyphyllum, *Linn.*
Ewersii, *Ledeb.*
hispanicum, *Linn.*
hybridum, *Linn.*
kamtschaticum, *Fisch.* et *Mey.*
Maximowiczii, *Regel*

CRASSULACEAE—*continued.*

Sedum—*continued.*

maximum, *Suter*
— var. purpureum
multicaule, *Wall.*
multiceps, *Coss.* et *Dur.*
Palmeri, *S. Wats.*
pilosum, *Bieb.*
populifolium, *Pall.*
potosinum, *Rose*
Praegerianum, *W. W. Sm.*
pruinatum, *Brot.*, var. Forsterianum
rhodanthum, *A. Gray*
roseum, *Scop.*
— var. Scopoli
rupestre, *Linn.*
sempervivoides, *Fisch.*
spectabile, *Bor.*
Stahllii, *Solms*
stellatum, *Linn.*
Stephani, *Cham.*
stoloniferum, *S. T. Gmel.*
— var. ibericum
Telephium, *Linn.*
— var. purpureum
trifidum, *Wall.*
trullipetalum, *Hook. f.* et *Thoms*
Winkleri, *Wolley-Dod*
yunnanense, *Franch.*, var. valerianoides, *Hamet*

Sempervivum

arachnoideum, *Linn.*
arenarium, *Koch*
barbatum, *C. Sm.*
Boutignyanum, *Billot* et *Gren.*
Castello-Paivae, *Christ*
glaucum, *Tenore*
mauriquerorum, *Christ*
poculiforme, *A. Berger*
sanguineum, *Jeanb.*
Schnittspahni, *Lagg.*
tabulaeforme, *Haw.*
tectorum, *Linn.*
— var. densum
— var. glaucum
— var. pulchrum
— var. robustum

CRASSULACEAE—*continued.*

Sempervivum—*continued.*

triste, *Hort.*
— var. sanguineum
urbicum, *C. Sm.*
Webbianum, *Hort.*
Youngianum, *Webb* et *Berth.*

Stylophyllum

Hassei, *Rose*

Tillaea

pharnaceoides, *Hochst.*

Villadia

guatemalensis, *Rose*
imbricata, *Rose*

CRUCIFERAE.

Aethionema

armenum, *Boiss.*
cordatum, *Boiss.*
coridifolium, *DC.*
creticum, *Boiss.* et *Heldr.*
diastrophis, *Bunge*
flavum, *Siehe*
grandiflorum, *Boiss.* et *Hohen.*
Kotschyanum, *Hort. Suend.*
pulchellum, *Boiss.* et *Huet*
schistosum, *Boiss.* et *Kotschy*
stylosum, *DC.*

Alyssum

Arduini, *Fritsch*
argenteum, *Vitm.*
desertorum, *Stapf*
floribundum, *Boiss.*
gemonense, *Linn.*
halimifolium, *Willd.*
Lagascae, *Janka*
longicaule, *Boiss.*
minimum, *Willd.*
montanum, *Linn.*
orientale, *Ard.*
podolicum, *Bess.*
saxatile, *Linn.*
strictum, *Willd.*

CRUCIFERAE—*continued.*

Arabis

albida, *Stev.*
— var. *rosea*
alpina, *Linn.*
aubrietioides, *Boiss.*
brassicaeformis, *Wallr.*
Breweri, *S. Wats.*
canescens, *Nutt.*
muralis, *Bertol.*, var. rosea
petraea, *Lam.*
stricta, *Huds.*

Aubrietia

Columnae, *Guss.*
croatica, *Schott, Nym.* et *Kotschy*
deltoidea, *DC.*, var. cilicica
— var. luteo variegata
— var. Perkinsii
— var. Richardi
— var. Wallacei
erubescens, *Griseb.*
gracilis, *Sprun.*
Pinardi, *Boiss.*

Biscutella

laevigata, *Linn.*

Brassica

campestris, *Linn.*, var chinensis (*Linn.*)
insularis, *Moris*
oleracea, *Linn.*

Braya

alpina, *Sternb.* et *Hoppe*

Capsella

Bursa-pastoris, *Medic.*

Cardamine

pratensis, *Linn.*

Carpoceras

cilicicum, *Boiss.* et *Kurz*

CRUCIFERAE—*continued.*

Cheiranthus

Cheiri, *Linn.*
mutabilis, *L'Hérit.*

Cochlearia

glastifolia, *Linn.*

Crambe

cordifolia, *Stev.*
maritima, *Linn.*
pinnatifida, *R. Br.*

Draba

aizoides, *Linn.*
Aizoon, *Wahlenb.*
alpina, *Linn.*
— var. involucrata
altaica, *Ledeb.*
amplexicaulis, *Franch.*
arabisans, *Michx.*
athoa, *Boiss.*
aurea, *Vahl*
cornuta, *Hort.*
hirta, *Linn.*
incana, *Linn.*
— var. Adamsii
Kotschyi, *Stur.*
longirostrata, *Schott, Nym.* et *Kotschy*
nemorosa, *Linn.*
nivalis, *Lilj.*
oligosperma, *Hook.*
oxycarpa, *Boiss.* et *Heldr.*
pycnosperma, *Fernald* et *Knowlton*
rupestris, *R. Br.*
scandinavica, *Lindblom*
streptocarpa, *A. Gray*
surculosa, *Franch.*

Eruca

sativa, *Mill.*

Erysimum

asperum, *DC.*
bracteatum, *W. W. Sm.*
capitatum, *Greene*

CRUCIFERAE—*continued.*

Erysimum—*continued.*

hieracifolium, *Linn.*
linifolium, *J. Gay*
nanum, *Boiss.* et *Hohen.*
pumilum, *Nutt.*

Farsetia

clypeata, *R. Br.*

Heliophila

amplexicaulis, *Linn. f.*

Hesperis

matronalis, *Linn.*

Hymenophysa

pubescens, *C. A. Mey.*

Iberis

Jordani, *Boiss.*
Pruiti, *Tineo*
saxatilis, *Linn.*
semperflorens, *Linn.*
sempervirens, *Linn.*
— var. superba
umbellata, *Linn.*

Isatis

aleppica, *Scop.*
alpina, *All.*
tinctoria, *Linn.*

Lepidium

latifolium, *Linn.*
pubicarpum, *A. Nelson*

Macropodium

nivale, *R. Br.*

Matthiola

fastigiata, *Hort.*
fenestralis, *R. Br.*
fragrantissima, *Hort.*
tricuspidata, *R. Br.*

CRUCIFERAE—*continued.*

Noccaea

alpina, *Reichb.*
Auerswaldii, *Willk.*

Ptilotrichum

purpureum, *Boiss.*
Reverchonii, *Degen* et *Hervier*

Senebiera

pinnatifida, *DC.*

Sisymbrium

Alliaria, *Scop.*
myriophyllum, *H. B.* et *K.*
strictissimum, *Linn.*

Teesdalia

nudicaulis, *R. Br.*

Thlapsi

montanum, *Linn.*

Vesicaria

utriculata, *DC.*

CUCURBITACEAE.

Cyclanthera

explodens, *Naud.*

Lagenaria

vulgaris, *Ser.*
— var. pelegrina, *Hort.*

Luffa

ægyptiaca, *Mill.*
cylindrica, *Roem.*

Momordica

cochinchinensis, *Spreng.*

CUPULIFERAE.

Alnus

cordifolia, *Tenore*
glutinosa, *Medic.*

CUPULIFERAE—*continued.*

Alnus—*continued.*

glutinosa, *Medic.*, var. laciniata
— var. rubrinervia
incana, *Moench*
— var. glauca, *Regel*
— var. hirsuta
— var. orbicularis
japonica, *Sieb.* et *Zucc.*
maritima, *Nutt.*
rhombifolia, *Nutt.*
rubra, *Bongard*
sitchensis, *Sarg.*
viridis, *DC.*

Betula

alba, *Linn.*
— var. pendula
— var. populifolia
— var. pubescens
fruticosa, *Pall.*
humilis, *Schrank*
japonica, *Siebold*, var. mandshurica
— var. szechuanica
lutea, *Michx.*
Medwediewi, *Regel*
nana, *Linn.*
papyracea (*Dryand.*), var. excelsa
papyrifera, *Marsh.*
ulmifolia, *Sieb.* et *Zucc.*
utilis, *D. Don*, var. glandulifera
— var. Prattii

Castanea

sativa, *Mill.*

Ostrya

carpinifolia, *Scop.*

Quercus

pedunculata, *Ehrh.*
pontica, *Koch*
sessiliflora, *Salisb.*

CYCADACEAE.

Macrozamia

Moorei, *F. Muell.*

CYCLANTHACEAE.

Carludovica

Gardneri, *Hook.*
Wendlandii, *Hort.*

Ludovia

crenifolia, *Drude*

CYPERACEAE.

Carex

aquatilis, *Wahlenb.*
atrata, *Linn.*
axillaris, *Good.*
baccans, *Nees*
binervis, *Sm.*
canescens, *Linn.*
distans, *Linn.*
divulsa, *Good.*
extensa, *Good.*, var. pumila, *Anders.*
frigida, *All.*
glauca, *Scop.*
Grayii, *Carey*
helvola, *Blytt*
incurva, *Lightf.*
japonica, *Thunb.*
laevigata, *Sm.*
leporina, *Linn.*
limosa, *Linn.*
microptera, *Mackenzie*
ornithopoda, *Willd.*
paniculata, *Linn.*
Pseudo-cyperus, *Linn.*
punctata, *Gaud.*
remota, *Linn.*
rigida, *Good.*
saxatilis, *Linn.*
sparganioides, *Muehl.*
stricta, *Good.*
Vilmorini, *Mottet*
vulgaris, *Fries*

CYPERACEAE—*continued.*

Cyperus

alternifolius, *Linn.*
— var. compactus
bulbosus, *Vahl*
fertilis, *Boeck.*
nutans, *Vahl*
Papyrus, *Linn.*

Eleocharis

neo-zelandica, *C. B. Clarke*
palustris, *R. Br.*

Hypolytrum

latifolium, *Rich.*

Kyllinga

brevifolia, *Rottb.*
nepalensis, *C. B. Clarke*

Scirpus

Eriophorum, *Michx.*
Holoschoenus, *Linn.*
lacustris, *Linn.*, var. Tabernaemontani
riparius, *J.* et *C. Presl*

Uncinia

compacta, *R. Br.*

DATISCEAE.

Datisca

cannabina, *Linn.*

DIAPENSIACEAE.

Galax

aphylla, *Linn.*

Schizocodon

soldanelloides, *Sieb.* et *Zucc.*

DILLENIACEAE.

Hibbertia

dentata, *R. Br.*

DIOSCOREACEAE.

Dioscorea

sativa, *Linn.* (tuber)

Tamus

communis, *Linn.*

DIPSACEAE.

Dipsacus

inermis, *Wall.*

Morina

Delavayi, *Franch.*
longifolia, *Wall.*

Scabiosa

arvensis, *Linn.*
balcancia, *Velen.*
caucasica, *Bieb.*
fumarioides, *Vis.* et *Panč.*
graminifolia, *Linn.*
Hookeri, *C. B. Clarke*
magnifica, *Benth.* et *Hook. f.*
montana, *Bieb.*
ochroleuca, *Linn.*, var. Webbiana, *D. Don*
Pterocephala, *Linn.*
Succisa, *Linn.*
— var. alba

DROSERACEAE.

Dionaea

muscipula, *Ellis*

Drosera

binata, *Labill.*
— var. dichotoma
capensis, *Linn.*

DROSERACEAE—*continued.*

Drosera—*continued.*

hilaris, *Cham.* et *Schlecht.*
pygmaea, *DC.*
rotundifolia, *Linn.*
spathulata, *Labill.*

Drosophyllum

lusitanicum, *Link*

ELAEAGNACEAE.

Elaeagnus

umbellata, *Thunb.*

Hippophaë

rhamnoides, *Linn.*

EPACRIDEAE.

Astroloma

pinifolium, *Benth.*

Leucopogon

fasciculatus, *A. Rich.*
Richei, *R. Br.*

Trochocarpa

laurina, *R. Br.*

ERICACEAE.

Agapetes

variegata, *D. Don*

Arbutus

Menziesii, *Pursh*

Bruckenthalia

spiculifolia, *Reichb.*

Bryanthus

empetriformis, *A. Gray*
— var. Drummondii
erectus ×, *Lindl.* et *Paxt.*
taxifolius, *A. Gray*

ERICACEAE—*continued.*

Calluna

vulgaris, *Salisb.*
— var. alba
— — — pilosa
— — — pumilo
— — — rigida
— var. Alporti
— var. aurea
— var. Hammondii
— var. tomentosa alba

Cassandra

calyculata, *D. Don*

Cassiope

Mertensiana, *G. Don*

Cladothamnus

pyroliflorus, *Bong.*

Clethra

arborea, *Ait.*

Daboëcia

polifolia, *D. Don*
— var. alba
— var. bicolor
— var. purpurea

Enkianthus

himalaicus, *Hook. f.* et *Thoms.*
latiflorus, *Craib*
pallidiflorus, *Craib*
pendulus, *Craib*
perulatus, *Schneider*
recurvus, *Craib*
serrulatus, *Schneider*
tectus, *Craib*

Erica

albens, *Linn.*
australis, *Linn.*
cinerea, *Linn.*
— var. coccinea
— var. pallida
— var. rosea
intermedia, *Klotzsch*

ERICACEAE—*continued.*

Erica—*continued*

mediterranea, *Linn.*, var. nana
melanthera, *Linn.*
Praegeri ×
Tetralix, *Linn.*, var. Lawsoniana
vagans, *Linn.*, var. alba
— var. minor
— var. pallida

Gaultheria

antipoda, *Forst. f.*
— var. erecta
hispida, *R. Br.*, var. fructu albo
nummularioides, *D. Don*
perplexa, *T. Kirk*
pyrolaefolia, *Hook. f.*, var. cuneata
rupestris, *R. Br.*
trichophylla, *Royle*

Kalmia

angustifolia, *Linn.*, var. rubra
glauca, *Ait.*

Ledum

palustre, *Linn.*
— var. latifolium, *Michx.*

Leiophyllum

buxifolium, *Ell.*

Leucothoe

Keiskei, *Miq.*

Lyonia

paniculata, *Nutt.*

Menziesia

ciliicalyx, *Maxim.*

Pernettya

mucronata, *Gaudich.*
nigra, *Hort.*

ERICACEAE—*continued.*

Pieris

formosa, *D. Don*

Pyrola

rotundifolia, *Linn.*, var. incarnata

Rhododendron

afghanicum, *Aitch.* et *Hemsl.*
ambiguum, *Hemsl.*
Anthopogon, *D. Don*
arborescens, *Torr.*
arboreum, *Sm.*
argenteum, *Hook. f.*
Aucklandii, *Hook. f.*
Augustinii, *Hemsl.*
brachyanthum, *Franch.*
californicum, *Hook.*
camelliaeflorum, *Hook. f.*
campylocarpum, *Hook. f.*
carolinianum, *Rehder*
catawbiense, *Michx.*
caucasicum, *Pall.*
chartophyllum, *Franch.*
ciliatum, *Hook. f.*
cinnabarinum, *Hook. f.*
Davidsonianum, *Rehd.* et *Wils.*
decorum, *Franch.*
Falconeri, *Hook. f.*
fastigiatum, *Franch.*
ferrugineum, *Linn.*
— var. album
— var. atrococcineum
— var. grandiflorum
— var. latifolium
— var. majus
flavum, *G. Don*
Fortunei, *Lindl.*
glaucum, *Hook. f.*
Grievei ×
hedyosmum, *Balf. f.*
hirsutum, *Linn.*, var. album
intricatum, *Franch.*
irroratum, *Franch.*
Kaempferi, *Planch.*
Keiskei, *Miq.*
Kotschyi, *Simonkai*

ERICACEAE—*continued.*

Rhododendron—*continued.*

ledoides, *Balf. f.* et *W. W. Sm.*
lepidotum, *Wall.*
longistylum, *Rehd.* et *Wils.*
Maddeni, *Hook. f.*
manipurense, *Balf. f.* et *Watt*
Metternichii, *Sieb.* et *Zucc.*
micranthum, *Turcz.*
multiflorum ×
oleifolium, *Franch.*
oreotrephes, *W. W. Sm.*
ponticum, *Linn.*
salignum, *Hook. f.*
Sargentianum, *Rehd.* et *Wils.*
Searsiae, *Rehd.* et *Wils.*
Smirnowi, *Trautv.*
sycnanthum, *Balf. f.* et *W. W. Sm.*
Thomsoni, *Hook. f.*
thyodocum, *Balf. f.* et *Cooper*
triflorum, *Hook. f.*
Tschonoskii, *Maxim.*
Vaseyi, *A. Gray*
virgatum, *Hook. f.*
viscosum, *Torr.*

Zenobia

speciosa, *D. Don.*

EUPHORBIACEAE.

Acalypha

hispida, *Burm.*
sidaefolia, *A. Rich.*
Wilkesiana, *Muell. Arg.*

Alchornea

ilicifolia, *Muell.*

Dalechampia

Roezliana, *Muell. Arg.*
scandens, *Linn.*

Euphorbia

alcicornis, *Baker*
balsamifera, *Ait.*

EUPHORBIACEAE—*continued.*

Euphorbia—*continued.*

globosa, *Sims*
Myrsinites, *Linn.*
Regis-Jubae, *Webb* et *Berth.*
sikkimensis, *Boiss.*
spinosa, *Linn.*
stricta, *Linn.*

Homalanthus

Leschenaultianus, *A. Juss.*

Jatropha

podagrica, *Hook.*

Mallotus

japonicus, *Muell. Arg.*

Mercurialis

annua, *Linn.*

Phyllanthus

montanus, *Sw.*
reticulatus, *Poir.*

Ricinus

communis, *Linn.*

FICOIDEAE.

Mesembryanthemum

barbatum, *Linn.*
blandum, *Haw.*
Bolusii, *Hook. f.*
Brownii, *Hook. f.*
cordifolium, *Linn.*
cultratum, *Hort.*
curviflorum, *Haw.*
deltoides, *Linn.*
Ecklonis, *Salm-Dyck*
Elishae, *N. E. Br.*
falciforme, *Haw.*
flexuosum, *Haw.*
formosum, *Haw.*
glomeratum, *Linn.*
Haworthii, *Donn.*
inflexum, *Haw.*

FICOIDEAE—*continued.*

Mesembryanthemum—*continued.*

lepidum, *Haw.*
longum, *Haw.*
pauxillum, *N. E. Br.*
pictum, *N. E. Br.*
rhomboideum, *Salm-Dyck*
roseum, *Willd.*
rubricaule, *Willd.*
spectabile, *Haw.*
stellatum, *Mill.*
tigrinum, *Haw.*
verruculatum, *Linn.*

Telephium

Imperati, *Linn.*

Tetragonia

echinata, *Ait.*
expansa, *Murr.*

FRANKENIACEAE.

Frankenia

hirsuta, *Linn.*

FUMARIACEAE.

Corydalis

adunca, *Maxim.*
thalictrifolia, *Jameson*
tomentosa, *N. E. Br.*
Wilsoni, *N. E. Br.*

Dicentra

scandens, *Walp.*
thalictrifolia, *Hook. f.*

Fumaria

officinalis, *Linn.*

Hypecoum

leptocarpum, *Hook. f.* et *Thoms.*

GENTIANEAE.

Chironia

baccifera, *Linn.*
linoides, *Linn.*

Crawfurdia

fasciculata, *Wall.*

Erythraea

Centaurium, *Pers.*
littoralis, *Fries*

Gentiana

acaulis, *Linn.*
alba, *Muhl.*
asclepiadea, *Linn.*
— var. alba
crassicaulis, *Duthie*
cruciata, *Linn.*
— var. macrophylla
Farreri, *Balf. f.*
Fetisowi, *Regel* et *Winkler*
macrophylla, *Pall.*
— var. cyanea
Moorcroftiana, *Wall.*
obtusifolia, *Willd.*
pannonica, *Scop.*
phlogifolia, *Schott* et *Kotschy*
rigescens, *Franch.*
robusta, *King*
septemfida, *Pall.*
— var. cordifolia
— var. latifolia
— var. procumbens
sino-ornata, *Balf. f.*
tibetica, *King*
tubulosa, *Gilg*

Halenia

elliptica, *D. Don*
Perrottetii, *Griseb.*

Swertia

pubescens, *Franch.*

Villarsia

parnassiaefolia, *R. Br.*

GERANIACEAE.

Biophytum

sensitivum, *DC.*

Erodium

absinthoides, *Willd.*
— var. amanum
— var. Sibthorpianum
carvifolium, *Boiss.*
corsicum, *Leman*
daucoides, *Boiss.*
geifolium, *Munby*
Kolbianum, *Hort.*
leucanthum, *Boiss.*
macradenum, *L'Hérit.*
Manescavi, *Coss.*
petraeum, *Willd.*
supracanum, *L'Hérit.*
trichomanefolium, *L'Hérit.*

Geranium

anemonifolium, *L'Hérit.*
armenum, *Boiss.*
canariense, *Reut.*
cinereum, *Cav.*
dissectum, *Linn.*
Endressi, *J. Gray*
grandiflorum, *Hort.*
ibericum, *Cav.*
lucidum, *Linn.*
macrorrhizum, *Linn.*
platypetalum, *Franch.*
pratense, *Linn.*
— var. album
— var. bicolor
pyrenaicum, *Burm. f.*
Richardsonii, *Fisch.* et *Trautv.*, var. album.
Robertianum, *Linn.*
sanguineum, *Linn.*
— var. album
— var. lancastriense
— var. prostratum
sessiliflorum, *Cav.*
subcaulescens, *L'Hérit.*
Wallichianum, *D. Don*
Webbianum, *Hort.*
yedoense, *Franch.* et *Sav.*

GERANIACEAE—*continued.*

Impatiens

Balsamina, *Linn.*
radiata, *Hook. f.*
Roylei, *Walp.*
sulcata, *Wall.*

Oxalis

corniculata, *Linn.*, var. atropurpurea
— var. tropaeoloides
enneaphylla, *Cav.*
Hirthii, *Phil.*
valdiviensis, *Barn.*

Pelargonium

Endlicherianum, *Fenzl*
saniculaefolium, *Willd.*
scandens, *Ehrh.*
Skelii, *Hoffmgg.*

Tropaeolum

speciosum, *Poepp.* et *Endl.*

GESNERACEAE.

Briggsia

Agnesiae, *Craib*

Chirita

barbata, *Sprague*

Columnea

aureonitens, *Hook.*

Conandron

ramondioides, *Sieb.* et. *Zucc.*

Didissandra

lanuginosa, *C. B. Clarke*

Episcia

punctata, *Haust.*

GESNERACEAE—*continued.*

Haberlea

Ferdinandi-Coburgii, *Urumoff*
kewensis, *Hort.*
rhodopensis, *Frivald.*

Klugia

Notoniana, *A. DC.*

Mitraria

coccinea, *Car.*

Oreocharis

Henryana, *Oliver*

Pentarhaphia

libanensis, *Hanst.*

Perantha

Forrestii, *Craib*

Ramondia

pyrenaica, *Rich.*
— var. myconi
— var. rosea
serbica, *Panč.*, var. Nathaliae

Rhabdothamnus

Solandri, *A. Cunn.*

Rhynchoglossum

obliquum, *Blume*

Rhytidophyllum

tomentosum, *Mart.*

Roettlera

Forrestii, *Diels*

Streptocarpus

Blythini ×, *Hort.*
Holstii, *Engl.*
kewensis ×, *Hort.*
Wendlandii, *Sprenger*

Tydaea

Lindeniana, *Regel*

GRAMINEAE.

Agropyron

scabrum, *Beauv.*

Agrostis

vulgaris, *With.*

Anthoxanthum

odoratum, *Linn.*

Arrhenatherum

avenaceum, *Beauv.*

Arthraxon

microphyllus, *Hochst.*

Avena

bromoides, *Gouan*
sempervirens, *Vill.*

Brachypodium

distachyum, *Beauv.*
ramosum, *Roem.* et *Schult.*
sylvaticum, *Beauv.*

Briza

maxima, *Linn.*

Corynephorus

canescens, *Beauv.*

Dactylis

glomerata, *Linn.*
— var. variegata

Danthonia

Raoulii, *Steud.*

Deschampsia

flexuosa, *Trin.*

Eleusine

indica, *Gaertn.*

Elymus

arenarius, *Linn.*
dasystachys, *Trin.*

Eragrostis

falcata, *Gaudich.*
interrupta, *Beauv.*
maxima, *Fourn.*

Festuca

Eskia, *Ram.*
ovina, *Linn.*
— var. tenuiflora
punctoria, *Sibth.* et *Sm.*
rubra, *Linn.*
varia, *Haenke*

Holcus

lanatus, *Linn.*
mollis, *Linn.*

Koeleria

cristata, *Pers.*, var. gracilis
setacea, *DC.*

Melica

altissima, *Linn.*

Miscanthus

nepalensis, *Hack.*
sinensis, *Anders.*, var. gracillima univittata

Oryza

sativa, *Linn.*
— var. atropurpurea
— var. mutica
— var. perennis
— var. rufibarba

Oryzopsis

miliacea, *Benth.* et *Hook. f.*

Panicum

Crus-Galli, *Linn.*
plicatum, *Lam.*

GRAMINEAE—*continued.*

Poa

caespitosa, *Forst. f.*
Maniototo, *Petrie*

Sesleria

argentea, *Savi*, var. robusta

Stipa

pennata, *Linn.*

Trisetum

argenteum, *Roem.* et *Schult.*
cernuum, *Trin.*
flavescens, *Beauv.*

GUTTIFERAE.

Garcinia

Xanthochymus, *Hook. f.*

HAEMODORACEAE.

Anigozanthos

rufa, *Labill.*

Ophiopogon

Jaburan, *Lodd.*

Wachendorfia

paniculata, *Linn.*
thyrsiflora, *Linn.*

HALORAGEAE.

Gunnera

chilensis, *Lam.*
monoica, *Raoul*

Haloragis

alata, *Jacq.*
erecta, *Schindler*

HIPPOCASTANACEAE.

Aesculus

glabra, *Willd.*

HYDROPHYLLACEAE.

Nemophila

integrifolia, *Abrams*

Phacelia

pimpinelloides, *A. Gray*

Romanzoffia

sitchensis, *Bong.*
Suksdorfii, *Greene*
unalaschcensis, *Cham.*

HYPERICINEAE.

Hypericum

Androsaemum, *Linn.*
balearicum, *Linn.*
Coris, *Linn.*
elatum, *Ait.*
fragile, *Heldr.* et *Sart.*
Gebleri, *C. A. Mey.*
hircinum, *Linn.*
Hookerianum, *Wight* et *Arn.*
hyssopifolium, *Vill.*
inodorum, *Mill.*
intermedium, *Steud.*
Kotschyanum, *Boiss.*
lysimachioides, *Wall.*
montanum, *Linn.*
nanum, *Poir.*
patulum, *Thunb.*
perforatum, *Linn.*
polyphyllum, *Boiss.*
Przewalskii, *Maxim.*
pulchrum, *Linn.*
repens, *Linn.*
Richeri, *Vill.*
— var. Burseri, *Spach*
tetrapterum, *Fries*
Webbii, *Steud.*

ILICINEAE.

Ilex

Aquifolium, *Linn.*
— var. argentea marginata
— — — medio-picta
— var. aurea angustifolia
— var. camelliaefolia
— var. flavescens
— var. fructu luteo
— var. handsworthensis
— var, intermedia
— var. Lawsoniana
— var. lurida variegata
— var. platyphylla
Hodginsii ×, *Hort.*
— var. variegata
insignis, *Hook. f.*
Pernyi, *Franch.*

ILLECEBRACEAE.

Herniaria

glabra, *Linn.*
latifolia, *Lapeyr.*

Paronychia

arabica, *DC.*
argentea, *Lam.*
capitata, *Lam.*
polygonifolia, *DC.*

IRIDEAE.

Antholyza

aethiopica, *Linn.*

Aristea

corymbosa, *Benth.* et *Hook. f.*
Eckloni, *Baker*

Babiana

stricta, *Ker-Gawl.*, var. rubro-cyanea

Belamcanda

punctata, *Moench*

IRIDEAE—*continued.*

Gelasine

azurea, *Herb.*

Gladiolus

imbricatus, *Linn.*
palustris, *Gaud.*

Homeria

collina, *Vent.*

Iris

aphylla, *Linn.*
bucharica, *Foster*
Chamaeiris, *Bertol.*
Clarkei, *Baker*
Douglasiana, *Herb.*
ensata, *Thunb.*, var. biglumis (*Vahl.*)
falcifolia, *Bunge*
foetidissima, *Linn.*
Forrestii, *Dykes*
juncea, *Poir.*, var. lusitanica
Junonia, *Schott* et *Kotschy*
kumaonensis, *Wall.*
laevigata, *Fisch.*
Milesii, *Baker*
orientalis, *Thunb.*
prismatica, *Pursh*
Pseudacorus, *Linn.*
pumila, *Linn.*, var. lutea
sibirica, *Linn.*
— var. alba
— var. coreana
— var. grandis
— var. sanguinea
Sintenisii, *Janka*
tectorum, *Maxim.*
— var. lilacina
virginica, *Linn.*
xiphioides, *Ehrh.*

Lapeyrousia

cruenta, *Benth.*

Libertia

grandiflora, *Sweet*
ixioides, *Spreng.*

IRIDEAE—*continued.*

Marica

caerulea, *Ker-Gawl.*
Northiana, *Ker-Gawl.*

Melasphaerula

graminea, *Ker-Gawl.*

Moraea

flexuosa, *Linn.*
iridioides, *Linn.*

Schizostylis

coccinea, *Backh.* et *Harv.*

Sisyrinchium

angustifolium, *Mill.*
— var. anceps, *Cav.*
— var. bellum (*S. Wats.*)
— var. mucronatum
californicum, *Dryand.*
pachyrhizum, *Baker*
striatum, *Sm.*

Solenomelus

chilensis, *Miers*

Tigridia

Pavonia, *Ker-Gawl.*, var. alba
— var. conchiflora (*Sweet*)
— var. speciosa rubra

Tritonia

rosea, *Klatt*

JUNCACEAE.

Juncus

alpinus, *Vill.*
arcticus, *Willd.*
balticus, *Willd.*
bufonius, *Linn.*
effusus, *Linn.*
Novae-Zelandiae, *Hook. f.*
squarrosus, *Linn.*

Luzula

campestris, *DC.*

LABIATAE.

Ballota

africana, *Benth.*
nigra, *Linn.*
spinosa, *Link*

Calamintha

grandiflora, *Moench*
graveolens, *Benth.*
umbrosa, *Fisch.* et *Mey.*

Cedronella

cana, *Hook.*
triphylla, *Moench*

Coleus

Mahonii, *Baker*

Dracocephalum

botryoides, *Stev.*
bullatum, *G. Forrest*
fruticulosum, *Steph.*
Isabellae, *G. Forrest*
nodulosum, *Rupr.*
nutans, *Linn.*, var. alpinum, *Regel*
parviflorum, *Nutt.*
Ruprechti, *Regel*
Ruyschiana, *Linn.*
speciosum, *Benth.*
taliense, *G. Forrest*
tanguticum, *Maxim.*

Galeopsis

Tetrahit, *Linn.*

Horminum

pyrenaicum, *Linn.*
— var. album
— var. purpureum
— var. roseum

Hyptis

pectinata, *Poit.*
suaveolens, *Poit.*

LABIATAE—*continued.*

Hyssopus

officinalis, *Linn.*
— var. grandiflorus

Lamium

album, *Linn.*
longiflorum, *Tenore*
maculatum, *Linn.*
Orvala, *Linn.*
puralbum ×
striatum, *Sibth.* et *Sm.*

Lavandula

dentata, *Linn.*
vera, *DC.*
— var. compacta

Leonurus

sibiricus, *Linn.*

Leucophaë

dasygnaphala, *Webb* et *Berth.*

Lophanthus

scrophulariaefolius, *Benth.*

Lycopus

europaeus, *Linn.*

Marrubium

Kotschyi, *Boiss.*
supinum, *Linn.*

Melissa

officinalis, *Linn.*, var. variegata

Melittis

Melissophyllum, *Linn.*, var. alba

Mentha

Pulegium, *Linn.*
viridis, *Linn.*

LABIATAE—*continued.*

Micromeria

croatica, *Schott*
Douglasii, *Benth.*
filiformis, *Benth.*
microphylla, *Benth.*
rupestris, *Benth.*

Monarda

didyma, *Linn.*
fistulosa, *Linn.*

Nepeta

amethystina, *Desf.*
cilicica, *Boiss.*
cyanea, *Stev.*
distans, *Royle*
kokanica, *Regel*
lamiopsis, *Benth.*
macrantha, *Fisch.*
nuda, *Linn.*
racemosa, *Lam.*, var. crassifolia
Sibthorpii, *Benth.*
Stewartiana, *Diels*
ucranica, *Linn.*

Ocimum

sanctum, *Linn.*
viride, *Willd.*

Origanum

sipyleum, *Linn.*
vulgare, *Linn.*
— var. aurea

Phlomis

fruticosa, *Linn.*
macrophylla, *Wall.*
samia, *Linn.*
umbrosa, *Turcz.*,var. australis
viscosa, *Poir.*

Plectranthus

glaucocalyx, *Maxim.*
irroratus, *G. Forrest*

LABIATAE—*continued.*

Pogostemon

Patchouli, *Pellet.*

Prasium

majus, *Linn.*

Prostanthera

lasianthos, *Labill.*
linearis, *R. Br.*
nivea, *A. Cunn.*

Prunella

grandiflora, *Jacq.*
— var. rosea
hyssopifolia, *Linn.*
laciniata, *Linn.*
vulgaris, *Linn.*

Salvia

bracteata, *Russ.*
canariensis, *Linn.*
chamaedryoides, *Cav.*
cleistogama, *De Bary* et *Paul*
coccinea, *Juss.*
flava, *G. Forrest,* var. megalantha, *Diels*
glutinosa, *Linn.*
grandiflora, *Etling.*
hians, *Royle*
judaica, *Boiss.*
Lemmoni, *A. Gray*
nutans, *Linn.*
officinalis, *Linn.*
pratensis, *Linn.*
— var. alba
Przewalskii, *Maxim.*
Roemeriana, *Scheele*
Sclarea, *Linn.*
— var. alba
Souliei, *Hort.*
spinosa, *Linn.*
verbascifolia, *Bieb.*
verticillata, *Linn.*
virgata, *Ait.*, var. nemorosa

LABIATAE—*continued.*

Satureia

cuneifolia, *Tenore*
montana, *Linn.*
— var. amoena
— var. illyrica
— var. pygmaea

Scutellaria

alpina, *Linn.*
altissima, *Linn.*
balearica, *Barc.*
Brittonii, *Porter*
discolor, *Colebr.*
hirta, *Sibth.* et *Sm.*
indica, *Linn.*, var. japonica
macrantha, *Fisch.*
peregrina, *Linn.*
splendens, *Link, Klotsch* et *Otto*

Sideritis

hyssopifolia, *Linn.*
scordioides, *Linn.*

Sphacele

campanulata, *Benth.*

Stachys

alopecuros, *Benth.*
Betonica, *Benth.*
— var. alba
discolor, *Benth.*
germanica, *Linn.*
grandiflora, *Benth.*
— var. robusta
heraclea, *All.*
lanata, *Jacq.*
recta, *Linn.*
repens, *Mart.* et *Gal.*
setifera, *C. A. Mey.*

Teucrium

Chamaedrys, *Linn.*
lanceolatum, *Rafin.*
lancifolium, *Boiss.*
lucidum, *Linn.*
Marum, *Linn.*

LABIATAE—*continued.*

Teucrium—*continued.*

montanum, *Linn.*
palmatum, *Benth.*
Polium, *Linn.*, var. Achaemenis
pyrenaicum, *Linn.*
Scorodonia, *Linn.*
— var. crispum

Thymus

Chamaedrys, *Fries*
— var. nummularius
nitidus, *Guss.*
Serpyllum, *Linn.*
— var. coccineus
— var. comosus (*Heuff.*)
— var. Marschallianus (*Willd.*)
— var. pannonicus
— var. pulchellus (*Bluff.* et *Fingerh.*)
vulgaris, *Linn.*, var. argentea
Zygis, *Linn.*

Tinnea

aethiopica, *Kotschy* et *Peyr.*

LEGUMINOSAE.

Acacia

armata, *R. Br.*
brachybotrya, *Benth.*
cyanophylla, *Lindl.*
Dietrichiana, *F. Muell.*
elongata, *Sieber*
microbotrya, *Benth.*
neriifolia, *A. Cunn.*
rostellifera, *Benth.*
spadicigera, *Cham.* et *Schlecht.*
stricta, *Willd.*
suaveolens, *Willd.*
undulaefolia, *A. Cunn.*
Whanii, *F. Muell.*

Adenocarpus

intermedius, *DC.*

LEGUMINOSAE—*continued.*

Albizzia

lophantha, *Benth.*

Amphicarpaea

monoica, *Ell.*

Anthyllis

cytisoides, *Linn.*
Jacquini, *A. Kern.*
montana, *Linn.*
— var. atrorubens
Vulneraria, *Linn.*, var. Webbiana

Arachis

hypogaea, *Linn.*

Astragalus

alopecuroides, *Linn.*
armeniacus, *Boiss.*
asper, *Jacq.*
chlorostachys, *Lindl.*
danicus, *Retz.*
— var. albus
deinacanthus, *Boiss.*
exscapus, *Linn.*
falcatus, *Linn.*
Glycyphyllos, *Linn.*
Gremlii, *Burnat*
Onobrychis, *Linn.*
penduliflorus, *Lam.*
pentaglottis, *Linn.*
podocarpus, *C. A. Mey.*
ponticus, *Pall.*
Poterium, *Vahl*
Robbinsii, *A. Gray*
Roemeri, *Simonkai*
sikkimensis, *Benth.*
sirinicus, *Tenore*
sulcatus, *Linn.*
utriger, *Pall.*
vaginatus, *Pall.*
vernus, *Oliver*
vicioides, *R. Grah.*
yunnanensis, *Franch.*

LEGUMINOSAE—*continued.*

Bossiaea

eriocarpa, *Benth.*

Brachysema

subcordatum, *Benth.*

Brownea

coccinea, *Jacq.*
grandiceps, *Jacq.*

Calycotome

infesta, *Guss.*

Camoensia

maxima, *Welw.*

Canavalia

ensiformis, *DC.*

Caragana

arborescens, *Lam.*
— var. cuneifolia
— var. nana
— var. pendula
Boisi, *Schneider*

Carmichaelia

australis, *R. Br.*
Enysii, *T. Kirk*
flagelliformis, *Colenso*
grandiflora, *Hook. f.*
Petriei, *T. Kirk*
robusta, *T. Kirk*
subulata, *T. Kirk*

Cassia

Absus, *Linn.*
laevigata, *Willd.*
Tora, *Linn.*

Chorizema

ilicifolium, *Labill.*

Clianthus

puniceus, *Banks* et *Sol.*
— var. albus

LEGUMINOSAE—*continued.*

Clitoria

Ternatea, *Linn.*

Colutea

cruenta, *Ait.*
longialata, *Koehne*

Coronilla

roseo-alba, *Hort.*
valentina, *Linn.*
varia, *Linn.*
viminalis, *Salisb.*

Cytisus

albus, *Linn.*
Ardoini, *Fourn.*
austriacus, *Linn.*
canariensis, *Steud.*
capitatus, *Scop.*
eriocarpus, *Boiss.*
Fontanesii, *Spach*
fragrans, *Lam.*
nigricans, *Linn.*
praecox ×, *Hort.*
purgans, *Boiss.*
purpureus, *Scop.*, var. erectus
— var. incarnatus
scoparius, *Link*
— var. Andreanus
— var. prostratus
sessilifolius, *Linn.*
shipkaensis, *Dippel*

Desmodium

gyrans, *DC.*
incanum, *DC.*
tortuosum, *DC.*
viridiflorum, *Beck*

Dolichos

Lablab, *Linn.*

Dorycnium

rectum, *Ser.*
suffruticosum, *Vill.*

LEGUMINOSAE—*continued.*

Galega

officinalis, *Linn.*
— var. rosea
orientalis, *Lam.*

Genista

aethnensis, *DC.*
anglica, *Linn.*
dalmatica, *Bartl.* et *Wendl. f.*
depressa, *Bieb.*
elatior, *Koch*
germanica, *Linn.*
sagittalis, *Linn.*
sericea, *Wulf.*
stenopetala, *Webb* et *Berth.*
sylvestris, *Scop.*, var. dalmatica
tinctoria, *Linn.*
— var. apennina
— var. prostrata
Villarsii, *Clementi*
virgata, *DC.*

Goodia

latifolia, *Salisb.*
pubescens, *Sims*

Gueldenstaedtia

himalaica, *Baker*

Hedysarum

boreale, *Nutt.*
coronarium, *Linn.*
obscurum, *Linn.*
philoscia, *A. Nelson*

Hippocrepis

comosa, *Linn.*

Hosackia

Torreyi, *A. Gray*

Indigofera

australis, *Willd.*
Gerardiana, *Wall.*

LEGUMINOSAE—*continued.*

Kennedya

prostrata, *R. Br.*
— var. glabrata
— var. Marryattae
retrorsa, *Hemsl.*
rubicunda, *Vent.*

Labichea

lanceolata, *Benth.*

Laburnum

Adami ×, *Lavall.*
alpinum, *J. S. Presl*
— var. austriaca
— var. autumnalis
vulgare, *J. S. Presl*

Lathyrus

angulatus, *Linn.*
Drummondii, *Hort.*
Gorgoni, *Parl.*
hirsutus, *Linn.*
latifolius, *Linn.*
— var. albus
luteus, *Baker*
— var. aureus
macrorrhizus, *Wimm.*
maritimus, *Bigel.*
niger, *Bernh.*
polyanthus, *Boiss.* et *Blanche*
pubescens, *Hook.* et *Arn.*
sphaericus, *Retz.*
splendens, *Kellogg*
undulatus, *Boiss.*
venosus, *Muhl.*
vernus, *Bernh.*
— var. azureus
— var. flaccidus

Lotus

corniculatus, *Linn.*
hispidus, *Desf.*

Lupinus

arboreus, *Sims*
— var. violaceus
luteus, *Linn.*

LEGUMINOSAE—*continued.*

Lupinus—*continued.*
micranthus, *Dougl.*
nootkatensis, *Donn*
polycarpus, *Greene*
polyphyllus, *Lindl.*
— var. albus
— var. Foxii
— var. Moerheimi
— var. roseus
— var. violaceus
rivularis, *Dougl.*
saxatilis, *Ulbrich*

Medicago
arborea, *Linn.*
Aschersoniana, *Urban*
carstiensis, *Wulf.*
disciformis, *DC.*
falcata, *Linn.*
sativa, *Linn.*

Melilotus
alba, *Desr.*

Mimosa
pudica, *Linn.*

Onobrychis
saxatilis, *Lam.*
supina, *DC.*
viciaefolia, *Scop.*

Ononis
antiquorum, *Linn.*
aragonensis, *Asso*
arvensis, *Linn.*
fruticosa, *Linn.*
hircina, *Jacq.*
rotundifolia, *Linn.*

Oxylobium
callistachys, *Benth.*
cuneatum, *Benth.*

Oxytropis
argentata, *Pers.*
baicalensis, *Pall.*
campestris, *DC.*

LEGUMINOSAE—*continued.*

Oxytropis—*continued.*
foetida, *DC.*
montana, *DC.*
ochroleuca, *Bunge*
pilosa, *DC.*
sulphurea, *Fisch.*
uralensis, *DC.*

Parochetus
communis, *Buch.-Ham.*

Petteria
ramentacea, *Presl*

Piptanthus
bicolor, *Craib*

Pisum
formosum, *Alef.*
sativum, *Linn.*

Psoralea
acaulis, *Stev.*

Sarothamnus
Reverchonii, *Degen* et *Hervier*

Spartium
junceum, *Linn.*

Sphaerolobium
alatum, *Benth.*
vimineum, *Sm.*

Sutherlandia
frutescens, *R. Br.*

Swainsonia
coronillaefolia, *Salisb.*, var. rosea
Greyana, *Lindl.*, var. coccinea

Templetonia
retusa, *R. Br.*

LEGUMINOSAE—*continued.*

Thermopsis

angustata, *Greene*
fabacea, *DC.*
lanceolata, *R. Br.*

Trifolium

alpinum, *Linn.*
medium, *Linn.*
pannonicum, *Jacq.*
pratense, *Linn.*, var. nivale
— var. quinquefolium
repens, *Linn.*
rubens, *Linn.*

Trigonella

arabica, *Delile*
caerulea, *Ser.*

Ulex

europaeus, *Linn.*

Vicia

Cracca, *Linn.*
ochroleuca, *Tenore*
onobrychioides, *Linn.*
oroboides, *Wulf.*
pyrenaica, *Pourr.*
sylvatica, *Linn.*
unijuga, *A. Braun*

LENTIBULARIEAE.

Utricularia

emarginata, *Benj.*
prehensilis, *E. Mey.*

LILIACEAE.

Agapanthus

inapertus, *Beauverd.*
umbellatus, *L'Hérit.*

Albuca

Nelsoni, *N. E. Br.*

LILIACEAE—*continued.*

Allium

Aschersonianum, *Barbey*
Beesianum, *W. W. Sm.*
cardiostemon, *Fisch.* et *Mey*
cernuum, *Roth*
chrysanthum, *Regel*
cyaneum, *Regel*
— var. macrostemma
fallax, *Schult. f.*
fistulosum, *Linn.*
hirtifolium, *Boiss.*
Huteri, *Hort. Suend.*
kansuense, *Regel*
macrantha, *Baker*
montanum, *F. W. Schmidt*
Nevii, *S. Wats.*
Ostrowskianum, *Regel*
Purdomii, *W. W. Sm.*
sikkimense, *Baker*
urceolatum, *Regel*
Wallichiana, *Steud.*
yunnanense, *Diels*

Anthericum

Liliago, *Linn.*

Aphyllanthes

monspeliensis, *Linn.*

Asparagus

gonocladus, *Baker*
madagascariensis, *Baker*
plumosus, *Baker*
racemosus, *Willd.*
scandens, *Thunb.*
Sprengeri, *Regel*

Asphodeline

liburnica, *Reichb.*
lutea, *Reichb.*

Asphodelus

albus, *Willd.*

Astelia

Banksii, *A. Cunn.*
Cunninghamii, *Hook. f.*

LILIACEAE—*continued.*

Bulbine
aloides, *Willd.*

Bulbinella
Hookeri, *Benth.* et *Hook. f.*

Camassia
Cusickii, *S. Wats.*

Chlorogalum
pomeridianum, *Kunth*

Chlorophytum
elatum, *R. Br.*
— var. variegatum
Orchidastrum, *Lindl.*

Clintonia
umbellata, *Torr.*

Colchicum
Bornmuelleri, *Freyn*

Convallaria
majalis, *Linn.*

Dianella
caerulea, *Sims*
intermedia, *Endl.*
revoluta, *R. Br.*

Disporum
lanuginosum, *Nichols.*

Dracaena
elliptica, *Thunb.*
Godseffiana, *Baker*
surculosa, *Lindl.*

Echeandia
eleutherandra, *C. Koch*

Eremurus
Bungei, *Baker*, var. magnificus
robustus, *Regel*, var. albus
— var. Elwesianus

LILIACEAE—*continued.*

Eucomis
bicolor, *Baker*

Eustrephus
latifolius, *R. Br.*
— var. angustifolius

Fritillaria
Meleagris, *Linn.*, var. alba

Funkia
Sieboldiana, *Hook.*

Galtonia
candicans, *Decne.*

Geitonoplesium
cymosum, *A. Cunn.*

Gloriosa
superba, *Linn.*
virescens, *Lindl.*

Hastingsia
alba, *S. Wats.*

Hyacinthus
amethystinus, *Linn.*
azureus, *Baker*

Kniphofia
aloides, *Moench*
breviflora, *Haw.*
pauciflora, *Baker*
Rooperi, *Lem.*
Tysoni, *Baker*

Lilium
canadense, *Linn.*
Forrestii, *W. W. Sm.*
Kesselringii, *Hort.*
Martagon, *Linn.*
— var. dalmaticum (*Vis.*)
philippinense, *Baker*
roseum, *Wall.*

LILIACEAE—*continued.*

Lilium—*continued.*

tigrinum, *Ker-Gawl.*, var. splendens (*Baker*)
Willmottiae, *Wilson*

Littonia

modesta, *Hook.*

Maianthemum

Convallaria, *Weber*

Muscari

alpinum, *J. Gay*
Argaei, *Hort. Siehe*
armeniacum, *Baker*
botryoides, *Mill.*
comosum, *Mill.*
elegans, *Hort.*
polyanthum, *Boiss.*

Narthecium

ossifragum, *Huds.*

Ornithogalum

oligophyllum, *Clarke*
pyrenaicum, *Linn.*
tenellum, *Jacq.*
thyrsoides, *Jacq.*

Paradisea

Liliastrum, *Bertol.*

Paris

polyphylla, *Sm.*

Phormium

tenax, *Forst.*

Prosartes

oregana, *S. Wats.*

Scilla

festalis, *Salisb.*
— var. alba
hispanica, *Mill.*

LILIACEAE—*continued.*

Smilacina

racemosa, *Desf.*
stellata, *Desf.*

Stenanthium

angustifolium, *Kunth*

Tofieldia

calyculata, *Wahlenb.*
palustris, *Huds.*

Trillium

grandiflorum, *Salisb.*

Tulbaghia

acutiloba, *Harv.*

Tulipa

Didieri, *Jord.*
pulchella, *Fenzl*, var. lycaonica
vitellina, *Hort.*

Veratrum

album, *Linn.*

Xerophyllum

asphodeloides, *Nutt.*

Zygadenus

elegans, *Pursh*
venenosus, *S. Wats.*

LINEAE.

Erythroxylum

Coca, *Lam.*

Linum

angustifolium *Huds.*
flavum, *Linn.*
grandiflorum, *Desf.*
— var. rubrum
marginale, *A. Cunn.*
monogynum, *Forst.*

LINEAE—*continued.*

Linum—*continued.*

perenne, *Linn.*
— var. sibericum
tenuifolium, *Linn.*

Reinwardtia

trigyna, *Planch.*

LOASEAE.

Loasa

papaverifolia, *H. B.* et *K.*

LOGANIACEAE.

Buddleia

albiflora, *Hemsl.*
Colvilei, *Hook. f.*
Davidi, *Franch.*, var. superba
Forrestii, *Diels*
intermedia, *Carr.*
Lindleyana, *Fortune*
macrostachya, *Benth.*
stenostachya, *Rehd.* et *Wils.*
variabilis, *Hemsl.*
— var. Veitchiana

LYTHRARIEAE.

Lythrum

Salicaria, *Linn.*
— var. cinereum
— var. roseum
virgatum, *Linn.*

MAGNOLIACEAE.

Drimys

Winteri, *Forst.*

Trochodendron

aralioides, *Sieb.* et *Zucc.*

MALVACEAE.

Abutilon

megapotamicum, *St. Hil.* et *Naud.*, var. variegatum

Althaea

Froloviana, *Fisch.*
officinalis, *Linn.*

Callirhoe

digitata, *Nutt.*

Gossypium

herbaceum, *Linn.*

Hibiscus

Denisoni, *Hort.*
Hamabo, *Sieb.* et *Zucc.*

Howittia

trilocularis, *F. Muell.*

Kitaibelia

vitifolia, *Willd.*

Lavatera

maritima, *Gouan*

Malva

Alcea, *Linn.*
— var. fastigiata (*Cav.*)
moschata, *Linn.*
parviflora, *Linn.*, var. argentea
sylvestris, *Linn.*
Tournefortiana, *Linn.*

Malvastrum

capense, *Garcke*
hypomadarum, *Sprague*
lateritium, *Nichols.*

Modiola

multifida, *Moench.*

MALVACEAE—*continued.*

Pavonia

grandiflora, *A. St. Hil.*
hastata, *Cav.*
spinifex, *Cav.*

Plagianthus

Lyallii, *Hook. f.*
pulchellus, *A. Gray*

Sida

acuta, *Burm.*

Sidalcea

candida, *A. Gray*
diploscypha, *A. Gray*
malvaeflora, *A. Gray*
— var. atropurpurea
neo-mexicana, *A. Gray*
spicata, *Greene*

Sphaeralcea

pedata, *Torr.*

Urena

sinuata, *Linn.*

MELASTOMACEAE.

Bertolonia

maculata, *DC.*
marmorata, *Naud.*

Calvoa

sessiliflora, *Cogn.*

Centradenia

floribunda, *Planch.*

Heeria

elegans, *Schlecht.*

Marcetia

taxifolia, *DC.*, var. pubescens

Monochaetum

alpestre, *Naud.*

MELASTOMACEAE—*continued.*

Monolena

primulaeflora, *Hook. f.*

Sonerila

margaritacea, *Lindl.*

Tibouchina

semidecandra, *Cogn.*
— var. floribunda

MYOPORINEAE.

Bontia

daphnoides, *Linn.*

Myoporum

oppositifolium, *R. Br.*

MYRICACEAE.

Myrica

aethiopica, *Linn.*

MYRSINEAE.

Ardisia

crenata, *Roxb.*
— var. fructu albo
mamillata, *Hance*
polycephala, *Wall.*
umbellata, *Baker*
Wallichii, *A. DC.*

Myrsine

africana, *Linn.*

MYRTACEAE.

Baeckea

camphorata, *R. Br.*
linifolia, *Rudge*

Callistemon

phoeniceus, *Lindl.*
pithyoides, *Miq.*
rigidus, *R. Br.*
salignus, *Sweet*

MYRTACEAE—*continued.*

Campomanesia

cerasoides, *A. Gray*

Eucalyptus

ficifolia, *F. Muell.*
Gunnii, *Hook. f.*
polyanthemos, *Schau.*

Eugenia

apiculata, *DC.*
Jambos, *Linn.*
myrtifolia, *Sims*

Kunzea

corifolia, *Reichb.*

Leptospermum

arachnoideum, *Sm.*
ericoides, *A. Rich.*, var. lineatum
laevigatum, *F. Muell.*
Liversidgei, *R. T. Baker* et *H. G. Smith*
scoparium, *Forst.*
— var. Chapmanni
— var. Nicholli
pubescens, *Lam.*

Lhotskya

ericoides, *Schau.*

Melaleuca

hypericifolia, *Sm.*

Metrosideros

robusta, *A. Cunn.*

Myrtus

communis, *Linn.*
nummularia, *Poir.*
Ugni, *Mol.*

Psidium

montanum, *Sw.*

NAIADACEAE.

Aponogeton

distachyum, *Thunb.*

Triglochin

bulbosum, *Linn.*
striatum, *Ruiz* et *Pav.*

NYCTAGINEAE.

Allionia

melanotricha, *Standley*

Mirabilis

Jalapa, *Linn.*

OCHNACEAE.

Gomphia

olivaeformis, *St. Hil.*

Ochna

mossambicensis, *Klotzsch*
multiflora, *DC.*

OLEACEAE.

Fraxinus

excelsior, *Linn.*
— var. heterophylla

Jasminum

Beesianum, *G. Forrest* et *Diels*
humile, *Linn.*
lucidum, *Banks*

Ligustrum

Ibota, *Sieb.*
ionandrum, *Diels*
ovalifolium, *Hassk.*
Regelianum, *Hort.*

OLEACEAE—*continued.*

Ligustrum—*continued.*

vulgare, *Linn.*
— var. italicum
— var. pendulum

Notelaea

longifolia, *Vent.*

Olea

capensis, *Linn.*

Syringa

Adamiana, *Balf. f.* et *W. W. Sm.*
Emodi, *Wall.*
— var. variegata
Josikaea, *Jacq.*
villosa, *Vahl*
vulgaris, *Linn.*
— var. alba

ONAGRARIEAE.

Epilobium

angustifolium, *Linn.*
— var. album
cinereum, *A. Rich.*
Cockaynianum, *Petrie*
collinum, *C. C. Gmel.*
Dodonaei, *Vill.*
eriofolium, *Hort.*
glabellum, *Forst.*
Hectori, *Hausskn.*
hirsutum, *Linn.*
latifolium, *Linn.*
luteum, *Pursh*
melanocaulon, *Hook.*
microphyllum, *A. Rich.*
montanum, *Linn.*
obcordatum, *A. Gray*
reticulatum, *C. B. Clarke*
rosmarinifolium, *Haenke*
tetragonum, *Linn.*

Eucharidium

grandiflorum, *Fisch.* et *Mey.*

ONAGRARIEAE—*continued.*

Fuchsia

corymbiflora, *Ruiz* et *Pav.*
fulgens, *DC.*
integrifolia, *Cambess.*
parviflora, *Lindl.*
procumbens, *R. Cunn.*
Riccartoni ×, *Hort.*

Jussieuia

Sprengeri, *Hort.*
suffruticosa, *Linn.*

Oenothera

glauca, *Michx.*
hirtella, *Greene*
mollissima, *Linn.*
pumila, *Linn.*
Romanzowii, *Ledeb.*
rosea, *Ait.*
sinuata, *Linn.*
tenuifolia, *Cav.*
triloba, *Nutt.*

Zauschneria

californica, *Presl*

ORCHIDEAE.

Habenaria

conopsea, *Benth.*
odoratissima, *Franch.*

Orchis

coriophora, *Linn.*
foliosa, *Soland.*
maculata, *Linn.*

Vanilla

planifolia, *Andr.*

OROBANCHACEAE.

Orobanche

Hederae, *Duby*

PALMAE.

Astrocaryum
mexicanum, *Liebm.*

Chamaedorea
Sartorii, *Liebm.*

Geonoma
pumila, *H. Wendl.*

Neonicholsonia
Georgei, *Damm.*
Watsoni, *Damm.*

Rhopalostylis
sapida, *H. Wendl.* et *Drude*

Sabal
Blackburniana, *Glazebr.*

Synechanthus
fibrosus, *H. Wendl.*

PAPAVERACEAE.

Argemone
mexicana, *Linn.*
— var. ochroleuca, *Lindl.*

Bocconia
cordata, *Willd.*
microcarpa, *Maxim.*

Cathcartia
villosa, *Hook. f.*

Chelidonium
Franchetianum, *Prain*
majus, *Linn.*
— var. laciniatum

Eschscholzia
californica, *Cham.*

PAPAVERACEAE—*continued.*

Glaucium
flavum, *Crantz*

Meconopsis
cambrica, *Vig.*
eximia, *Prain*
horridula, *Hook. f.* et *Thoms.*
latifolia, *Prain*
napaulensis, *DC.*
paniculata, *Prain*
pseudo-integrifolia, *Prain*
quintuplinervia, *Regel*
racemosa, *Maxim.*
rudis, *Prain*
simplicifolia, *G. Don*
sinuata, *Prain*
Wallichii, *Hook.*

Papaver
aculeatum, *Thunb.*
anomalum, *Fedde*
nudicaule, *Linn.*
— var. radicatum, *DC.*
pilosum, *Sibth.* et *Sm.*, var. hybridum
Rhoeas, *Linn.*, var. pinnatum
somniferum, *Linn.*
spicatum, *Boiss.* et *Bal.*
tauricolum, *Boiss.*

Platystemon
californicus, *Benth.*

PASSIFLOREAE.

Passiflora
Banksii, *Benth.*
caerulea, *Linn.*
edulis, *Sims*
elegans, *Mart.*
quadrangularis, *Linn.*
suberosa, *Linn.*

Tacsonia
mollissima, *H. B.* et *K.*
Van-Volxemii, *Hook.*

PEDALINEAE.

Martynia

proboscidea, *Glox.*

PHYTOLACCACEAE.

Petiveria

alliacea, *Linn.*

Phytolacca

clavigera, *W. W. Sm.*

Rivina

humilis, *Linn.*
tinctoria, *Buch.-Ham.*

PIPERACEAE.

Peperomia

cordulata, *C. DC.*
galioides, *H. B.* et *K.*
rubella, *Hook.*
Sandersii, *C. DC.*

PITTOSPOREAE.

Pittosporum

Ralphii, *T. Kirk*
viridiflorum, *Sims*

Sollya

Drummondi, *C. Morr.*
heterophylla, *Lindl.*

PLANTAGINEAE.

Plantago

alpina, *Linn.*
arborescens, *Poir.*
argentea, *Chaix*
brachystachys, *Kunze*
Brownii, *Rafin.*
Coronopus, *Linn.*
fuscescens, *Jord.*

PLANTAGINEAE—*continued.*

Plantago—*continued.*

lanceolata, *Linn.*, var. variegata
major, *Linn.*, var. monstrosa
maritima, *Linn.*
media, *Linn.*
mexicana, *Link*
nevadensis, *Hort.*
nivalis, *Boiss.*
Raoulii, *Decne.*
Rugelii, *Decne.*

PLUMBAGINEAE.

Acantholimon

acerosum, *Boiss.*
glumaceum, *Boiss.*
venustum, *Boiss.*

Armeria

Adamovici, *Hort.*
alpina, *Willd.*
— var. alba
berlengensis, *Daveau*
caespitosa, *Boiss.*
canescens, *Boiss.*
elongata, *Hoffm.*
fasciculata, *Willd.*
japonica, *Hort.*
latifolia, *Willd.*
— var. bracteata
leucocephala, *Koch*
longearistata, *Boiss.* et *Reut.*
majellensis, *Boiss.*
maritima, *Willd.*
— var. Laucheana
olympica, *Hort.*
pinifolia, *Hoffmgg.* et *Link*
plantaginea, *Willd.*
sibirica, *Turcz.*
Welwitschii, *Boiss.*

Plumbago

Larpentae, *Lindl.*
scandens, *Linn.*

PLUMBAGINEAE—*continued.*

Statice

altaica, *Hort.*
auriculaefolia, *Vahl*
echioides, *Linn.*
filicaulis, *Boiss.*
Gougetiana, *Girard*
latifolia, *Sm.*
remotispicula, *Lacaita*
spathulata, *Desf.*
speciosa, *Linn.*
tatarica, *Linn.*

POLEMONIACEAE.

Cobaea

scandens, *Cav.*
— var. variegata

Collomia

linearis, *Nutt.*

Polemonium

boreale, *Adams*
caeruleum, *Linn.*
— var. album
— var. gracile (*Willd.*)
— var. himalayanum, *Baker*
carneum, *A. Gray*
filicinum, *Greene*
flavo-caeruleum, *Hort.*
flavum, *Greene*
grandiflorum, *Benth.*
mexicanum, *Cerv.*
pauciflorum, *S. Wats.*
reptans, *Linn.*

POLYGALACEAE.

Polygala

major, *Jacq.*
— var. alba
Vayredae, *Costa*

POLYGONACEAE.

Atraphaxis

Billardieri, *Jaub.* et *Spach*
lanceolata, *Bunge*

Emex

spinosa, *Campd.*

Eriogonum

umbellatum, *Torr.*
Wrightii, *Torr.*

Fagopyrum

esculentum, *Moench*

Muehlenbeckia

axillaris, *Walp.*
complexa, *Meissn.*
ephedroides, *Hook. f.*

Oxyria

digyna, *Hill*

Polygonum

affine, *D. Don*
amplexicaule, *D. Don*
baldschuanicum, *Regel*
Bistorta, *Linn.*
— var. major
cuspidatum, *Sieb.* et *Zucc.*
Emodi, *Meissn.*
lichiangense, *W. W. Sm.*
macrophyllum, *D. Don*
paniculatum, *Blume*
sibiricum, *Laxm.*
sinocapitatum, *Hort.*
sinosphaerocephalum, *Hort.*
viviparum, *Linn.*
Weyrichii, *F. Schmidt*

Rheum

Alexandrae, *Batalin*
Rhaponticum, *Linn.*

Rumex

flexuosus, *Soland.*
scutatus, *Linn.*

PORTULACEAE.

Anacampseros

arachnoides, *Sims*
filamentosa, *Sims*
lanceolata, *Sweet*

Calandrinia

Cotyledon, *S. Wats.*
grandiflora, *Lindl.*
umbellata, *DC.*

Pleuropetalum

costaricense, *Hemsl.*

Talinum

patens, *Willd.*

PRIMULACEAE.

Anagallis

arvensis, *Linn.*
— var. phoenicea
linifolia, *Linn.*, var. Philipsii
tenella, *Linn.*

Androsace

alpina, *Lam.*
arachnoidea, *Schott*
Bulleyana, *G. Forrest*
Chamaejasme, *Willd.*
Charpentieri, *Heer*
Chumbyi ×, *Hort.*
ciliata, *DC.*
coccinea, *Franch.*
lanuginosa, *Wall.*
— var. Leichtlini
occidentalis, *Pursh*
primuloides, *Duby*
sarmentosa, *Wall.*
saxifragaefolia, *Bunge*
spinulifera, *Franch.*
tibetica, *Knuth*
villosa, *Linn.*

Cortusa

Matthioli, *Linn.*, var. sinensis

PRIMULACEAE—*continued.*

Cyclamen

europaeum, *Linn.*
neapolitanum, *Tenore*
repandum, *Sibth.* et *Sm.*

Dodecatheon

Meadia, *Linn.*, var. splendens

Lysimachia

amoena, *G. Forrest*
barystachys, *Bunge*
Delavayi, *Franch.*
euxantha, *Hort.*
Henryi, *Hemsl.*
Leschenaultii, *Duby*
lichiangensis, *G. Forrest*
punctata, *Linn.*

Primula

algida, *Adam*
alsophila, *Balf. f.* et *Forrest*
anisodora, *Balf. f.* et *Forrest*
apennina, *Widm.*
Beesiana, *G. Forrest*
blattariformis, *Franch.*
Bulleyana, *G. Forrest*
burmanica, *Balf. f.* et *Ward*
capitata, *Hook.*
chionantha, *Balf. f.* et *Forrest*
chungensis, *Balf. f.* et *Forrest*
Cockburniana, *Hemsl.*
conica, *Balf. f.* et *Forrest*
conspersa, *Balf. f.* et *Purdom*
crispata, *Balf. f.* et *W. W. Sm.*
cyanantha, *Balf. f.* et *Forrest*
deflexa, *Franch.*
elatior, *Hill*
Ellisiae, *Pollard* et *Cockerell*
erythrocarpa, *Craib*
Forbesii, *Franch.*
Forrestii, *Balf. f.*
Fortunei, *Vatke*
frondosa, *Janka*
gemmifera, *Batalin*
geraniifolia, *Hook. f.*
Giraldiana, *Pax*
glaucescens, *Moretti*
helodoxa, *Balf. f.*
japonica, *A. Gray*

PRIMULACEAE– *continued.*

Primula—*continued.*

jesoana, *Miq.*
kichanensis, *Franch.*
leucophylla, *Pax*
lichiangensis, *G. Forrest*
Littoniana, *G. Forrest*
longiflora, *All.*
Maclareni, *Balf. f.*
malacoides, *Franch.*
Menziesiana, *Balf. f.* et *W. W. Sm.*
Miyabeana, *Ito* et *Kawakama*
Mooreana, *Balf. f.* et *W. W. Sm.*
muscarioides, *Hemsl.*
nipponica, *Yatabe*
nutans, *Franch.*
oblanceolata, *Balf. f.*
obliqua, *W. W. Sm.*
pinnatifida, *Franch.*
platycrana, *Craib*
Poissonii, *Franch.*
pseudo-capitata, *F. K. Ward*
pulchella, *Franch.*
pulchelloides, *F. K. Ward*
pulverulenta, *Duthie*
Reidii, *Duthie*
reticulata, *Wall.*
rufa, *Balf. f.*
Rusbyi, *Greene*
saxatilis, *Komarov*
scotica, *Hook.*
septemloba, *Franch.*
sikkimensis, *Hook. f.*
sinolisteri, *Balf. f.*
sinopurpurea, *Balf. f.* et *Forrest*
Smithiana, *Craib*
sphaerocephala, *Balf. f.* et *Forrest*
spicata, *Franch.*
stenocalyx, *Maxim.*
suffrutescens, *A. Gray*
tenella, *King*
Veitchii, *Duthie*
verticillata, *Forsk.*
vincaeflora, *Franch.*
vittata, *Franch.*
Wardii, *Balf. fil.*
Watsoni, *Dunn*
werringtonensis, *Wallace*

PRIMULACEAE—*continued.*

Samolus

ebracteatus, *H. B.* et *K.*
littoralis, *Schrank*

Trientalis

europaea, *Linn.*

PROTEACEAE.

Dryandra

floribunda, *R. Br.*
formosa, *R. Br.*

Grevillea

alpina, *Lindl.*
Baueri, *R. Br.*
Forsteri, *Hort.*
glabrata, *Meissn.*
occidentalis, *R. Br.*

Hakea

acicularis, *Knight*
cristata, *R. Br.*
ferruginea, *Sweet*
gibbosa, *Cav.*
microcarpa, *R. Br.*
Preissii, *Meissn.*
ulicina, *R. Br.*, var. carinata

Petrophila

pedunculata, *R. Br.*
sessilis, *Sieber*

Protea

cynaroides, *Linn.*

RANUNCULACEAE.

Aconitum

ferox, *Wall.*
Fischeri, *Reichb.*
Forrestii, *Stapf*
Kusnezoffii, *Reichb.*
Lycoctonum, *Linn.*
— var. album
— var. pyrenaicum

RANUNCULACEAE—*continued.*

Aconitum—*continued.*

Napellus, *Linn.*
— var. album
reclinatum, *A. Gray*
transsectum, *Diels*
volubile, *Koelle*, var. latisectum
Wilsonii, *Hort. Veitch*

Actaea

alba, *Mill.*
eburnea, *Rydb.*
spicata, *Linn.*
— var. arguta

Anemone

cylindrica, *A. Gray*
demissa, *Hook. f.* et *Thoms.*
japonica, *Sieb.* et *Zucc.*
magellanica, *Jancz.*
multifida, *Poir.*
— var. Hudsoniana
narcissiflora, *Linn.*
Pavoniana, *Boiss.*
polyanthes, *D. Don*, var. lilacina
rivularis, *Ham.*
rupicola, *Camb.*
sulphurea, *Linn.*
sylvestris, *Linn.*, var. major
vitifolia, *Buch.-Ham.*
— var. tomentosa

Anemonopsis

macrophylla, *Sieb.* et *Zucc.*

Aquilegia

Bertolonii, *Schott*
caerulea, *James*
formosa, *Fisch.*
olympica, *Boiss.*
Ottonis, *Orph.*
Skinneri, *Hook.*
viridiflora, *Pall.*
vulgaris, *Linn.*
— var. atrata
— — Haenkeana

RANUNCULACEAE—*continued.*

Caltha

leptosepala, *DC.*
scaposa, *Hook. f.*

Cimicifuga

cordifolia, *Pursh*
davurica, *Maxim.*
japonica, *Miq.*

Clematis

alpina, *Mill.*
Flammula, *Linn.*
— var. foliis purpureis
grewiaeflora, *DC.*
integrifolia, *Linn.*
intermedia, *Carr.*
koreana, *Kom.*
ligusticifolia, *Nutt.*
orientalis, *Linn.*
— var. tangutica, *Maxim.*
recta, *Linn.*
songorica, *Bunge*
uncinata, *Champ.*

Coptis

trifolia, *Salisb.*

Delphinium

altissimum, *Wall.*
azureum, *Michx.*
Brunonianum, *Royle*
Bulleyanum, *G. Forrest*
cashmirianum, *Royle*
corymbosum, *Regel*
Delavayi, *Franch.*
Duhmbergii, *Huth*
dictyocarpum, *DC.*
elatum, *Linn.*
— var. alpinum
flexuosum, *Rafin.*
formosum, *Boiss.* et *Huet*
grandiflorum, *Linn.*
hybridum, *Steph.*
likiangense, *Franch.*
Maackianum, *Regel*
occidentale, *S. Wats.*
pellucidum, *Busch.*

RANUNCULACEAE—*continued.*

Delphinium—*continued.*

Potanini, *Huth*
Przewalskii, *Huth*
Pylzowi, *Maxim.*
Requienii, *DC.*
scopulorum, *A. Gray*
— var. stachydeum
speciosum, *Bieb.*, var. glabratum
tatsienense, *Franch.*
— var. album
vestitum, *Wall.*
viscosum, *Hook. f.* et *Thoms.*

Eranthis

cilicica, *Schott* et *Kotschy*

Helleborus

lividus, *Ait.*

Myosurus

minimus, *Linn.*

Paeonia

anomala, *Linn.*
corallina, *Retz.*
decora, *Anders.*, var. elatior
Delavayi, *Franch.*
lutea, *Delavay*
Veitchii, *Lynch*
Wittmanniana, *Hartwiss*
Woodwardii, *Hort.*

Ranunculus

aconitifolius, *Linn.*
acris, *Linn.*
alpeophilus, *A. Nelson*
amplexicaulis, *Linn.*
californicus, *Benth.*, var. latilobus
Chius, *DC.*
Cymbalaria, *Pursh*
gramineus, *Linn.*
hirtus, *Banks* et *Sol.*
libanoticus, *Freyn*
ophioglossifolius, *Vill.*
parviflorus, *Linn.*
trilobus, *Desf.*
Weyleri, *Marès*

RANUNCULACEAE—*continued.*

Thalictrum

angustifolium, *Linn.*
— var. minus
aquilegiaefolium, *Linn.*
calabricum, *Spreng.*
Chelidonii, *DC.*
dioicum, *Linn.*
elegans, *Wall.*
glaucum, *Desf.*
isopyroides, *C. A. Mey.*
minus, *Linn.*
— var. adiantifolium
— var. saxatile
purpurascens, *Linn.*
simplex, *Linn.*

Trautvetteria

palmata, *Fisch.* et *Mey.*

Trollius

altaicus, *C. A. Mey.*
americanus, *Muhl.*
asiaticus, *Linn.*
caucasicus, *Stev.*
europaeus, *Linn.*
patulus, *Salisb.*
— var. pedunculatus
pumilus, *D. Don*
— var. yunnanensis

RESEDACEAE.

Astrocarpus

sesamoides, *DC.*

Reseda

alba, *Linn.*
complicata, *Bory*
glauca, *Linn.*
odorata, *Linn.*
Phyteuma, *Linn.*, var. hispidula

RHAMNEAE.

Discaria

Toumatou, *Raoul*

RHAMNEAE—*continued.*

Pomaderris

lanigera, *Sims*
phylicaefolia, *Lodd.*
prunifolia, *A. Cunn.*
subrepanda, *F. Muell.*

Rhamnus

alpina, *Linn.*
californica, *Eschsch.*
cathartica, *Linn.*
Frangula, *Linn.*
Purshiana, *A. DC.*
rupestris, *Scop.*

Spyridium

globulosum, *Benth.*

ROSACEAE.

Acaena

argentea, *Ruiz* et *Pav.*
Dieckii, *Hort.*
glauca, *Hort.*
inermis, *Hook. f.*
laevigata, *Ait.*
microphylla, *Hook. f.*
— var. glauca
Novae-Zelandiae, *T. Kirk*
ovalifolia, *Ruiz* et *Pav.*
Sanguisorbae, *Vahl*
splendens, *Hook.* et *Arn.*

Agrimonia

agrimonioides, *Linn.*
Eupatoria, *Linn.*
odorata, *Mill.*

Alchemilla

alpina, *Linn.*
chirophylla, *Buser*
hirsuta, *H. B.* et *K.*
retinervis, *Buser*
speciosa, *Buser*
splendens, *Christ*
vulgaris, *Linn.*
— var. glabra

ROSACEAE—*continued.*

Cotoneaster

acuminata, *Lindl.*
acutifolia, *Lindl.*
— var. villosula
affinis, *Lindl.*
ambigua, *Rehder* et *Wilson*
apiculata, *Rehder* et *Wilson*
bacillaris, *Wall.*
bullata, *Bois*
— var. macrophylla
Dammeri, *Schneider*
Dielsiana, *Pritzel*, var. elegans
divaricata, *Rehder* et *Wilson*
Francheti, *Bois*
frigida, *Wall.*
horizontalis, *Decne.*
— var. perpusilla
moupinensis, *Franch.*
multiflora, *Bunge*, var. calocarpa
Nummularia, *Fisch.* et *Mey.*
— var. *Meyeri*
pannosa, *Franch.*
salicifolia, *Franch.*, var. floccosa
— var. rugosa
Simonsii, *Baker*
thymifolia, *Baker*

Crataegus

acutiloba, *Sargent*
Azarolus, *Linn.*
Blanchardi, *Sargent*
Carrierei, *Vauvel*
coccinea, *Linn.*
— var. flabellata, *Britton*
— var. indentata, *Hort.*
Crus-galli, *Linn.*
intricata, *Lange*
Jackii, *Sargent*
matura, *Sargent*
mollis, *Scheele*
nigra, *Waldst.* et *Kit.*
Oakesiana, *Eggleston*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— var. flore puniceo
— var. foliis luteis
— var. fuscata, *Hort.*

ROSACEAE—*continued.*

Crataegus—*continued.*

Oxyacantha, *Linn.*, var. monogyna, *Jacq.*
— var. variegata
pentagyna, *Kit.*
Pyracantha, *Pers.*
— var. Lalandi, *Hort.*
Slavini, *Sargent*
submollis, *Sargent*
tanacetifolia, *Pers.*
virella, *Ashe*

Cydonia

japonica, *Thunb.*
— var. alba
— var. rosea
Maulei, *T. Moore*

Dryas

octopetala, *Linn.*
Suendermannii, *Hort.*

Fallugia

paradoxa, *Endl.*

Fragaria

californica, *Cham.* et *Schlecht.*
indica, *Andr.*
vesca, *Linn.*, var. monophylla
— var. semperflorens

Geum

atrosanguineum, *Hort.*
Heldreichii, *Hort.*
intermedium ×, *Ehrh.*
Laxmanni, *Gaertn.*
macrophyllum, *Willd.*
montanum, *Linn.*
— var. corsicum
parviflorum, *Commers.*
pyrenaicum, *Mill.*
rhaeticum, *Bruegg.*
rivale, *Linn.*
Rossii, *Seringe*
tirolense, *Kern.*

Neillia

opulifola, *Benth.* et *Hook. f.*, var. lutea

ROSACEAE—*continued.*

Osteomeles

anthyllidifolia, *Lindl.*

Peraphyllum

ramosissimum, *Nutt.*

Photinia

variabilis, *Hemsl.*

Potentilla

adscharica, *Somm.* et *Lev.*
albifolia, *Wall.*
alchemilloides, *Lapeyr.*
alpestris, *Hall. f.*
ambigua, *Cambess.*
apennina, *Tenore*
argentea, *Linn.*
argyrophylla, *Wall.*
aurea, *Linn.*
bifurca, *Linn.*
Clusiana, *Jacq.*
Convallaria, *Rydb.*
crinita, *A. Gray*
Degenii, *Sieg.*
Delavayi, *Franch.*
delphinensis, *Gren.* et *Godr.*
Detommasii, *Tenore*
dissecta, *Pursh*
Dombeyi, *Nestl.*
effusa, *Dougl.*
eriocarpa, *Wall.*
fruticosa, *Linn.*
— var. alba
— var. glabrata
— var. humilis
— var. mandschurica
— var. rigida
— var. Vilmoriniana
fulgens, *Wall.*
gracilis, *Dougl.*
grammopetala, *Moretti*
Griffithii, *Hook. f.*, var. concolor
Herbichii, *Blocki*
Hippiana, *Lehm.*
hirta, *Linn.*
— var. taurica
Kerneri ×, *Borb.*

ROSACEAE—*continued.*

Potentilla—*continued.*

kurdica, *Boiss.* et *Hohen.*
lanuginosa, *Fisch.* et *Sweet*
Leschenaultiana, *Ser.*
Macnabiana ×, *Lem.*
micrandra, *Koehne*
montenegrina, *Pantoč*
monticola, *Zimm.*
Mooniana, *Wight*
multifida, *Linn.*
nepalensis, *Hook.*
— var. Willmottiana
nitida, *Linn.*
— var. alba
— var. elongata
nivea, *Linn.*
palustris, *Scop.*
pensylvanica, *Linn.*
recta, *Linn.*
— var. pedata
— var. sulphurea
rhomboidea, *Rydb.*
rupestris, *Linn.*
— var. pygmaea
Sibbaldi, *Hall. f.*
speciosa, *Willd.*
Tormentilla, *Neck.*
tridentata, *Soland.*
Valderia, *Linn.*, var. glabra
viscosa, *Donn*

Poterium

diandrum, *Hook. f.*
hakusanense, *Hort.*
rhodopeum, *Velen.*
tenuifolium, *Franch.* et *Sav.*
verrucosum, *Ehrenb.*

Prunus

acida, *Borkh.*, var. semperflorens
ilicifolia, *Walp.*
Laurocerasus, *Linn.*, var. colchica
Mahaleb, *Linn.*, var. chrysocarpa
spinosa, *Linn.*, var. communis

ROSACEAE—*continued.*

Pyrus

alpina, *Willd.*
— var. superaria
americana, *DC.*
arbutifolia, *Linn. f.*, var. floribunda
Aucuparia, *Gaertn.*
— var. Dirkenii
— var. discolor
— var. Fifeana
— var. fructu luteo
— var. moravica
— var. pendula variegata
— var. rossica
— var. satureifolia, *Hort.*
baccata, *Linn.*, var. cerasifera
— var. costata
canescens, *Spach*
communis, *Linn.*
— var. fascicularis
germanica, *Hook. f.*
hybrida, *Moench*
lanuginosa, *DC.*
melanoçarpa, *K. Koch*
orthocarpa, *Nichols.*
pekinensis, *Koehne*
pinnatifida, *Ehrh.*
prunifolia, *Willd.*
— var. Colvillei
— var. fructu dulci
— var. fructu luteo
— var. pendula
rivularis, *Dougl.*, var. integrifolia
rotundifolia, *Bechst.*
salicifolia, *Pall.*
Sorbus, *Gaertn.*
theifera, *Rehder*
Toringo, *Sieb.*
— var. incisa
Torminalis, *DC.*
Vilmorini, *Schneider*
Zumi, *Matsum.*

Rhodotypos

kerrioides, *Sieb.* et *Zucc.*

Rosa

alpina, *Linn.*
— var. pyrenaica

ROSACEAE—*continued.*

Rosa—*continued.*

Banksiopsis, *Baker*
blanda, *Ait.*
— var. arkansana
— var. Sayi
californica, *Schlecht.*
cinnamomea, *Linn.*, var. davurica
damascena, *Mill.*
Davidi, *Crep.*, var. elongata
Fendleri, *Crep.*
glauca, *Vill.*
Jundzilli, *Besser*
laevigata, *Michx.*, var. anemone
laxa, *Retz.*
macrophylla, *Lindl.*
— var. Prattii
Malyi, *Kern.*
moschata, *Herrm.*
Moyesii, *Hemsl.* et *Wilson*
— var. rosea
multiflora, *Thunb.*
pomifera, *Herrm.*
poteriifolia, *Hort.*
rugosa, *Thunb.*
— var. alba
— var. Regelliana
Seraphini, *Viv.*
setipoda, *Hemsl.*
spinosissima, *Linn.*
Szaboi, *Bord.*
tomentosa, *Sm.*
Webbiana, *Wall.*
— var. pimpinellifolia
Woodsii, *Lindl.*

Rubus

amabilis, *Focke*
Henryi, *Hemsl.*

Spenceria

ramalana, *Trimen*

Spiraea

Aitchisoni, *Hemsl.*
Aruncus, *Linn.*
bracteata, *Zabel*

ROSACEAE—*continued.*

Spiraea—*continued*

caespitosa, *Nutt.*
— var. argentea
crenata, *Linn.*
discolor, *Pursh*
— var. dumosa
Douglasii, *Hook.*
japonica, *Linn. f.*
— var. rubra
laevigata, *Linn.*
Lindleyana, *Wall.*
lobata, *Jacq.*
Millefolium, *Torr.*
Nobleana, *Hook.*
palmata, *Sternb.*
Rosthornii, *E. Pritz.*
salicifolia, *Linn.*
sorbifolia, *Linn.*
Ulmaria, *Linn.*

Stephanandra

flexuosa, *Sieb.* et *Zucc.*

Stranvaesia

Davidiana, *Decne.*, var. undulata

RUBIACEAE.

Asperula

aristata, *Linn.*
hexaphylla, *All.*
humifusa, *Bess.*
laevigata, *Linn.*
odorata, *Linn.*
orientalis, *Boiss.* et *Hohen.*

Coffea

arabica, *Linn.*

Coprosma

Petriei, *Cheesem.*

Galium

anisophyllon, *Vill.*
boreale, *Linn.*
erectum, *Huds.*
verum, *Linn.*

RUBIACEAE—*continued.*

Hamelia
patens, *Jacq.*

Leptodermis
lanceolata, *Wall.*
pilosa, (*Franch.*) *Diels*

Mitriostigma
axillare, *Hochst.*

Nertera
Balfouriana, *Cockayne*
ciliata, *T. Kirk*
depressa, *Banks*

Pentas
carnea, *Benth.*
— var. kermesina.

Phuopsis
stylosa, *Benth.* et *Hook. f.*

Posoqueria
multiflora, *Lem.*

Richardsonia
pilosa, *H. B.* et *K.*

Rondeletia
odorata, *Jacq.*

Wendlandia
subalpina, *W. W. Sm.*

RUTACEAE.

Boenninghausenia
albiflora, *Reichb.*

Boronia
serrulata, *Sm.*

Citrus
Aurantium, *Linn.*
Medica, *Linn.*, var. Limonum
nobilis, *Lour.*, var. major

RUTACEAE—*continued.*

Dictamnus
albus, *Linn.*
— var. tauricus

Eriostemon
buxifolius, *Sm.*

Erythrochiton
brasiliensis, *Nees.*

Evodia
elegans, *Hort.*

Glycosmis
pentaphylla, *Correa*

Hedyotis
Auricularia, *Linn.*

Ptelea
Baldwinii, *Torr.* et *Gray*
trifoliata, *Linn.*

Ruta
graveolens, *Linn.*
— var. variegata

Skimmia
Fortunei, *Mast.*
Laureola, *Sieb.* et *Zucc.*, var. oblata.
Veitchii, *Carr.*

Zanthoxylum
alatum, *Roxb.*

SAPINDACEAE.

Acer
circinnatum, *Pursh*
Heldrichii, *Boiss.* et *Heldr.*
monspessulanum, *Linn.*
opulifolium, *Vill.*, var. obtusatum
platanoides, *Linn.*
Pseudo-platanus, *Linn.*

SAPINDACEAE—*continued.*

Acer—*continued.*

Pseudo-platanus, *Linn.*, var. euchlorum
— var. foliis cupreis
— var. purpureum
— var. tricolor

Melianthus

major, *Linn.*

Paullinia

thalictrifolia, *Juss.*

SARRACENIACEAE.

Sarracenia

purpurea, *Linn.*

SAXIFRAGEAE.

Anopterus

glandulosus, *Labill.*

Astilbe

chinensis, *Franch.* et *Sav.*
Davidii, *Henry*, var. rosea
japonica, *A. Gray*
simplicifolia, *Makino*
Thunbergii, *Miq.*

Bauera

rubioides, *Andr.*

Boykinia

major, *Gray*

Ceratopetalum

gummiferum, *Sm.*

Deinanthe

caerulea, *Stapf*

Deutzia

gracilis, *Sieb.* et *Zucc.*
longifolia, *Franch.*

SAXIFRAGEAE—*continued.*

Deutzia—*continued.*

parviflora, *Bunge*
Schneideriana, *Rehder*, var. laxiflora
Veitchii, *Hort.*

Dichroa

febrifuga, *Lour.*

Escallonia

edinensis ×, *Hort.*
langleyensis, *Vilm.* et *Bois*
macrantha, *Hook.* et *Arn.*, var. punctata
pterocladon, *Hook.*

Fendlera

rupicola, *A. Gray*

Francoa

appendiculata, *Cav.*
ramosa, *D. Don*
sonchifolia, *Cav.*

Heuchera

americana, *Linn.*
bracteata, *Ser.*
cylindrica, *Dougl.*
Drummondii, *Hort.*
glabra, *Willd.*
hispida, *Pursh*
micrantha, *Dougl.*
pilosa, *Hort.*
rubescens, *Torr.*
sanguinea, *Engelm.*

Hydrangea

Hortensia, *Siebold*, var. stellata
Sargentiana, *Rehder*

Kirengeshoma

palmata, *Yatabe*

Mitella

pentandra, *Hook.*

SAXIFRAGEAE—*continued.*

Parnassia

mysorensis, *Heyne*
nubicola, *Wall.*
ovata, *Ledeb.*

Philadelphus

colombianus, *Koehne*
coronarius, *Linn.*
— var. foliis aureis
— var. tomentosus
Delavayi, *Henry*
Gordonianus, *Lindl.*
grandiflorus, *Willd.*
— var. floribundus
incanus, *Koehne*
Lemoinei ×, *Hort.*
Lewisii, *Pursh*
Magdalenae, *Koehne*
Satsumi, *Siebold*, var. acuminatus
sericanthus, *Koehne*
Wilsonii, *Koehne*

Ribes

Koehneanum ×, *Jancz.*
nigrum, *Linn.*
rubrum, *Linn.*, var. scandicum
sanguineum, *Pursh*, var. albidum
speciosum, *Pursh*
vulgare ×

Rodgersia

aesculifolia, *Batalin*
pinnata, *Franch.*
— var. rosea
sambucifolia, *Hemsl.*

Saxifraga

aizoides, *Linn.*
adscendens, *Linn.*
Aizoon, *Jacq.*
— f. cultrata
— f. hirsuta
— f. La-graveana
— f. minima
— f. rosularis (*Haw.*)

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*

Aizoon, *Jacq.*, f. Sturmiana (*Schott, Nym.* et *Kotschy*)
ambigua ×, *DC.*
aquatica, *Lapeyr.*
Balfourii, *Engl.* et *Irmscher*
Borisii ×, *Kellerer*
bracteosa, *Suksd.*
Brunoniana, *Wall.*
caesia, *Linn.*
caespitosa, *Linn.*
canaliculata, *Boiss.* et *Reut.*
cochlearis, *Reichb.*
— var. minor
cortusaefolia, *Sieb.* et *Zucc.*
Cotyledon, *Linn.*
— var. montavoniensis
— var. pyrenaica
crassifolia, *Linn.*
cuneata, *Willd.*
cuneifolia, *Linn.*
— f. apennina (*Bertol.*)
— f. davurica,
— f. infundibuliformis
decipiens, *Ehrh.*
— f. adscendens
— f. globosa
— f. grandiflora
— f. hibernica
— f. hirta
— f. hybrida grandiflora
— f. platypetala
— f. pulchella
— f. Sternbergii (*Willd.*)
Delavayi, *Franch.*
diversifolia, *Wall.*
— var. alpina, *Engl.* et *Irmscher*
— var. angustibracteata, *Engl.* et *Irmscher*
— var. foliata, *Engl.* et *Irmscher*
Eastwoodiae (*Small*)
flagellaris, *Willd.*
Forbesii, *Vasey*
Fortunei, *Hook.*
gemmifera, *Franch.*
geranioides, *Linn.*
Geum, *Linn.*
— f. crenulata

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*

Geum, *Linn.*, f. crispa
— — minor
— f. Donii
— f. ovalifolia
— f. reniformis
hederacea, *Linn.*
hispidula, *Don*, var. Doniana, *Engl.*
Hostii, *Tausch.*
— var. altissima
Huetiana, *Boiss.*
hypnoides, *Linn.*
incrustata, *Vest*
irrigua, *Bieb.*
juniperifolia, *Adams*
lingulata, *Bell.*
longifolia, *Lapeyr.*
luteo-viridis, *Schott* et *Kotschy*
macrostigma, *Franch.*, var. longipes
Maweana, *Baker*
Mertensiana, *Bong.*
micrantha, *Edgew.*
— var. corymbiflora, *Engl.* et *Irmscher*
mutata, *Linn.*
nivalis, *Linn.*
obscura, *Gren.* et *Godr.*
oranensis, *Munby*
paradoxa ×, *Sternb.*
pedatifida, *Ehrh.*
pedemontana, *All.*
— f. aromatica, *Niven*
— f. cervicornis (*Viv.*)
pensylvanica, *Linn.*
pentadactylis, *Lapeyr.*
perdurans, *Kit.*
Petraschii ×, *Suend.*
porophylla, *Bertol.*
pseudo-sancta, *Janka*
reflexa, *Hook.*
rotundifolia, *Linn.*, f. glandulosa (*Griseb.*)
— f. hirsuta
sancta, *Griseb.*
sarmentosa, *Linn.*
squarrosa, *Sieber*
Stansfieldii ×
transsilvanica, *Fuss*

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*

turfosa, *Engl.* et *Irmscher*
umbrosa, *Linn.*
— f. primuloides
Veitchiana, *Balf. f.*
vochinensis ×, *Gusm.*
yunnanensis, *Franch.*
Zelebori, *Schott*

Tiarella

polyphylla, *D. Don*
trifoliata, *Linn.*

SCITAMINEAE.

Alpinia

calcarata, *Rosc.*
malaccensis, *Rosc.*
mutica, *Roxb.*
Sanderae, *Hort. Sand.*

Burbidgea

nitida, *Hook. f.*

Canna

angustifolia, *Linn.*
indica, *Linn.*

Cautleya

lutea, *Royle*

Costus

discolor, *Rosc.*
igneus, *N. E. Br.*

Globba

alba, *Hort.* (bulbil)
strobilifera, *Zoll.* (bulbil)

Hedychium

Horsfieldii, *R. Br.*

Maranta

noctiflora, *Regel* et *Koernicke*

Roscoea

alpina, *Royle*
auriculata, *K. Schum.*
cautleoides, *Gagnep.*
intermedia, *Gagnep.*
purpurea, *Sm.*

SCROPHULARINEAE.

Alonsoa

acutifolia, *Ruiz* et *Pav.*

Antirrhinum

Asarina, *Linn.*
glutinosum, *Boiss.*
majus, *Linn.*
sempervirens, *Lapeyr.*

Calceolaria

fuchsiaefolia, *Hort.*
integrifolia, *Murr.*
plantaginea, *Sm.*
scabiosifolia, *Sims*
Sinclairii, *Hook.*

Celsia

brevipedicellata, *Engl.*

Collinsia

bicolor, *Benth.*

Dermatobotrys

Saundersii, *Bolus*

Digitalis

ambigua, *Murr.*
lutea, *Linn.*
obscura, *Linn.*
purpurea, *Linn.*

Erinus

alpinus, *Linn.*
— var. carmineus
— var. hirsutus

Hemiphragma

heterophyllum, *Wall.*

Limosella

aquatica, *Linn.*
— var. tenuifolia

Linaria

alpina, *Mill.*
anticaria, *Boiss.* et *Reut.*
Cymbalaria, *Mill.*
italica, *Trevir.*
macedonica, *Griseb.*
parviflora, *Desf.*
pilosa, *DC.*
purpurea, *Linn.*
repens, *Mill.*
— var. atropurpurea
Rodriguezii, *Porta*
supina, *Desf.*
triornithophora, *Willd.*
tristis, *Mill.*
yunnanensis, *W. W. Sm.*

Lindenbergia

urticaefolia, *Lehm.*

Maurandia

erubescens, *A. Gray*
scandens, *A. Gray*
— var. coccinea

Mimulus

cardinalis, *Dougl.*
glutinosus, *Wendl.*
— var. puniceus
Langsdorfii, *Donn*
Lewisii, *Pursh*
luteus, *Linn.*
primuloides, *Benth.*
ringens, *Linn.*

Ourisia

macrocarpa, *Hook. f.*
macrophylla, *Hook.*

Paederota

Churchillii, *Huter*

SCROPHULARINEAE—*continued.*

Pentstemon

arizonicus, *Heller*
barbatus, *Roth*
breviflorus, *Lindl.*
campanulatus, *Willd.*
confertus, *Dougl.*
— var. coeruleo-purpureus
cristatus, *Fras.*
Davidsonii, *Greene*
deustus, *Dougl.*
glaber, *Pursh*, var. alpinus
— var. cyananthus
glaucus, *R. Grah.*
gracilis, *Nutt.*
grandiflorus, *Fras.*
Hallii, *A. Gray*
humilis, *Nutt.*
imberbis, *Trautv.*
laevigatus, *Ait.*
Menziesii, *Hook.*, var. Douglasii
— var. Newberryi
— var. Scouleri
Palmeri, *A. Gray*
pubescens, *Soland.*
Richardsonii, *Dougl.*
spectabilis, *Thurb.*
stenosepalus, *Howell*
virgatus, *A. Gray*

Phygelius

capensis, *E. Mey.*

Rhodochiton

volubile, *Zucc.*

Scrophularia

alata, *Gilib.*
alpestris, *J. Gay*
auriculata, *Linn.*
nodosa, *Linn.*
pyrenaica, *Benth.*
Scorodonia, *Linn.*

Sibthorpia

africana, *Linn.*
europaea, *Linn.*, var. variegata

SCROPHULARINEAE—*continued.*

Synthyris

reniformis, *Benth.*, var. cordata (*Greene*)

Tetranema

mexicanum, *Benth.*

Torenia

cordifolia, *Roxb.*

Uroskinnera

spectabilis, *Lindl.*

Verbascum

Lychnitis, *Linn.*
phoeniceum, *Linn.*
pyramidatum, *Bieb.*

Veronica

Allionii, *Vill.*
alpina, *Linn.*
anomala, *Armstr.*
aphylla, *Linn.*
arborea, *J. Buch.*
austriaca, *Linn.*
— var. dentata
— var. multifida
— var. pinnatifida
— var. prenja
Bidwillii, *Hook.*
Buchanani, *Hook. f.*
buxifolia, *Benth.*
carnosula, *Hook. f.*
catarractae, *Forst. f.*
— var. compacta
chathamica, *J. Buch.*
Colensoi, *Hook. f.*
— var. glauca
corymbosa, *Hort.*, var. variegata
crassifolia, *Zeyh.*, var. alba
cuneifolia, *D. Don*
cupressoides, *Hook. f.*, var. variabilis
decumbens, *Armstr.*

SCROPHULARINEAE—*continued.*

Veronica—*continued.*

decussata, *Moench*
Dorrien-Smithii, *Cockayne*
Eastonii, *Hort.*
Fairfieldii ×, *Hort. Martin*
filifolia, *Lipsky*
Forrestii, *Diels*
gentianoides, *Vahl*
glaucophylla, *Cockayne*
grandis, *Fisch.*
Guthrieana ×, *Hort.*
Hookeriana, *Walp.*
Hulkeana, *F. Muell.*
ignobilis, *Less.*
imperialis, *Hort.*
incana, *Linn.*
laevis, *Benth.*
latifolia, *Linn.*
Lavaudiana, *Raoul*
longifolia, *Linn.*
— var. alba
— var. subsessilis
Lyallii, *Hook. f.*
Matthewsii, *Cheeseman*
monticola, *Armstr.*
multifida, *Linn.*
nivalis, *Hort.*
obovata, *T. Kirk*
parviflora, *Vahl*, var. angustifolia, *Hook. f.*
peduncularis, *Bieb.*
peregrina, *Linn.*
pimeleoides, *Hook. f.*
— var. glauco-caerulea
pinguifolia, *Hook. f.*
— var. decumbens
pinnata, *Linn.*
praecox, *All.*
prostrata, *Linn.*, var. alba
pseudo-Traversii, *Cockayne*
rakaiensis, *Armstr.*
salicifolia, *Forst. f.*
saxatilis, *Scop.*
— var. alba
spicata, *Linn.*
— var. rosea
spuria, *Linn.*
Teucrium, *Linn.*
Tournefortii, *C. C. Gmel.*
Traversii, *Hook. f.*

ROPHULARINEAE—*continued.*

Veronica—*continued.*

vernicosa, *Hook. f.*
— var. canterburiensis
virginica, *Linn.*
Wardiensis ×

Wulfenia

Amherstiana, *Benth.*
carinthiaca, *Jacq.*

SELAGINEAE.

Globularia

lindavica, *Hort.*
spinosa, *Linn.*
trichosantha, *Fisch.* et *Mey.*

Hebenstretia

comosa, *Hochst.*

Lagotis

brachystachya, *Linn.*

Selago

corymbosa, *Linn.*

SIMARUBEAE.

Cneorum

tricoccon, *Linn.*

Picramnia

polyantha, *Planch.*

SOLANACEAE.

Atropa

Belladonna, *Linn.*

Browallia

speciosa, *Hook. f.*
— var. major

Brunfelsia

americana, *Linn.*

SOLANACEAE—*continued.*

Capsicum

annuum, *Linn.*
microcarpum, *Cav.*

Cestrum

Newellii, *Veitch*
Smithii, *Hort. Bull.*

Cyphomandra

betacea, *Sendt.*

Datura

Stramonium, *Linn.*

Hyoscyamus

niger, *Linn.*

Lycium

horridum, *Phil.*

Lycopersicum

esculentum, *Mill.*

Nicandra

physaloides, *Gaertn.*

Nicotiana

glauca, *R. Grah.*
Sanderae ×, *Hort.*
Tabacum, *Linn.*

Nierembergia

frutescens, *Dur.*

Physalis

Alkekengi, *Linn.*
minima, *Linn.*
peruviana, *Linn.*

Schizanthus

pinnatus, *Ruiz* et *Pav.*
— var. grandiflorus

Scopolia

lurida, *Dun.*

SOLANACEAE—*continued.*

Solanum

aculeatissimum, *Jacq.*
auriculatum, *Ait.*
aviculare, *Forst. f.*
crispum, *Ruiz* et *Pav.*
jasminoides, *Paxt.*
Seaforthianum, *Andr.*

STERCULIACEAE.

Buettneria

urticifolia, *K. Schum.*

Hermannia

hyssopifolia, *Linn.*

Thomasia

solanacea, *Benth.* et *Hook.*

STYLIDIEAE.

Oreostylidium

subulatum, *Berggr.*

Stylidium

adnatum, *R. Br.*
articulatum, *R. Br.*

STYRACEAE.

Styrax

Wilsonii, *Rehder*

TACCACEAE.

Tacca

artocarpifolia, *Seem.*
cristata, *Jack*
integrifolia, *Ker-Gawl.*
viridis, *Hemsl.*

TAMARISCINEAE.

Myricaria

germanica, *Desv.*

TERNSTROEMIACEAE.

Camellia

cuspidata, *Hort. Veitch*
Thea, *Link*

THYMELAEACEAE.

Daphne

Cneorum, *Linn.*
retusa, *Hemsl.*

Pimelea

ligustrina, *Labill.*
Traversii, *Hook. f.*

TILIACEAE.

Corchorus

pilolobus, *Link*

Elaeocarpus

cyaneus, *Sims.*

Triumfetta

rhomboidea, *Jacq.*

TYPHACEAE.

Sparganium

ramosum, *Curt.*

Typha

latifolia, *Linn.*
Laxmanni, *Lepech.*
Shuttleworthii, *Koch* et *Send.*

UMBELLIFERAE.

Angelica

sylvestris, *Linn.*

Annesorhiza

elata, *Eckl.* et *Zeyh.*

UMBELLIFERAE—*continued.*

Astrantia

carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*
pauciflora, *Bertol.*

Astrodaucus

orientalis, *Drude*

Athamanta

cretensis, *Linn.*
sicula, *Linn.*
vestina, *A. Kern.*

Azorella

pedunculata, *Willd.*

Bupleurum

ranunculoides, *Linn.*

Carum

alpinum, *Benth.* et *Hook. f.*

Chaerophyllum

aromaticum, *Linn.*

Cuminum

Cyminum, *Linn.*

Daucus

Carota, *Linn.*

Eryngium

agavifolium, *Griseb.*
alpinum, *Linn.*
campestre, *Linn.*
dichotomum, *Desf.*
eburneum, *Decne.*
grande, *Hemsl.* et *Rose*
planum, *Linn.*
prostratum, *Nutt.*
Serra, *Cham.* et *Schlecht.*
Wrightii, *A. Gray*
yuccaefolium, *Michx.*

Falcaria

vulgaris, *Dernh.*

UMBELLIFERAE—*continued.*

Ferula
orientalis, *Linn.*

Foeniculum
giganteum, *Hort.*
vulgare, *Mill.*

Heracleum
asperum, *Bieb.*
lanatum, *Michx.*
sibiricum, *Linn.*, var. angustifolium
villosum, *Fisch.*

Hydrocotyle
asiatica, *Linn.*
moschata, *Forst.*

Laserpitium
gallicum, *Linn.*
Siler, *Linn.*

Levisticum
officinale, *Koch*

Ligusticum
acutilobum, *Sieb.* et *Zucc.*
involucratum, *Franch.*

Lophosciadium
meifolium, *DC.*

Meum
athamanticum, *Jacq.*

Molopospermum
cicutarium, *DC.*

Myrrhis
odorata, *Scop.*

Oenanthe
crocata, *Linn.*
Lachenalii, *C. C. Gmel.*
silaifolia, *Bieb.*

UMBELLIFERAE—*continued.*

Opopanax
Chironium, *Koch*

Peucedanum
angustifolium, *Reichb. f.*
coriaceum, *Reichb.*
Ostruthium, *Koch*

Pimpinella
magna, *Linn.*, var. rosea

Pleurospermum
apiolens, *C. B. Clarke*

Sanicula
europaea, *Linn.*
marilandica, *Linn.*

Selinum
pyrenaeum, *Gouan*
tenuifolium, *Wall.*
— var. album

Seseli
caespitosum, *Sibth.* et *Sm.*

Silaus
tenuifolius, *DC.*

Siler
trilobum, *Crantz*

Xanthosia
rotundifolia, *DC.*

URTICACEAE.

Artocarpus
laciniata, *Hort.*

Boehmeria
biloba, *Miq.*
platyphylla, *D. Don*

URTICACEAE—*continued.*

Debregeasia
velutina, *Gaudich.*

Dorstenia
Drakena, *Linn.*
urceolata, *Schott*
yambuyaensis, *De Willd.*

Ficus
Carica, *Linn.*
diversifolia, *Blume*
pyriformis, *Hook.* et *Arn.*

Laportea
moroides, *Wedd.*

Parietaria
officinalis, *Linn.*

Pellionia
Daveauana, *N. E. Br.*
pulchra, *N. E. Br.*

Pilea
grandis, *Wedd.*
muscosa, *Lindl.*
Spruceana, *Wedd.*

Procris
frutescens, *Blume*

VACCINIACEAE.

Cavendishia
acuminata, *Benth.*

Vaccinium
erythrinum, *Hook.*
Myrtillus, *Linn.*
padifolium, *Sm.*

VALERIANEAE.

Centranthus
longiflorus, *Stev.*
ruber, *DC.*

Nardostachys
grandiflora, *DC.*
Jatamansi, *DC.*

Valeriana
alliariaefolia, *Vahl*
oligantha, *Boiss.* et *Heldr.*
Phu, *Linn.*, var. aurea
tripteris, *Linn.*

VERBENACEAE.

Amasonia
calycina, *Hook. f.*

Callicarpa
purpurea, *Juss.*

Clerodendron
fallax, *Lindl.*
infortunatum, *Gaertn.*
splendens, *G. Don*
Thomsonae, *Balf.*
— var. variegatum

Duranta
Plumieri, *Jacq.*

Gmelina
Hystrix, *Schult.*

Lantana
Camara, *Linn.*

Lippia
nodiflora, *Michx.*

Stachytarpheta
indica, *Vahl*

VIOLARIEAE.

Hymenanthera

crassifolia, *Hook. f.*
dentata, *R. Br.*
— var. angustifolia

Viola

canina, *Linn.*
— var. alba
— var. rosea
cognata, *Greene*

VIOLARIEAE—*continued.*

Viola—*continued.*

cornuta, *Linn.*
— var. alba
elatior, *Fries*
gracilis, *Sibth.* et *Sm.*
odorata, *Linn.*, var. sulfurea (*Cariot*)
Patrinii, *Ging.*
stagnina, *Kit.*
sylvestris, *Lam.*
tricolor, *Linn.*
— var. atlantica

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
By NEILL & Co., LTD., 212 Causewayside, Edinburgh.

FOR OFFICIAL USE

NOTES

FROM THE

ROYAL BOTANIC GARDEN, EDINBURGH.

DECEMBER 1920.

CONTENTS.

PAGE

List of Seeds collected in the Royal Botanic Garden, Edinburgh, during the year 1920:—

Genera in alphabetical order—

Plants in the Open i

Plants under Glass liv

Genera in Natural Orders lxxvi

EDINBURGH:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

SOLD AT THE GARDEN,
And to be purchased, either directly or through any Bookseller, from
H.M. STATIONERY OFFICE (SCOTTISH BRANCH),
23 FORTH STREET, EDINBURGH.

[Price 3s. 9d. Net.] [Crown Copyright Reserved.]

MISSOURI BOTANICAL GARDEN RECEIVED FEB 4 1921 GARDEN LIBRARY

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1920.

THE following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1920. The quantity of seed obtained from some of the species is of limited amount, and in many cases has been entirely absorbed for sowing in the Garden. Of these, therefore, none can be distributed, otherwise the seeds are available for exchange, but they are not for sale :—

GENERA IN ALPHABETICAL ORDER.

PLANTS IN THE OPEN.

Abelia

triflora, *R. Br.*

Abronia

umbellata, *Lam.*

Acaena

cylindristachya, *Ruiz et Par.*
glabra, *J. Buch.*
inermis, *Hook. f.*
laevigata, *Ait.*
microphylla, *Hook. f.*
— var. glauca.
Novae-Zelandiae, *T. Kirk*
Sanguisorbae, *Vahl*
splendens, *Hook. et Arn.*

Acantholimon

acerosum, *Boiss.*
glumaceum, *Boiss.*
venustum, *Boiss.*

Acanthopanax

leucorrhizus, *Harms*, var. fulvescens
— var. scaberulus

Acanthus

niger, *Mill.*
Schottii, *Hort.*

Acer

campestre, *Linn.*
circinnatum, *Pursh*
Heldreichii, *Boiss. et Heldr.*
monspessulanum, *Linn.*
opulifolium, *Vill.*, var. obtusatum.
pictum, *Thunb.*, var. rubrum
platanoides, *Linn.*
Pseudo-platanus, *Linn.*, var. albo variegatum
— var. euchlorum
— var. foliis cupreis
— var. metallicum
— var. purpureum
— var. tricolor
— var. Worlei

Achillea

ageratifolia, *Benth. et Hook.f.*
Ageratum, *Linn.*
alpina, *Linn.*
crithmifolia, *Waldst. et Kit.*
filipendulina, *Lam.*

[Notes, R.B.G., Edin., December 1920.]
Wt. 10311/S.O.P. 157—425—12/20—N. & Co., Ltd. Gp. 10.

Achillea—*continued.*

Hausmanniana ×, *Suend.*
Huteri ×, *Sendt.*
Jaborneggii ×, *Halacsy*
Lereschei, *Sch. Bip.*
lingulata, *Waldst. et Kit.*
macedonica, *Rouy*
macrophylla, *Linn.*
nobilis, *Linn.*
Obristii ×, *Suend.*
pedemontana, *Vacc. et Wilcz.*
Ptarmica, *Linn.*
setacea, *Waldst. et Kit.*
sibirica, *Ledeb.*
spinulifolia, *Fenzl*
taygetea, *Boiss. et Heldr.*
tomentosa, *Linn.*
umbellata, *Sibth. et Sm.*, var. major.

Aciphylla

squarrosa, *Forst.*

Aconitum

Anthora, *Linn.*
brevicalcaratum, *Diels*
ferox, *Wall.*
Fischeri, *Reichb.*
Forrestii, *Stapf*
Kusnezoffii, *Reichb.*
Lycoctonum, *Linn.*
— var. album.
— var. pyrenaicum
Napellus, *Linn.*
— var. album
paniculatum, *Lam.*
reclinatum, *A. Gray*
transsectum, *Diels*
variegatum, *Linn.*, var. longigaleatum
volubile, *Koelle*, var. latisectum
Wilsonii, *Hort. Veitch.*

Actaea

alba, *Mill.*
eburnea, *Rydb.*
spicata, *Linn.*
— var. arguta

Actinomeris

helianthoides, *Nutt.*

Adenocarpus

intermedius, *DC.*

Adenophora

Bulleyana, *Diels*
latifolia, *Fisch.*
liliifolia, *Bess.*
polymorpha, *Ledeb.*

Adenostyles

albida, *Cass.*
alpina, *Kern.*

Adonis

aestivalis, *Linn.*

Aegopodium

Podagraria, *Linn.*

Aesculus

carnea, *Willd.*
glabra, *Willd.*
Hippocastanum, *Linn.*

Aethionema

cordatum, *Boiss.*
creticum, *Boiss. et Heldr.*
flavum, *Siehe*
grandiflorum, *Boiss. et Hohen.*
Kotschyanum, *Hort. Suend.*
pulchellum, *Boiss. et Huet*
schistosum, *Boiss. et Kotschy*
stylosum, *DC.*

Agathaea

coelestis, *Cass.*

Agrimonia

agrimonoides, *Linn.*
Eupatoria, *Linn.*
odorata, *Mill.*

Agropyron

scabrum, *Beauv.*

Agrostis

vulgaris, *With.*

Ainsliaea

acerifolia, *Sch. Bip.*

Ajuga

reptans, *Linn.*, var. variegata

Alchemilla

alpina, *Linn.*
chirophylla, *Buser*
hirsuta, *H. B. et K.*
splendens, *Christ*
vulgaris, *Linn.*

Alisma

Plantago, *Linn.*

Alkanna

lutea, *A. DC.*
orientalis, *Boiss.*

Allium

ascalonicum, *Linn.*
Aschersonianum, *Barbey*
Beesianum, *W. W. Sm.*
cardiostemon, *Fisch. et Mey.*
cernuum, *Roth*
chrysanthum, *Regel*
cyaneum, *Regel*
— var. macrostemma
fallax, *Schult. f.*
fistulosum, *Linn.*
hirtifolium, *Boiss.*
Huteri, *Hort. Suend.*
kansuense, *Regel*
macranthum, *Baker*
montanum, *F. W. Schmidt*
narcissiflorum, *Vill.*
Nevii, *S. Wats.*
Ostrowskianum, *Regel*
Purdomii, *W. W. Sm.*
sikkimense, *Baker*

Allium—*continued.*

urceolatum, *Regel*
Wallichianum, *Steud.*
yunnanense, *Diels*

Alnus

alnobetula, *Hartig*
cordifolia, *Tenore*
glutinosa, *Medic.*
— var. laciniata
— var. rubrinervia
incana, *Moench*
— var. aurea
— var. emarginata
— var. glauca, *Regel*
— var. hirsuta
— var. orbicularis
japonica, *Sieb. et Zucc.*
lanata, *Duthie*
maritima, *Nutt.*
oregona, *Nutt.*
rhombifolia, *Nutt.*
sitchensis, *Sarg.*
tenuifolia, *Nutt.*
viridis, *DC.*

Alopecurus

pratensis, *Linn.*

Alstroemeria

aurantiaca, *D. Don*
Hookeriana, *C. Gay*
revoluta, *Ruiz et Pav.*

Althaea

Frolòviana, *Fisch.*
hirsuta, *Linn.*
officinalis, *Linn.*

Alyssum

argenteum, *Vitm.*
floribundum, *Boiss.*
gemonense, *Linn.*
halimifolium, *Willd.*
Lagascae, *Janka*
leucadeum, *Guss.*
longicaule, *Boiss.*
minimum, *Willd.*
montanum, *Linn.*

Alyssum—*continued.*
saxatile, *Linn.*
serpyllifolium, *Desf.*, var. granatense
spinosum, *Linn.*

Amaranthus
caudatus, *Linn.*

Ambrosia
trifida, *Linn.*

Amelanchier
oligocarpa, *Roem.*
vulgaris, *Moench*, var. rotundifolia

Ammobium
alatum, *R. Br.*

Anacyclus
formosus, *Fenzl*

Anagallis
arvensis, *Linn.*
— var. phoenicea
linifolia, *Linn.*, var. Philipsii

Anaphalis
cinnomomea, *C. B. Clarke*
japonica, *Maxim.*
margaritacea, *Benth. et Hook. f.*
triplinervis, *Sims*
yedoensis, *Maxim.*

Anchusa
officinalis, *Linn.*
sempervirens, *Linn.*

Androsace
alpina, *Lam.*
chumbyi ×, *Hort.*
ciliata, *DC.*
coccinea, *Franch.*
lanuginosa, *Wall.*
— var. Leichtlini
occidentalis, *Pursh*

Androsace—*continued.*
sarmentosa, *Wall.*
tibetica, *Knuth*
villosa, *Linn.*

Andryala
ragusina, *Linn.*

Anemone
alpina, *Linn.*
cylindrica, *A. Gray*
demissa, *Hook. f. et Thoms.*
dichotoma, *Linn.*
japonica, *Sieb. et Zucc.*
magellanica, *Jancz.*
multifida, *Poir.*
— var. Hudsoniana
narcissiflora, *Linn.*
rivularis, *Buch.-Ham.*
rupicola, *Camb.*
sulphurea, *Linn.*
sylvestris, *Linn.*, var. major
vitifolia, *Buch.-Ham.*
— var. tomentosa

Antennaria
decipiens, *Greene*
dioica, *Gaertn.*
— var. parvifolia
— var. tomentosa
imbricata, *E. Nelson*, var. rosea
magellanica, *Sch. Bip.*
neodioica, *Greene*

Anthemis
canescens, *Brot.*
cinerea, *Panč.*
Kotschyana, *Boiss.*
macedonica, *Boiss.*
santolinoides, *Munby*
transsylvanica, *Hort.*

Anthericum
Liliago, *Linn.*

Anthoxanthum
odoratum, *Linn.*

Anthriscus

Cerefolium, *Hoffm.*

Anthyllis

Jacquini, *A. Kern.*
montana, *Linn.*
— var. atrorubens
Vulneraria, *Linn.*, var. Webbiana (*Hook.*)

Antirrhinum

Asarina, *Linn.*
glutinosum, *Boiss.*
majus, *Linn.*
sempervirens, *Lapeyr.*

Aphyllanthes

monspeliensis, *Linn.*

Aplopappus

croceus, *A. Gray*
suffruticosus, *A. Gray*

Aponogeton

distachyum, *Thunb.*

Aquilegia

Bertolonii, *Schott*
caerulea, *James*
formosa, *Fisch.*
olympica, *Boiss.*
Ottonis, *Orph.*
pubiflora, *Wall.*
Skinneri, *Hook.*
viridiflora, *Pall.*
viscosa, *Hort. Suend.*
vulgaris, *Linn.*, var. atrata
— var. Haenkeana

Arabis

albida, *Stev.*
— var. rosea
alpina, *Linn.*
— var. crispata
aubrietioides, *Boiss.*
brassicaeformis, *Wallr.*
Breweri, *S. Wats.*
Holboelii, *Hornem.*

Arabis—*continued.*

microphylla, *Nutt.*
muralis, *Bertol.*, var. rosea
petraea, *Lam.*
rhaetica, *Bruegg.*
Scopoliana, *Boiss.*
stricta, *Huds.*

Aralia

cachemirica, *Decne.*
californica, *S. Wats.*

Arbutus

Menziesii, *Pursh*

Arctium

minus, *Bernh.*
nemorosum, *Lejeune*

Arctotis

reptans, *Jacq.*
stoechadifolia, *Berg.*

Arenaria

banatica, *Heuff.*
bavarica, *Pall.*
Bertolonii, *Fiori et Paol.*
biflora, *Linn.*
caespitosa, *Phil.*
capillaris, *Poir.*
capitata, *Lam.*
confusa, *Rydb.*
decussata, *Willd.*
Fendleri, *A. Gray*
foliosa, *Royle*
frigida, *Rupr.*
gothica, *Fries*
gracilis, *Kit.*
graminifolia, *Schrad.*
grandiflora, *Linn.*
gypsophiloides, *Linn.*
juniperina, *Linn.*
Kingii, *M. E. Jones*
lanceolata, *All.*
laricifolia, *Linn.*
leptoclados, *Boiss.*
montana, *Linn.*, var. grandiflora.
pinifolia, *Bieb.*

Arenaria—*continued.*

purpurascens, *Ramond*
sajanensis, *Willd.*
saxatilis, *Linn.*
setacea, *Thuill.*, var. erythrosepala.
striata, *Vill.*
stricta, *Michx.*
tmolea, *Boiss.*, var. Kotschyana.
trinervia, *Linn.*, var. plantaginea, *Mert. et Koch*
verna, *Linn.*, var. caespitosa (*Ehrh.*)
Villarsii, *Balb.*, var. villosula

Arisaema

japonicum, *Blume*

Aristolochia

heterophylla, *Hemsl.*

Armeria

Adamovici, *Hort.*
alpina, *Willd.*
— var. alba
— var. nana
caespitosa, *Boiss.*
canescens, *Boiss.*
dianthifolia, *Hort.*
elongata, *Hoffm.*
fasciculata, *Willd.*
japonica, *Hort.*
juncea, *Girard*
latifolia, *Willd.*, var. bracteata
leucocephala, *Koch*
longearistata, *Boiss. et Reut.*
maritima, *Willd.*
— var. Laucheana
olympica, *Hort.*
pinifolia, *Hoffmgg. et Link*
plantaginea, *Willd.*
sibirica, *Turcz.*
Welwitschii, *Boiss.*

Arnica

alpina, *Olin et Ladau*
Chamissonis, *Less.*
montana, *Linn.*

Arnica—*continued.*

sachalinensis, *A. Gray*
unalaschkensis, *Less.*

Arrhenatherum

avenaceum, *Beauv.*

Artemisia

argentea, *L'Hérit.*
canadensis, *Michx.*
glomerata, *Ledeb.*
hololeuca, *Bieb.*
lanata, *Willd.*
maritima, *Linn.*
Moorcroftiana, *Wall.*
nitida, *Bertol.*
pontica, *Linn.*
sacrorum, *Ledeb.*
sericea, *Weber*
spicata, *Wulf.*
splendens, *Willd.*
suffruticosa, *Hort.*
tridentata, *Nutt.*
vulgaris, *Linn.*

Arum

italicum, *Mill.*

Asperella

Hystrix, *Humb.*

Asperula

aristata, *Linn.*
azurea, *Jaub. et Spach.*, var. setosa
ciliata, *Rochel*
cynanchica, *Linn.*
hexaphylla, *All.*
humifusa, *Bess.*
laevigata, *Linn.*
orientalis, *Boiss. et Hohen.*

Asphodeline

lutea, *Reichb.*

Asphodelus

albus, *Willd.*

Aster

acris, *Linn.*
alpinus, *Linn.*, var. albus
— var. Garibaldii
Amellus, *Linn.*, var. amelloides (*Hoffm.*)
— var. bessarabicus (*Bernh.*)
amethystinus, *Nutt.*
Andersoni, *A. Gray*
Arcturus, *Hort.*
Bigelovii, *A. Gray*
brachytrichus, *Franch.*
canus, *Waldst. et Kit.*
conspicuus, *Lindl.*
cordifolius, *Linn.*, var. elegans
corymbosus, *Ait.*
Curtisii, *Torr. et Gray*
dahuricus, *Benth.*
Delavayi, *Franch.*
diplostephioides, *Benth. et Hook. f.*
Douglasii, *Lindl.*
dumosus, *Linn.*
Farreri, *W. W. Sm.*
fastigiatus, *Fisch.*
floribundus, *Nutt.*
foliaceus, *Lindl.*
frutescens, *S. Wats.*
Harrowianus, *Diels*
Hauptii, *Ledeb.*
himalaicus, *C. B. Clarke*
junceus, *Ait.*
linariifolius, *Linn.*
Linosyris, *Bernh.*
Lipskyi, *Hort.*
longifolius, *Lam.*
macrophyllus, *Linn.*
micranthus, *Léveillé et Vaniot*
Novae-Angliae, *Linn.*
oreophilus, *Franch.*
paniculatus, *Lam.*
patens, *Ait.*
polyphyllus, *Willd.*
prenanthoides, *Muhl.*
puniceus, *Linn.*, var. lucidulus
Purdomii, *W. W. Sm.*
pyrenaeus, *DC.*
ramulosus, *Hort.*
rivularis, *Cass.*
salicifolius, *Ait.*

Aster—*continued.*

sibiricus, *Linn.*
sikkimensis, *Hook. f. et Thoms.*
spectabilis, *Ait.*
staticifolius, *Franch.*
subcaeruleus, *S. Moore*
Thomsoni, *C. B. Clarke*
Tradescanti, *Linn.*
umbellatus, *Mill.*
Vahlii, *Hook. et Arn.*
vestitus, *Franch.*
yunnanensis, *Franch.*

Astilbe

Davidii, *Henry*, var. rosea
japonica, *A. Gray*
simplicifolia, *Makino*
Thunbergii, *Miq.*

Astragalus

alopecuroides, *Linn.*
alpinus, *Linn.*
armeniacus, *Boiss.*
asper, *Jacq.*
chlorostachys, *Lindl.*
Cooperi, *A. Gray*
danicus, *Retz.*
— var. albus
exscapus, *Linn.*
falcatus, *Lam.*
frigidus, *A. Gray*
Glycyphyllos, *Linn.*
Gremlii, *Burnat*
gummifer, *Labill.*
Onobrychis, *Linn.*
penduliflorus, *Lam.*
pentaglottis, *Linn.*
podocarpus, *C. A. Mey.*
ponticus, *Pall.*
Poterium, *Vahl*
purpureus, *Lam.*
Robbinsii, *A. Gray*
Roemeri, *Simonkai*
sirinicus, *Tenore*
sulcatus, *Linn.*
utriger, *Pall.*
vaginatus, *Pall.*
verus, *Olivier*
Wulfeni, *Koch*

Astrantia

carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*
— var. intermedia
pauciflora, *Bertol.*

Atraphaxis

Billardieri, *Jaub. et Spach*
lanceolata, *Bunge*

Atriplex

confertifolia, *S. Wats.*
hortensis, *Linn.*, var. rubra

Atropa

Belladonna, *Linn.*

Aubrietia

Columnae, *Guss.*
croatica, *Schott, Nym. et Kotschy*
deltoidea, *DC.*, var. Campbellii
— var. cilicica
— var. lutea variegata
— var. Perkinsii
— var. Richardi
erubescens, *Griseb.*

Avena

aspera, *Munro*
bromoides, *Gouan*
sativa, *Linn.*
sempervirens, *Vill.*

Baccharis

patagonica, *Hook. et Arn.*

Baldwinia

multiflora, *Nutt.*

Ballota

africana, *Benth.*
hirsuta, *Benth.*
nigra, *Linn.*
spinosa, *Link*

Bellium

bellidioides, *Linn.*

Berberis

aemulans, *Schneider*
aggregata, *Schneider*, var. Prattii
amurensis, *Rupr.*
angulosa, *Wall.*
Aquifolium, *Pursh*
aristata, *DC.*
brachypoda, *Maxim.*
brevipaniculata, *Schneider*
Coryi, *Hort.*
Darwinii, *Hook.*
Gagnepaini, *Schneider*
Guimpellii, *C. Koch*
polyantha, *Hemsl.*
repens, *Lindl.*
stenophylla, *Hance*
subcaulialata, *Schneider*
virescens, *Hook. f.*
vulgaris, *Linn.*

Berkheya

purpurea, *Benth. et Hook. f.*

Beta

vulgaris, *Linn.*

Betula

alba, *Linn.*
— var. pendula
— var. populifolia
— var. pubescens
Andrewsii, *A. Nelson*
Ermani, *Cham.*
fruticosa, *Pall.*
humilis, *Schrank*
japonica, *Siebold*, var. mandshurica
— var. szechuanica
lutea, *Michx.*
Medwediewi, *Regel*
nana, *Linn.*
papyrifera, *Marsh.*
populifolia, *Marsh.*
ulmifolia, *Sieb. et Zucc.*

Betula—*continued.*
utilis, *D. Don*, var. glandulifera
— var. Prattii

Bidens
dahlioides, *S. Wats.*
pilosa, *Linn.*

Biscutella
laevigata, *Linn.*

Blumenbachia
Hieronymi, *Urb.*

Bocconia
cordata, *Willd.*
microcarpa, *Maxim.*

Boltonia
asteroides, *L'Hérit.*

Borago
officinalis, *Linn.*

Boykinia
major, *Gray*
occidentalis, *Torr. et Gray*

Brachycome
iberidifolia, *Benth.*
Sinclairii, *Hook. f.*

Brachypodium
distachyum, *Beauv.*
ramosum, *Roem. et Schult.*
sylvaticum, *Beauv.*

Brassica
alba, *Boiss.*
campestris, *Linn.*, var. chinensis (*Linn.*)
juncea, *Coss.*
oleracea, *Linn.*

Braya
alpina, *Sternb. et Hoppe*

Briza
maxima, *Linn.*
minor, *Linn.*

Brodiaea
lactea, *S. Wats.*

Bruckenthalia
spiculifolia, *Reichb.*

Bryanthus
empetriformis, *A. Gray*
— var. Drummondi
erectus ×, *Lindl. et Paxt.*
taxifolius, *A. Gray*

Buddleia
albiflora, *Hemsl.*
Davidi, *Franch.*, var. superba
Forrestii, *Diels*
Hemsleyana, *Koehne*
intermedia, *Carr.*
macrostachya, *Benth.*
stenostachya, *Rehd. et Wils.*
variabilis, *Hemsl.*
— var. Veitchiana

Bulbine
alooides, *Willd.*

Bulbinella
Hookeri, *Benth. et Hook. f.*

Bunias
Erucago, *Linn.*

Buphthalmum
salicifolium, *Linn.*
speciosum, *Schreb.*

Bupleurum
Candollii, *Wall.*
fruticosum, *Linn.*
longicaule, *Wall.*
ranunculoides, *Linn.*

Butomus
umbellatus, *Linn.*

Buxus

microphylla, *Sieb. et Zucc.*

Cakile

maritima, *Scop.*

Calamintha

grandiflora, *Moench*
graveolens, *Benth.*
Nepeta, *Savi*
umbrosa, *Fisch. et Mey.*

Calandrinia

columbiana, *Howell*
Cotyledon, *S. Wats.*
umbellata, *DC.*

Calceolaria

pinnata, *Linn.*
plantaginea, *Sm.*
scabiosifolia, *Sims*

Callirhoe

digitata, *Nutt.*

Calluna

vulgaris, *Salisb.*
— var. alba
— — — pilosa
— — — pumila
— — — rigida
— var. Alporti
— var. aurea
— var. Hammondii
— var. tomentosa alba

Caltha

leptosepala, *DC.*
scaposa, *Hook. f.*

Campanula

acutangula, *Ler. et Lev.*
Allionii, *Vill.*
barbata, *Linn.*
— var. alba
bononiensis, *Linn.*
caespitosa, *Scop.*, var. Vensloi
carpatica, *Jacq.*
— var. pelviformis
— var. turbinata
— — — alba
— — — compacta
— — — pallida
cochlearifolia, *Hort.*
colorata, *Wall.*
elatinoides, *Moretti*
elegans, *Roem. et Schult.*
excisa, *Schleich.*
fenestrellata, *Feer*
glomerata, *Linn.*
— var. acaulis
— var. superba
haylodgensis ×, *Hort.*
Hendersoni ×, *Hort.*
incurva, *Auch.*
istriaca, *Feer*
kolenatiana, *C. A. Mey.*
latifolia, *Linn.*, var. macrantha
— — — alba
— — — lilacina
linifolia, *Scop.*
— var. hirta
macrorrhiza, *J. Gay*
Marchesettii, *Wit.*
Mayi ×, *Hort.*
Medium, *Linn.*, var. calycanthema
mirabilis, *Alboff*
patula, *Linn.*
persicifolia, *Linn.*
— var. alba
— var. grandiflora
— var. Moerheimi
pilosa, *Pall.*
pseudocarnica, *Hort. Suend.*
pulcherrima, *Hort.*
pulla, *Linn.*
pulloides, *Hort. Kew.*
punctata, *Lam.*
pusilla, *Haenke*, var. alba
pyramidalis, *Linn.*, var. alba
pyrenaica, *A. DC.*
Raddeana, *Trautv.*
Rainerii, *Perpent.*
rapunculoides, *Linn.*

Campanula—*continued.*

Rapunculus, *Linn.*
Reuteriana, *Boiss. et Bal.*
rhomboidalis, *Linn.*
rhomboidea, *Murr.*
— var. alba
rotundifolia, *Linn.*
— var. alba.
— var. arcuata
— var. Baumgartenii
— var. magnifica
salicifolia, *Hort.*
Scheuchzeri, *Vill.*, var. alba
Steveni, *Bieb.*, var. dasycarpa
Teymonsii, *Hort.*
thyrsoides, *Linn.*
— var. carnea
Trachelium, *Linn.*
versicolor, *Sibth. et Sm.*

Cannabis

sativa, *Linn.*

Capsella

Bursa-pastoris, *Medic.*

Caragana

arborescens, *Linn.*, var. cuneifolia
— var. nana
— var. pendula
Boisi, *Schneider*
frutescens, *Medic.*, var. latifolia

Carduncellus

monspeliensium, *All.*

Carduus

cernuus, *Steud.*
Kerneri ×, *Simonk.*

Carex

aquatilis, *Wahlenb.*
atrata, *Linn.*
axillaris, *Good.*
binervis, *Sm.*
Buchanani, *Berggr.*

Carex—*continued.*

canescens, *Linn.*
diandra, *Schrank*
distans, *Linn.*
divulsa, *Good.*
frigida, *All.*
glauca, *Scop.*
Grayii, *Carey*
helvola, *Blytt*
humilis, *Leyss.*
incurva, *Lightf.*
— var. erecta, *O. F. Lang*
laevigata, *Sm.*
lepidocarpa, *Tausch*
leporina, *Linn.*
— var. capitata
microptera, *Mackenzie*
muricata, *Linn.*
Oederi, *Retz.*
ornithopoda, *Willd.*
paniculata, *Linn.*
Pseudo-cyperus, *Linn.*
punctata, *Gaud.*
remota, *Linn.*
rigida, *Good.*
saxatilis, *Linn.*
sparsiflora, *Steud.*
stricta, *Good.*
vesicaria, *Linn.*, var. Grahami (*Booth*)
vulgaris, *Fries*

Carlina

acaulis, *Linn.*
vulgaris, *Linn.*

Carmichaelia

Enysii, *T. Kirk*
flagelliformis, *Colenso*
Petriei, *T. Kirk*
robusta, *T. Kirk*
subulata, *T. Kirk*

Carpinus

Betulus, *Linn.*

Carpoceras

cilicicum, *Boiss. et Kurz*

Carum
alpinum, *Benth. et Hook. f.*
Bulbocastanum, *Koch*

Cassandra
calyculata, *D. Don*

Cassinia
fulvida, *Hook. f.*
leptophylla, *R. Br.*
retorta, *A. Cunn.*
Vauvilliersii, *Hook. f.*

Cassiope
Mertensiana, *G. Don*

Catananche
bicolor, *Hort.*
caerulea, *Linn.*

Cathcartia
villosa, *Hook. f.*

Cautleya
lutea, *Royle*

Ceanothus
azureus, *Desf.*

Cedronella
cana, *Hook.*
triphylla, *Moench*

Celmisia
coriacea, *Raoul*
densiflora, *Hook. f.*
discolor, *Hook. f.*
holosericea, *Hook. f.*
Lindsayi, *Hook. f.*
longifolia, *Cass.*
Lyallii, *Hook. f.*, var. pseudo-Lyallii
Munroi, *Hook. f.*
spectabilis, *Hook. f.*
verbascifolia, *Hook. f.*
viscosa, *Hook. f.*

Celsia
cretica, *Linn. f.*

Centaurea
Cyanus, *Linn.*
cynaroides, *Link*
dealbata, *Willd.*
glastifolia, *Linn.*
gymnocarpa, *Moris et De Not.*
Janerii, *Graells*
Kerneriana, *Janka*
lutea, *Gueldenst.*
macrocephala, *Puschk.*
montana, *Linn.*
— var. ochroleuca
— var. rosea
mucronifera, *DC.*
napifolia, *Linn.*
nervosa, *Willd.*
nigra, *Linn.*
odorata, *C. Koch*
phrygia, *Linn.*
pulcherrima, *Willd.*
pulchra, *DC.*, var. major
ruthenica, *Lam.*
rutifolia, *Sibth. et Sm.*
Scabiosa, *Linn.*
— var. alba
sordida, *Willd.*
Tenoreana, *Willk.*

Centranthus
macrosiphon, *Boiss.*
ruber, *DC.*
Sibthorpii, *Heldr. et Sart.*

Cerastium
arvense, *Linn.*, var. grandiflorum
Boissieri, *Gren.*
illyricum, *Ard.*
ovatum, *Hoppe*
viride, *A. A. Heller*
vulgatum, *Linn.*

Chaenostoma
foetidum, *Benth.*

Chaerophyllum

aromaticum, *Linn.*
hirsutum, *Linn.*

Chaptalia

alsophila, *Greene*

Charieis

heterophylla, *Cass.*

Cheiranthus

Cheiri, *Linn.*

Chelidonium

Franchetianum, *Prain*
majus, *Linn.*
— var. laciniatum

Chenopodium

album, *Linn.*
Bonus-Henricus, *Linn.*
capitatum, *Aschers.*
Vulvaria, *Linn.*

Chrysanthemum

arcticum, *Linn.*
atratum, *Linn.*
caucasicum, *Pers.*
coccineum, *Willd.*
coronopifolium, *Vill.*
densum, *Steud.*
lacustre, *Brot.*
Leucanthemum, *Linn.*
maximum, *Ramond*
Parthenium, *Bernh.*
tauricum, *Hort.*
Tchihatichewii, *Hort.*
Zawadskii, *Herbich*

Chrysogonum

virginianum, *Linn.*

Chrysopis

camporum, *Greene*
villosa, *DC.*, var. foliosa
— var. Rutteri

Cichorium

Intybus, *Linn.*

Cimicifuga

americana, *Michx.*
cordifolia, *Pursh*
davurica, *Maxim.*
japonica, *Miq.*
racemosa, *Nutt.*

Cistus

Delilei ×, *Burnat*
laurifolius, *Linn.*
purpureus ×, *Lam.*

Cladothamnus

pyroliflorus, *Bong.*

Clarkia

elegans, *Dougl.*

Clematis

alpina, *Mill.*
campaniflora, *Brot.*
eriostemon, *Decne.*
Flammula, *Linn.*, var. foliis purpureis
Gouriana, *Roxb.*
heracleaefolia, *DC.*
integrifolia, *Linn.*
intermedia, *Carr.*
koreana, *Kom.*
ligusticifolia, *Nutt.*
nutans, *Royle*
ochroleuca, *Ait.*
orientalis, *Linn.*
— var. obtusiuscula
— var. tangutica, *Maxim.*
recta, *Linn.*
— var. mandschurica (Rupr.)
— var. purpurea
songorica, *Bunge*
stans, *Sieb. et Zucc.*

Clethra

alnifolia, *Linn.*, var. paniculata
canescens, *Reinw.*

Clintonia
umbellata, *Torr.*

Cneorum
tricoccon, *Linn.*

Cnicus
acaulis, *Willd.*
Bertolonii, *Bertol.*
canus, *Roth*
Carolorum, *Hook. f.*
eriophorus, *Roth*
heterophyllus, *Roth*
monspessulanus, *Roth*
pratensis, *Willd.*
rivularis, *Willd.*, var. atropurpurea
tartaricus, *Willd.*

Cobresia
pygmaea, *C. B. Clarke*

Cochlearia
glastifolia, *Linn.*

Codonopsis
Benthamii, *Hook. f. et Thoms.*
Bulleyana, *Diels et G. Forrest*
ovata, *Benth.*
silvestris, *Kom.*
subglobosa, *W. W. Sm.*

Collinsia
bicolor, *Benth.*

Collomia
coccinea, *Lehm.*
linearis, *Nutt.*

Colutea
cruenta, *Ait.*
longialata, *Koehne*

Convallaria
majalis, *Linn.*

Convolvulus
tricolor, *Linn.*

Conyza
squarrosa, *Georgi*

Coreopsis
atrosanguinea, *Hort.*
marmorata, *Hort.*
tinctoria, *Nutt.*

Corethrogyne
rigida, *A. A. Heller*

Coriaria
nepalensis, *Wall.*

Cornus
alba, *Linn.*, var. foliis tricoloribus
— var. variegata
Baileyi, *Coult. et Evans*
pubescens, *Nutt.*
sanguinea, *Linn.*

Corokia
Cotoneaster, *Raoul*
— var. fructu-luteo
virgata, *Turrill*

Coronilla
valentina, *Linn.*
varia, *Linn.*

Cortusa
Matthioli, *Linn.*

Corydalis
adunca, *Maxim.*
cheilanthifolia, *Hemsl.*
lutea, *DC.*
— var. alba
thalictrifolia, *Jameson*
Wilsonii, *N. E. Br.*

Corylus
Avellana, *Linn.*

Corynephorus
canescens, *Beauv.*

Cosmos

sulphureus, *Cav.*

Cotoneaster

acuminata, *Lindl.*
acutifolia, *Lindl.*
— var. villosula
adpressa, *Bois*
affinis, *Lindl.*
ambigua, *Rehder et Wilson*
apiculata, *Rehder et Wilson*
bacillaris, *Wall.*
bullata, *Bois*
— var. macrophylla
buxifolia, *Wall.*
congesta, *Baker*
Dammeri, *Schneider*
Dielsiana, *Pritzel*
— var. elegans
divaricata, *Rehder et Wilson*
Francheti, *Bois*
frigida, *Wall.*
horizontalis, *Decne.*
— var. perpusilla
moupinensis, *Franch.*
multiflora, *Bunge*, var. calocarpa
Nummularia, *Fisch. et Mey:*
— var. Meyeri
obscura, *Rehder et Wilson*
pannosa, *Franch.*
rugosa, *Pritzel*, var. Henryana, *C. K. Schneider*
salicifolia, *Franch.*
— var. floccosa
— var. rugosa, *Rehder et Wilson*
Simonsii, *Baker*
thymifolia, *Baker*

Cotula

squalida, *Hook. f.*

Cotyledon

atropurpurea, *Baker*
chrysantha, *Hort. Edin.*

Crambe

cordifolia, *Stev.*
maritima, *Linn.*
pinnatifida, *R. Br.*

Craspedia

uniflora, *Forst. f.*

Crataegus

acutiloba, *Sargent*
Azarolus, *Linn.*
Blanchardi, *Sargent*
canadensis, *Sargent*
Carrierei, *Vauvel*
coccinea, *Linn.*
— var. flabellata, *Britton*
— var. indentata, *Hort.*
— var. rotundifolia
Crus-galli, *Linn.*
— var. splendens
Dippeliana, *Lange*
Douglasii, *Lindl.*
durobrivensis, *Sargent*
intricata, *Lange*
flammea, *Sargent*
Heldreichii, *Boiss.*
Jackii, *Sargent*
matura, *Sargent*
mollis, *Scheele*
nigra, *Waldst. et Kit.*
Oakesiana, *Eggleston*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— var. foliis luteis
— var. fuscata, *Hort.*
— var. monogyna, *Jacq.*
— var. pendula
— var. puniceo flore pleno
— var. semperflorens
— var. stricta
— var. variegata
pentagyna, *Kit.*
Pyracantha, *Pers.*
— var. Lalandi, *Hort.*
sinaica, *Boiss.*
Slavini, *Sargent*
submollis, *Sargent*
tomentosa, *Linn.*
uniflora, *Muench.*
virella, *Ashe*

Cremanthodium

reniforme, *Benth.*

Crepis

blattarioides, *Vill.*
depressa, *Hook. f. et Thoms.*
grandiflora, *Tausch*
incana, *Sibth. et Sm.*
Jacquini, *Tausch*
pygmaea, *Linn.*
sibirica, *Linn.*

Crocus

nudiflorus, *Sm.*

Cryptomeria

japonica, *D. Don*

Cuminum

Cyminum, *Linn.*

Cupressus

Benthami, *Endl.*
Goveniana, *Gord.*
Lawsoniana, *A. Murr.*
— var. argentea
— var. laxa
— var. versicolor
macrocarpa, *Hartw.*
nootkatensis, *Lamb.*
obtusa, *Koch*
pisifera, *Koch*
sempervirens, *Linn.*

Cyananthus

incanus, *Hook. f. et Thoms.*,
var. leiocalyx, *Franch.*
inflatus, *Hook. f. et Thoms.*
lobatus, *Wall.*

Cyclamen

europaeum, *Linn.*
neapolitanum, *Tenore*
repandum, *Sibth. et Sm.*

Cydonia

japonica, *Thunb.*
— var. alba
— var. rosea
Maulei, *T. Moore*

Cynara

Cardunculus, *Linn.*

Cynoglossum

amabile, *Stapf et Drumm.*,
var. album
denticulatum, *A. DC.*
furcatum, *Wall.*
nervosum, *Benth.*

Cytisus

albus, *Linn.*
Ardoini, *Fourn.*
austriacus, *Linn.*
capitatus, *Scop.*
decumbens, *Spach.*
eriocarpus, *Boiss.*
glabrescens, *Sartor*
nigricans, *Linn.*
praecox ×, *Hort.*
purgans, *Boiss.*
purpureus, *Scop.*
— var. incarnatus
scoparius, *Link*
— var. Andreanus
— var. prostratus
sessilifolius, *Linn.*
shipkaensis, *Dippel*

Daboëcia

polifolia, *D. Don*
— var. alba
— var. bicolor
— var. purpurea

Dactylis

glomerata, *Linn.*
— var. variegata

Dahlia

Merckii, *Lehm.*
variabilis, *Desf.*

Danthonia

Raoulii, *Steud.*

Daphne

Cneorum, *Linn.*
retusa, *Hemsl.*

Datisca
cannabina, *Linn.*

Datura
Stramonium, *Linn.*

Daucus
Carota, *Linn.*

Deinanthe
caerulea, *Stapf*

Delphinium
altissimum, *Wall.*
azureum, *Michx.*
Brunonianum, *Royle*
Bulleyanum, *G. Forrest*
cashmirianum, *Royle*
corymbosum, *Regel*
Delavayi, *Franch.*
dictyocarpum, *DC.*
Duhmbergii, *Huth*
elatum, *Linn.*
— var. alpinum
flexuosum, *Rafin.*
formosum, *Boiss. et Huet*
grandiflorum, *Linn.*
hybridum, *Steph.*
likiangense, *Franch.*
Maackianum, *Regel*
nudicaule, *Torr. et Gray*
occidentale, *S. Wats.*
pellucidum, *Busch*
Potanini, *Huth*
Przewalskii, *Huth*
Pylzowi, *Maxim.*
Requienii, *DC.*
scopulorum, *A. Gray*, var. stachydeum
speciosum, *Bieb.*, var. glabratum
tatsienense, *Franch.*
— var. album
vestitum, *Wall.*
viscosum, *Hook. f. et Thoms.*
yunnanense, *Franch.*

Deschampsia
caespitosa, *Beauv.*
flexuosa, *Trin.*

Deutzia
corymbosa, *R. Br.*
crenata, *Sieb. et Zucc.*
discolor, *Hemsl.*, var. fasciculata
— var. purpurascens
gracilis, *Sieb. et Zucc.*
Lemoinei ×, *Hort.*
longifolia, *Franch.*
Schneideriana, *Rehder*, var. laxiflora
Veitchii, *Hort.*

Dianthus
alpinus, *Linn.*
— var. albus
arboreus, *Linn.*
arenarius, *Linn.*
Armeria, *Linn.*
arvensis, *Hort.*
atrococcineus, *Hort.*
atrorubens, *All.*
attenuatus, *Sm.*
brachyanthus, *Boiss.*
— var. alpinus
caesius, *Sm.*
— var. semiplenus
campestris, *Bieb.*
chinensis, *Linn.*
ciliatus, *Guss.*
cinnabarinus, *Sprun.*
crinitus, *Sm.*
delicatus, *Hort.*
deltoides, *Linn.*, var. glaucus
Freynii, *Vandas*
furcatus, *Balb.*
gallicus, *Pers.*
grandiflorus, *Poir.*
graniticus, *Jord.*
inodorus, *Hort. Corr.*, var. suavis
lactiflorus, *Fenzl*
longicaulis, *Tenore*
monspessulanus, *Linn.*, var alpestris
orbelicus, *Hort.*
petraeus, *Waldst. et Kit.*
— var. spiculifolius
plumarius, *Linn.*
pulchellus, *Hort.*

Dianthus—*continued.*
pungens, *Linn.*
scardicus, *Wettst.*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*
strictus, *Sibth. et Sm.*
superbus, *Linn.*, var. nanus
tymphresteus, *Heldr. et Sart.*
velebiticus, *Borb.*
Velenowskyi, *Borb.*
zonatus, *Fenzl*

Dichondra
repens, *Forst.*

Dictamnus
albus, *Linn.*
— var. tauricus

Didissandra
sericea, *Craib*

Dierama
pulcherrimum, *Baker*

Diervilla
floribunda, *Sieb. et Zucc.*, var. Lowii
florida, *Sieb. et Zucc.*
— var. alba
— var. candida
grandiflora, *Sieb. et Zucc.*

Digitalis
ambigua, *Murr.*
lutea, *Linn.*
obscura, *Linn.*
purpurea, *Linn.*

Dimorphotheca
aurantiaca, *DC.*
pluvialis, *Moench*

Diostea
juncea, *Miers*

Dipelta
ventricosa, *Hemsl.*

Dipsacus
inermis, *Wall.*

Discaria
Toumatou, *Raoul*

Disporum
lanuginosum, *Nichols.*

Dodecatheon
Hendersonii, *A. Gray*
Meadia, *Linn.*, var. splendidum

Dorema
Aucheri, *Boiss.*

Doronicum
caucasicum, *Bieb.*

Dorycnium
rectum, *Ser.*
suffruticosum, *Vill.*

Draba
aizoides, *Linn.*
Aizoon, *Wahlenb.*
alpina, *Linn.*, var. involucrata
altaica, *Ledeb.*
amplexicaulis, *Franch.*
arabisans, *Michx.*
athoa, *Boiss.*
aurea, *Vahl*
bruniaefolia, *Stev.*
cornuta, *Hort.*
ellipsoidea, *Hook. f. et Thoms.*
hirta, *Linn.*
— var. dovrensis, *Fries*
incana, *Linn.*
— var. Adamsii
longirostrata, *Schott, Nym. et Kotschy*
nemorosa, *Linn.*
nivalis, *Lilj.*
oligosperma, *Hook.*
oxycarpa, *Boiss. et Heldr.*
pycnosperma, *Fernald et Knowlton*

Draba—*continued.*
rupestris, *R. Br.*
siliquosa, *Bieb.*
stellata, *Jacq.*
streptocarpa, *A. Gray*
surculosa, *Franch.*
Zahlbruckneri, *Host*

Dracocephalum
botryoides, *Stev.*
Forrestii, *W. W. Sm.*
fruticulosum, *Steph.*
grandiflorum, *Linn.*
imberbe, *Bunge*
Isabellae, *G. Forrest*
nodulosum, *Rupr.*
parviflorum, *Nutt.*
Ruprechti, *Regel*
Ruyschiana, *Linn.*
speciosum, *Benth.*
taliense, *G. Forrest*
tanguticum, *Maxim.*

Dryas
Drummondii, *Richards.*
octopetala, *Linn.*
Suendermannii, *Hort.*
tenella, *Pursh*

Drypis
spinosa, *Linn.*

Echinacea
purpurea, *Moench*

Echinops
niveus, *Wall.*
Ritro, *Linn.*
sphaerocephalus, *Linn.*

Echium
violaceum, *Linn.*
vulgare, *Linn.*

Edraianthus
Pumilio, *DC.*

Elaeagnus
umbellata, *Thunb.*

Eleocharis
neo-zelandica, *C. B. Clarke*
palustris, *R. Br.*

Elliottia
paniculata, *Benth. et Hook. f.*

Elymus
arenarius, *Linn.*
dasystachya, *Trin.*

Emex
spinosa, *Campd.*

Empetrum
nigrum, *Linn.*
— var. scoticum (*Hook.*)

Enkianthus
himalaicus, *Hook. f. et Thoms.*
latiflorus, *Craib*
Palibinii, *Craib*
pallidiflorus, *Craib*
pendulus, *Craib*
perulatus, *Schneider*
tectus, *Craib*

Epilobium
angustifolium, *Linn.*
— var. album
arcuatum, *Petrie*
Cockaynianum, *Petrie*
collinum, *C. C. Gmel.*
Dodonaei, *Vill.*
glabellum, *Forst.*
Hectori, *Hausskn.*
hirsutum, *Linn.*
luteum, *Pursh*
montanum, *Linn.*
obcordatum, *A. Gray*
oregonense, *Haussk.*
reticulatum, *C. B. Clarke*
roseum, *Schreb.*
rosmarinifolium, *Haenke*
tetragonum, *Linn.*

Eragrostis
interrupta, *Beauv.*

Eranthis

cilicica, *Schott et Kotschy*

Eremurus

robustus, *Regel*, var. albus
— var. Elwesianus
turkestanicus, *Regel*

Erica

cinerea, *Linn.*
— var. alba minor
— var. atropurpurea
— var. atrosanguinea
— var. coccinea
— var. pallida
— var. rosea
lusitanica, *Rudolph*
mediterranea, *Linn.*, var. nana
Praegeri ×, *Hort.*
stricta, *Donn*
Tetralix, *Linn.*, var. Lawsoniana
vagans, *Linn.*, var. alba
— var. pallida

Erigeron

Coulteri, *Porter et Coulter*
flagellaris, *A. Gray*
glabellus, *Nutt.*
— var. asper
— var. mollis
grandiflorus, *Hook.*
leiomerus, *A. Gray*
macranthus, *Nutt.*
montanensis, *Rydb.*
multiradiatus, *Benth. et Hook. f.*
— var. platyphyllus
oreganus, *A. Gray*
patentisquama, *J. F. Jeffrey*
philadelphicus, *Linn.*
Roylei, *DC.*
salsuginosus, *A. Gray*
speciosus, *DC.*, var. major
— var. superbus, *Linn.*
tegetarius, *Cov.*
trifidus, *Hook.*
— var. albescens

Erinus

alpinus, *Linn.*
— var. carmineus
— var. hirsutus

Eriogonum

racemosum, *Nutt.*
umbellatum, *Torr.*
Wrightii, *Torr.*

Eriophorum

angustifolium, *Roth*

Eriophyllum

caespitosum, *Dougl.*
lanatum, *Forbes*, var. obovatum

Erodium

absinthoides, *Willd.*
— var. amanum
alpinum, *L'Hérit.*
carvifolium, *Boiss.*
corsicum, *Leman*
geifolium, *Munby*
guttatum, *Willd.*
Kolbianum, *Hort.*
leucanthum, *Boiss.*
macradenum, *L'Hérit.*
Manescavi, *Coss.*
petraeum, *Willd.*
trichomanefolium, *L'Hérit.*
Willkommianum, *Hort. Suend.*

Eryngium

agavifolium, *Griseb.*
alpinum, *Linn.*
amethystinum, *Linn.*, var. multifidum
campestre, *Linn.*
dichotomum, *Desf.*
eburneum, *Decne.*
planum, *Linn.*
prostratum, *Nutt.*
Serra, *Cham. et Schlecht.*
Spinalba, *Vill.*
Wrightii, *A. Gray*
yuccaefolium, *Michx.*

Erysimum

asperum, *DC.*
bracteatum, *W. W. Sm.*
capitatum, *Greene*
cheiranthoides, *Linn.*
linifolium, *J. Gay*
nanum, *Boiss. et Hohen.*
pumilum, *Nutt.*

Erythraea

Centaurium, *Pers.*
littoralis, *Fries*

Escallonia

edinensis ×, *Hort.*
exoniensis ×, *Hort.*
langleyensis, *Vilm. et Bois*
Philippiana, *Masters*
— var. alba
punctata, *DC.*
rubra, *Pers.*

Eschscholzia

californica, *Cham.*
— var. alba

Eucalyptus

Gunnii, *Hook. f.*

Eucharidium

grandiflorum, *Fisch. et Mey.*

Euonymus

alatus, *Thunb.*
europaeus, *Linn.*
latifolius, *Mill.*, var. planipes

Eupatorium

ageratoides, *Linn.*
cannabinum, *Linn.*
deltoideum, *Jacq.*
japonicum, *Thunb.*
purpureum, *Linn.*
Rothrockii, *A. Gray*

Euphorbia

balsamifera, *Ait.*
Gerardiana, *Jacq.*

Euphorbia—*continued.*

Myrsinites, *Linn.*
spinosa, *Linn.*
stricta, *Linn.*

Fagopyrum

esculentum, *Moench*

Falcaria

vulgaris, *Dernh.*

Farsetia

clypeata, *R. Br.*
eriocarpa, *DC.*

Fendlera

rupicola, *A. Gray*

Ferula

glauca, *Linn.*
orientalis, *Linn.*

Festuca

amethystina, *Linn.*
Eskia, *Ram.*
ovina, *Linn.*
— var. vivipara, *Sm.*
punctoria, *Sibth. et Sm.*
rubra, *Linn.*
varia, *Haenke*

Foeniculum

giganteum, *Hort.*
vulgare, *Mill.*

Fontanesia

Fortunei, *Carr.*

Fragaria

californica, *Cham. et Schlecht.*
Freemontii, *Hort.*
indica, *Andr.*
vesca, *Linn.*, var. monophylla
— var. semperflorens

Fraxinus

excelsior, *Linn.*
— var. heterophylla

Fremontia

californica, *Torr.*

Fritillaria

Meleagris, *Linn.*, var. alba

Fuchsia

discolor, *Lindl.*
Riccartoni ×, *Hort.*

Fumaria

officinalis, *Linn.*

Funkia

Sieboldiana, *Hook.*

Gaillardia

aristata, *Pursh*

Galax

aphylla, *Linn.*

Galega

officinalis, *Linn.*
— var. rosea
orientalis, *Lam.*

Galium

anisophyllon, *Vill.*
boreale, *Linn.*
erectum, *Huds.*
saccharatum, *All.*
verum, *Linn.*

Galtonia

candicans, *Decne.*

Garrya

elliptica, *Dougl.*

Gaultheria

antipoda, *Forst. f.*
— var. erecta
fagifolia, *Hook. f.*
hispida, *R. Br.*, var. fructu albo
laxiflora, *Diels*
nummularioides, *D. Don*
perplexa, *T. Kirk*
pyrolaefolia, *Hook. f.*, var. cuneata
rupestris, *R. Br.*
Shallon, *Pursh*

Gaylussacia

frondosa, *Torr. et Gray*

Gazania

splendens ×, *Hort.*
— var. variegata

Genista

aethnensis, *DC.*
anglica, *Linn.*
dalmatica, *Bartl. et Wendl. f.*
depressa, *Bieb.*
elatior, *Koch*
germanica, *Linn.*
hispanica, *Linn.*
Jaubertii, *Spach*
pilosa, *Linn.*
sagittalis, *Linn.*
sericea, *Wulf.*
sylvestris, *Scop.*, var. dalmatica
tinctoria, *Linn.*
— var. anxantica
— var. apennina
— var. elatior
— var. prostrata
Villarsii, *Clementi*
virgata, *DC.*

Gentiana

acaulis, *Linn.*
alba, *Muhl.*
asclepiadea, *Linn.*
— var. alba
crassicaulis, *Duthie*

Gentiana—*continued.*

cruciata, *Linn.*
— var. macrophylla
Farreri, *Balf. f.*
Fetisowi, *Regel et Winkler*
Kesselringi, *Regel*
lutea, *Linn.*
macrophylla, *Pall.*, var. cyanea
Moorcroftiana, *Wall.*
obtusifolia, *Willd.*
Olivieri, *Griseb.*
pannonica, *Scop.*
phlogifolia, *Schott. et Kotschy*
Przewalskii, *Maxim.*
purpurea, *Linn.*
robusta, *King*
septemfida, *Pall.*
— var. cordifolia
— var. latifolia
— var. procumbens
sino-ornata, *Balf. f.*
tianschanica, *Rupr.*, var. glomerata
tibetica, *King*

Geranium

anemonifolium, *L'Hérit.*
armenum, *Boiss.*
cinereum, *Cav.*
dissectum, *Linn.*
Endressi, *J. Gay*
grandiflorum, *Hort.*
lucidum, *Linn.*
macrorrhizum, *Linn.*
palustre, *Linn.*
platypetalum, *Franch.*
pratense, *Linn.*
— var. album
— var. bicolor
pyrenaicum, *Burm. f.*
refractum, *Edgew. et Hook. f.*
Robertianum, *Linn.*
sanguineum, *Linn.*
— var. album
— var. lancastriense
— var. prostratum
sessiliflorum, *Cav.*
subcaulescens, *L'Hérit.*
sylvaticum, *Linn.*
— var. platypetalum

Geranium—*continued.*

Wallichianum, *D. Don*
Webbianum, *Hort.*
yedoense, *Franch. et Sav.*

Gerbera

Anandria, *Sch. Bip.*
Delavayi, *Franch.*
Jamesoni, *Bolus*
Kunzeana, *A. Br. et Aschers.*
nivea, *Sch. Bip.*

Geum

atrosanguineum, *Hort.*
Heldreichii, *Hort.*
intermedium ×, *Ehrh.*
macrophyllum, *Willd.*
montanum, *Linn.*
— var. corsicum
parviflorum, *Commers.*
pyrenaicum, *Mill.*
rhaeticum, *Bruegg.*
rivale, *Linn.*
Rossii, *Seringe*
tirolense, *Kern.*
triflorum, *Pursh*

Gilia

androsacea, *Steud.*
capitata, *Sims*
densiflora, *Benth.*, var. altissima
nivalis, *Hérincq*
squarrosa, *Hook. et Arn.*
tricolor, *Benth.*

Gillenia

stipulacea, *Nutt.*
trifoliata, *Moench*

Gladiolus

palustris, *Gaud.*

Glaucium

flavum, *Crantz*

Glaux

maritima, *Linn.*

Globularia

Alypum, *Linn.*
lindavica, *Hort.*
spinosa, *Linn.*
trichosantha, *Fisch. et Mey.*

Gnaphalium

supinum, *Linn.*
sylvaticum, *Linn.*, var. scoparium
trinerve, *Forst. f.*

Gueldenstaedtia

himalaica, *Baker*

Gunnera

albocarpa, *Cockayne*
chilensis, *Lam.*
dentata, *T. Kirk*

Gypsophila

cerastoides, *D. Don*
curvifolia, *Fenzl*
paniculata, *Linn.*
prostrata, *Linn.*
repens, *Linn.*
Suendermannii, *Hort.*
transsylvanica, *Spreng.*

Habenaria

conopsea, *Benth.*

Haberlea

Ferdinandi-Coburgii, *Urumoff*
kewensis, *Hort.*
rhodopensis, *Frivald*
— var. virginalis

Halenia

elliptica, *D. Don*
Perrottetii, *Griseb.*

Hastingsia

alba, *S. Wats.*

Hebenstretia

comosa, *Hochst.*

Hedysarum

coronarium, *Linn.*
esculentum, *Ledeb.*
obscurum, *Linn.*
philoscia, *A. Nelson*

Helenium

autumnale, *Linn.*
— var. Halleri
— var. pumilum
Hoopesii, *A. Gray*

Helianthella

quinquenervis, *A. Gray*

Helianthemum

alpestre, *Dunal*
apenninum, *Lam. et DC.*
— var. roseum
canum, *Boiss.*
glaucum, *Boiss.*, var. bicolor (*Presl*)
hirtum, *Pers.*
hymettium, *Boiss. et Heldr.*
lasianthum, *Pers.*, var. concolor
pilosum, *Benth.*
— var. purpureum
polifolium, *DC.*
Tuberaria, *Mill.*
umbellatum, *Mill.*
vulgare, *Gaertn.*
— var. cruentum
— var. mutabile
— var. roseum
— var. variegatum

Helianthus

annuus, *Linn.*
giganteus, *Linn.*
pumilus, *Nutt.*

Helichrysum

antennarium, *F. Muell.*
arenarium, *Moench*
bellidioides, *Willd.*
callichrysum, *DC.*
frigidum, *Willd.*
lanatum, *DC.*
plicatum, *DC.*
rutidolepis, *DC.*

Heliophila

amplexicaulis, *Linn. f.*

Heliopsis

padula, *Wender.*
scabra, *Dun.*
— var. Pitcheriana

Helleborus

foetidus, *Linn.*

Helonias

bullata, *Linn.*

Hemiphragma

heterophyllum, *Wall.*

Heracleum

asperum, *Bieb.*
lanatum, *Michx.*
sibiricum, *Linn.*, var. angustifolium
villosum, *Fisch.*

Herniaria

glabra, *Linn.*
latifolia, *Lapeyr.*

Hesperis

matronalis, *Linn.*

Heuchera

americana, *Linn.*
bracteata, *Ser.*
cylindrica, *Dougl.*
— var. glabella (*Torr. et Gray*)
Drummondii, *Hort.*
hispida, *Pursh*
micrantha, *Dougl.*
pilosa, *Hort.*
rubescens, *Torr.*
sanguinea, *Engelm.*

Hieracium

alpinum, *Linn.*
Auricula, *Linn.*
Bornmuelleri, *Freyn*

Hieracium—*continued.*

brevifolium, *Hort.*
callistophyllum, *Hanbury*
curvatum, *Elfstr.*
cylindraceum, *Stenström*, var. glabellum
depressum, *Zahn*
glabrum, *Kit.*, var. album
gymnocephalum, *Griseb.*
Heldreichii, *Boiss.*
humile, *Jacq.*
incanum, *Bieb.*
incisum, *Hoppe*
intybaceum, *Jacq.*
lanatum, *Waldst. et Kit.*
Legrandianum, *Arv. Touv.*
pallidum, *Biv.*
pannosum, *Boiss.*
Pilosella, *Linn.*
Sommerfeltii, *Lindeb.*
villosum, *Jacq.*

Hippocrepis

ciliata, *Willd.*
comosa, *Linn.*

Hippophaë

rhamnoides, *Linn.*

Holcus

lanatus, *Linn.*
mollis, *Linn.*
— var. variegatus

Homeria

collina, *Vent.*

Homogyne

alpina, *Cass.*

Horminum

pyrenaicum, *Linn.*
— var. album
— var. purpureum
— var. roseum

Hosackia

Torreyi, *A. Gray*

Hottonia
palustris, *Linn.*

Houttuynia
cordata, *Thunb.*

Humulus
Lupulus, *Linn.*

Hunnemannia
fumariaefolia, *Sweet*

Hyacinthus
amethystinus, *Linn.*
azureus, *Baker*
— var. giganteus
nervosus, *Bertol.*

Hydrangea
anomala, *D. Don*
petiolaris, *Sieb. et Zucc.*
Sargentiana, *Rehder*
xanthoneura, *Diels*, var. glabrescens
vestita, *Wall.*

Hymenanthera
crassifolia, *Hook. f.*

Hymenophysa
pubescens, *C. A. Mey.*

Hyoscyamus
niger, *Linn.*

Hypecoum
leptocarpum, *Hook. f. et Thoms.*

Hypericum
Androsaemum, *Linn.*
Coris, *Linn.*
elatum, *Ait.*
fragile, *Heldr. et Sart.*
Hookerianum, *Wight et Arn.*
inodorum, *Mill.*
intermedium, *Steud.*
Kotschyanum, *Boiss.*
lysimachioides, *Wall.*
olympicum, *Linn.*
orientale, *Linn.*
patulum, *Thunb.*
perforatum, *Linn.*
polyphyllum, *Boiss.*
Przewalskii, *Maxim.*
pulchrum, *Linn.*
reptans, *Hook. f. et Thoms.*
Webbii, *Steud.*

Hyptis
pectinata, *Poit.*

Hyssopus
officinalis, *Linn.*
— var. grandiflorus

Iberis
Jordani, *Boiss.*
linifolia, *Linn.*
Pruiti, *Tineo*
semperflorens, *Linn.*
sempervirens, *Linn.*
— var. superba

Ilex
Aquifolium, *Linn.*
— var. argentea
— var. argentea marginata
— var. argentea medio-picta
— var. aurantiaca marginata
— var. aurea angustifolia
— var. aurea marginata
— var. aurea medio-picta
— var. balearica
— var. camelliaefolia
— var. flavescens
— var. fructu luteo
— var. handsworthensis
— var. intermedia
— var. lurida variegata
— var. maderensis
— var. platyphylla
Hodginsii ×, *Hort.*
— var. variegata
Pernyi, *Franch.*

Impatiens

Roylei, *Walp.*

Incarvillea

grandiflora, *Bur. et Franch.*, var. brevipes
variabilis, *Batalin*
— var. Przewalskii

Indigofera

Gerardiana, *Wall.*

Inula

auriculata, *Boiss. et Bal.*
britannica, *Linn.*
ensifolia, *Linn.*
glandulosa, *Puschk.*
grandiflora, *Willd.*
Helenium, *Linn.*
Hookeri, *C. B. Clarke*
montana, *Linn.*
Oculus-Christi, *Linn.*
racemosa, *Hook. f.*
Royleana, *DC.*
salicina, *Linn.*, var. subhirsuta
squarrosa, *Linn.*

Iris

aphylla, *Linn.*
bucharica, *Foster*
Chamaeiris, *Bertol.*
chrysographis, *Dykes*
Clarkei, *Baker*
Douglasiana, *Herb.*
ensata, *Thunb.*, var. biglumis (*Vahl*)
falcifolia, *Bunge*
foetidissima, *Linn.*
Forrestii, *Dykes*
graminea, *Linn.*
Grant-Duffii, *Baker*
juncea, *Poir.*, var. lusitanica
Junonia, *Schott et Kotschy*
kumaonensis, *Wall.*
laevigata, *Fisch.*
longipetala, *Herb.*
orientalis, *Thunb.*

Iris—*continued.*

prismatica, *Pursh*
Pseudacorus, *Linn.*
— var. acoroides
pumila, *Linn.*, var. lutea
setosa, *Pall.*, var. Hookeri
sibirica, *Linn.*
— var. alba
— var. coreana
— var. sanguinea
Sintenisii, *Janka*
spuria, *Linn.*, var. subhirsuta
tectorum, *Maxim.*
— var. lilacina
versicolor, *Linn.*
— var. pulchella
Warleyensis, *Foster*
Xiphioides, *Ehrh.*
Xiphium, *Linn.*

Isatis

aleppica, *Scop.*
alpina, *All.*
glauca, *Auch.*
tinctoria, *Linn.*

Jasione

humilis, *Loisel.*
perennis, *Lam.*

Jasminum

Beesianum, *G. Forrest et Diels*
humile, *Linn.*

Juncus

alpinus, *Vill.*
arcticus, *Willd.*
balticus, *Willd.*
bufonius, *Linn.*
effusus, *Linn.*
Novae-Zelandiae, *Hook. f.*
squarrosus, *Linn.*

Juniperus

chinensis, *Linn.*
communis, *Linn.*
recurva, *Buch.-Ham.*

Jurinea

Berardioidea, *Diels*
glycacantha, *DC.*

Kalmia

glauca, *Ait.*

Kitaibelia

vitifolia, *Willd.*

Kniphofia

alooides, *Moench*
pauciflora, *Baker*

Kochia

trichophylla, *Hort.*

Koeleria

cristata, *Pers.*, var. gracilis
setacea, *DC.*
— var. glabra

Kosteletzkya

pentacarpa, *Ledeb.*

Laburnum

Adami ×, *Lavall.*
alpinum, *J. S. Presl*
— var. austriacum
— var. autumnalis
— var. fragrans
Parksii ×, *Hort.*
vulgare, *J. S. Presl*
— var. Alschingeri, *Briq.*
— var. involutum, *Hort.*
— var. quercifolium, *Hort.*

Lactuca

Bourgaei, *Hort.*
macrophylla, *A. Gray*
Plumieri, *Gren. et Godr.*
thianschanica, *Hort. Edin.*
virosa, *Linn.*

Lagotis

brachystachya, *Maxim.*

Lamium

album, *Linn.*
maculatum, *Linn.*
— var. roseum
Orvala, *Linn.*
puralbum ×, *Hort.*
striatum, *Sibth. et Sm.*

Larix

europaea, *DC.*
leptolepis, *Endl.*

Laserpitium

gallicum, *Linn.*
Siler, *Linn.*

Lathraea

Clandestina, *Linn.*

Lathyrus

angulatus, *Linn.*
Drummondii, *Hort.*
hirsutus, *Linn.*
latifolius, *Linn.*
— var. albus
luteus, *Baker*
— var. aureus
macrorrhizus, *Wimm.*
maritimus, *Bigel.*
niger, *Bernh.*
pannonicus, *Garcke*, var. varius
sphaericus, *Retz.*
sylvestris, *Linn.*
undulatus, *Boiss.*
venosus, *Muhl.*
vernus, *Bernh.*
— var. azureus
— var. flaccidus

Lavandula

vera, *DC.*
— var. compacta
— var. prostrata

Lavatera

arborea, *Linn.*
cretica, *Linn.*

Lavatera—*continued.*
maritima, *Gouan*
punctata, *All.*
trimestris, *Linn.*

Layia
elegans, *Torr. et Gray*

Ledum
palustre, *Linn.*
— var. latifolium, *Michx.*

Leiophyllum
buxifolium, *Ell.*

Leontodon
hastilis, *Linn.*
hispidus, *Linn.*

Leontopodium
alpinum, *Cass.*
— var. himalaicum
— var. transsylvanicum
hybridum, *Hort. Suend.*
japonicum, *Miq.*
sibiricum, *Cass.*

Lepidium
latifolium, *Linn.*
pubicarpum, *A. Nelson*
sativum, *Linn.*

Lereschia
Flahaulti, *Woronow*

Leucojum
autumnale, *Linn.*

Leuzea
conifera, *DC.*

Levisticum
officinale, *Koch*

Leycesteria
formosa, *Wall.*

Liatris
pycnostachya, *Michx.*
spicata, *Willd.*

Libertia
formosa, *R. Grah.*
grandiflora, *Sweet*
ixioides, *Spreng.*

Ligusticum
acutilobum, *Sieb. et Zucc.*
aromaticum, *Banks et Soland.*
involucratum, *Franch.*
tenuifolium, *S. Wats.*

Ligustrum
Ibota, *Sieb.*
— var. Regelianum, *Hort.*
ionandrum, *Diels*
lucidum, *Ait.*
ovalifolium, *Hassk.*
— var. foliis aureis
Regelianum, *Hort.*
vulgare, *Linn.*
— var. italicum
— var. pendulum

Lilium
Forrestii, *W. W. Sm.*
giganteum, *Wall.*
Martagon, *Linn.*
— var. album
— var. dalmaticum (*Vis.*)
ochraceum, *Franch.*
parviflorum, *Hort.*
philippinense, *Baker*, var. formosanum
Willmottiae, *Wilson*

Limnanthes
Douglasii, *R. Br.*

Linaria
alpina, *Mill.*
anticaria, *Boiss. et Reut.*
Broussonetii, *Chav.*
Cymbalaria, *Mill.*
italica, *Trevir.*

Linaria—*continued.*

macedonica, *Griseb.*
pilosa, *DC.*
purpurea, *Linn.*
repens, *Mill.*
— var. atropurpurea
Ricardoi, *P. Cout.*
Rodriguezii, *Porta*
supina, *Desf.*
triornithophora, *Willd.*
tristis, *Mill.*
yunnanensis, *W. W. Sm.*

Lindelofia

spectabilis, *Lehm.*
— var. afghanica

Linum

angustifolium, *Huds.*
aquilinum, *Hort.*
flavum, *Linn.*
grandiflorum, *Desf.*
— var. rubrum
marginale, *A. Cunn.*
monogynum, *Forst.*
perenne, *Linn.*
— var. sibiricum (*DC.*)
tenuifolium, *Linn.*
usitatissimum, *Linn.*

Lithospermum

graminifolium, *Viv.*
prostratum, *Loisel.*
— var. caerulescens
Sibthorpianum, *Griseb.*

Loasa

lateritia, *Gill.*
papaverifolia, *H. B. et K.*
triphylla, *Juss.*

Lobelia

urens, *Linn.*

Lonicera

alpigena, *Linn.*
bella, *Zabel*, var. albida
— var. rosea
Charlotti, *Hort.*

Lonicera—*continued.*

Henryi, *Hemsl.*
— var. subcoriacea
implexa, *Soland.*
lanceolata, *Wall.*
Morrowii, *A. Gray*
parvifolia, *Edgew.*, var. Myrtillus
Periclymenum, *Linn.*
pyrenaica, *Linn.*
Sullivantii, *A. Gray*
tomentella, *Hook. f. et Thoms.*

Lopezia

racemosa, *Cav.*

Lophosciadium

meifolium, *DC.*

Lotus

corniculatus, *Linn.*
hispidus, *Desf.*

Lunaria

annua, *Linn.*

Lupinus

arboreus, *Sims*
— var. violaceus
micranthus, *Dougl.*
nootkatensis, *Donn*
polyphyllus, *Lindl.*
— var. albus
— var. Foxii
— var. Moerheimi
— var. roseus
— var. violaceus
rivularis, *Dougl.*

Luzula

campestris, *DC.*
— var. pyrenaica
maxima, *DC.*

Lychnis

alpina, *Linn.*
— var. lapponica
Arkwrightii ×, *Hort.*

Lychnis—*continued.*
chalcedonica, *Linn.*
Coeli-rosa, *Desr.*
coronaria, *Desr.*
— var. alba
corsica, *Loisel.*
dioica, *Linn.*
Flos-cuculi, *Linn.*
Flos-Jovis, *Desr.*
Githago, *Scop.*
Haageana, *Lemaire*
Lagascae, *Hook. f.*
Miqueliana, *Rohrb.*
nutans, *Benth.*
Sartori, *Hort. Leichtl.*
Viscaria, *Linn.*
— var. alba

Lycium
horridum, *Phil.*

Lycopus
europaeus, *Linn.*

Lyonia
paniculata, *Nutt.*

Lysichitum
camtschatcense, *Schott*

Lysimachia
barystachys, *Bunge*
ciliata, *Linn.*
Delavayi, *Franch.*
Leschenaultii, *Duby*
lichiangensis, *G. Forrest*
punctata, *Linn.*
verticillata, *Bieb.*

Lythrum
Salicaria, *Linn.*
— var. cinereum
— var. hirsutum
virgatum, *Linn.*

Macropodium
nivale, *R. Br.*

Macrotomia
echioides, *Boiss.*

Madia
sativa, *Molina*

Maianthemum
Convallaria, *Weber*

Malcomia
maritima, *R. Br.*

Malva
Alcea, *Linn.*, var. fastigiata (*Cav.*)
moschata, *Linn.*
parviflora, *Linn.*, var. argentea
— var. cristata
sylvestris, *Linn.*
Tournefortiana, *Linn.*

Marrubium
Kotschyi, *Boiss.*
supinum, *Linn.*
vulgare, *Linn.*

Matthiola
fastigiata, *Hort.*
fenestralis, *R. Br.*
fragrantissima, *Hort.*
tricuspidata, *R. Br.*

Mazus
reptans, *N. E. Br.*

Meconopsis
aculeata, *Royle*
brevistyla, *Prain*
cambrica, *Vig.*
eximia, *Prain*
grandis, *Prain*
integrifolia, *Franch.*
napaulensis, *DC.*
paniculata, *Prain*
Prattii, *Prain*
pseudo-integrifolia, *Prain*
racemosa, *Maxim.*

Meconopsis—*continued.*

rigidiuscula, *Prain*
rudis, *Prain*
simplicifolia, *G. Don*
sinuata, *Prain*
Wallichii, *Hook.*

Medicago

Aschersoniana, *Urban*
carstiensis, *Wulf.*
falcata, *Linn.*
sativa, *Linn.*

Melica

altissima, *Linn.*
nutans, *Linn.*

Melilotus

alba, *Desr.*

Melissa

officinalis, *Linn.*, var. variegata

Melittis

Melissophyllum, *Linn.*, var. alba

Mentha

aquatica, *Linn.*
viridis, *Linn.*
— var. crispa

Mentzelia

oligosperma, *Nutt.*

Menziesia

ciliicalyx, *Maxim.*

Mercurialis

annua, *Linn.*

Mertensia

elongata, *Benth.*
lanceolata, *DC.*
oblongifolia, *G. Don*

Meum

athamanticum, *Jacq.*

Microglossa

albescens, *C. B. Clarke*

Micromeria

croatica, *Schott*
filiformis, *Benth.*
microphylla, *Benth.*

Mimulus

Bartoniana ×, *Hort.*
cardinalis, *Dougl.*
Lewisii, *Pursh*
luteus, *Linn.*
ringens, *Linn.*

Mirabilis

Jalapa, *Linn.*

Modiola

multifida, *Moench*

Molopospermum

cicutarium, *DC.*

Moltkia

petraea, *Boiss.*

Monolepis

trifida, *Schrad.*

Morina

Coulteriana, *Royle*
Delavayi, *Franch.*
longifolia, *Wall.*

Muehlenbeckia

axillaris, *Walp.*
complexa, *Meissn.*
ephedroides, *Hook. f.*

Muscari

alpinum, *J. Gay*
Argaei, *Hort. Siehe*
armeniacum, *Baker*

Muscari—*continued.*

botryoides, *Mill.*
comosum, *Mill.*
elegans, *Hort.*
neglectum, *Guss.*
polyanthum, *Boiss.*

Myosotis

cespitosa, *Schultz*
dissitiflora, *Baker*
Forsteri, *Lehm.*
macrantha, *Hook. f.*
palustris, *Lam.*
refracta, *Boiss.*
Traversii, *Hook. f.*
Welwitschii, *Boiss. et Reut.*

Myriactis

Wallichii, *Less.*

Myricaria

germanica, *Desv.*

Myrrhis

odorata, *Scop.*

Nardostachys

grandiflora, *DC.*
Jatamansi, *DC.*

Narthecium

ossifragum, *Huds.*

Neillia

affinis, *Hemsl.*
opulifolia, *Benth. et Hook. f.*, var. lutea
thyrsiflora, *D. Don*

Nemophila

insignis, *Benth.*
integrifolia, *Abrams*
maculata, *Benth.*, var. grandiflora
Menziesii, *Hook. et Arn.*, var. atomaria
— var. discoidalis

Nepeta

amethystina, *Desf.*
cilicica, *Boiss.*
cyanea, *Stev.*
distans, *Royle*
kokanica, *Regel*
lamiopsis, *Benth.*
macrantha, *Fisch.*
Mussini, *Spreng.*
Nepetella, *Linn.*
nuda, *Linn.*
racemosa, *Lam.*, var. crassifolia
Sibthorpii, *Benth.*
Stewartiana, *Diels*
ucranica, *Linn.*
Wilsoni, *Duthie*

Nicotiana

Tabacum, *Linn.*

Noccaea

alpina, *Reichb.*
Auerswaldii, *Willk.*

Nonnea

rosea, *Link*

Odontospermum

maritimum, *Sch. Bip.*

Oenanthe

crocata, *Linn.*
Lachenalii, *C. C. Gmel.*
silaifolia, *Bieb.*

Oenothera

densiflora, *Lindl.*
glauca, *Michx.*
odorata, *Jacq.*
pumila, *Linn.*
riparia, *Nutt.*
Romanzowii, *Ledeb.*
rosea, *Ait.*
— var. platylopha
sinuata, *Linn.*
triloba, *Nutt.*

Olearia

Haastii, *Hook. f.*
ilicifolia, *Hook. f.*
myrsinoides, *F. Muell.*
nummularifolia, *Hook. f.*
stellulata, *DC.*
virgata, *Hook. f.*

Omphalodes

linifolia, *Moench*
Luciliae, *Boiss.*

Onobrychis

saxatilis, *Lam.*
supina, *DC.*
viciaefolia, *Scop.*

Ononis

antiquorum, *Linn.*
aragonensis, *Asso*
— var. microphylla
arvensis, *Linn.*
— var. alba
fruticosa, *Linn.*
hircina, *Jacq.*
rotundifolia, *Linn.*

Onopordon

Acanthium, *Linn.*

Onosma

albo-roseum, *Fisch. et Mey.*

Ophiopogon

Jaburan, *Lodd.*

Orchis

coriophora, *Linn.*
foliosa, *Soland.*
maculata, *Linn.*

Origanum

vulgare, *Linn.*
— var. aurea

Ornithogalum

narbonense, *Linn.*, var. pyramidale (*Linn.*)
oligophyllum, *Clarke*
pyrenaicum, *Linn.*

Oryzopsis

miliacea, *Benth. et Hook. f.*

Ostrya

carpinifolia, *Scop.*

Ourisia

macrocarpa, *Hook. f.*
macrophylla, *Hook.*

Oxalis

adenophylla, *Gill.*
corniculata, *Linn.*, var. atropurpurea
— var. tropaeoloides
valdiviensis, *Barn.*

Oxyria

digyna, *Hill*

Oxytropis

argentata, *Pers.*
baicalensis, *Pall.*
campestris, *DC.*
foetida, *DC.*
Lambertii, *Pursh*
macrocarpa, *Kar. et Kir.*
ochroleuca, *Bunge*
pilosa, *DC.*
sulphurea, *Fisch.*
uralensis, *DC.*

Paederota

Churchillii, *Huter*

Paeonia

anomala, *Linn.*
corallina, *Retz.*
Delavayi, *Franch.*
lutea, *Delavay*

Paeonia—*continued*

officinalis, *Linn.*, var. banatica (*Rochel*)
Veitchii, *Lynch*
Wittmanniana, *Hartwiss*
Woodwardii, *Hort.*

Palaua

flexuosa, *Mast.*

Papaver

aculeatum, *Thunb.*
anomalum, *Fedde*
dubium, *Linn.*
monanthum, *Trautv.*
nudicaule, *Linn.*
— var. radicatum, *DC.*
oreophilum, *Rupr.*
pavoninum, *Mey.*
Rhoeas, *Linn.*
— var. latifolium
Schinzianum, *Fedde*
somniferum, *Linn.*
spicatum, *Boiss. et Bal.*
tauricolum, *Boiss.*

Paracaryum

glochidiatum, *Benth. et Hook. f.*

Paradisea

Liliastrum, *Bertol.*

Parietaria

lusitanica, *Linn.*
officinalis, *Linn.*

Paris

polyphylla, *Sm.*

Parnassia

mysorensis, *Heyne*

Paronychia

argentea, *Lam.*, var. aurantiaca
capitata, *Lam.*
polygonifolia, *DC.*

Parthenium

integrifolium, *Linn.*

Patrinia

palmata, *Maxim.*

Pentstemon

arizonicus, *Heller*
barbatus, *Roth*
— var. albus
breviflorus, *Lindl.*
Bridgesii, *A. Gray*
campanulatus, *Willd.*
confertus, *Dougl.*
— var. coeruleo-purpureus
deustus, *Dougl.*
glaber, *Pursh*, var. alpinus
— var. cyananthus
glaucus, *R. Grah.*
— var. stenopetalus
gracilis, *Nutt.*
Hallii, *A. Gray*
humilis, *Nutt.*
imberbis, *Trautv.*
isophyllus, *Robinson*
laevigatus, *Ait.*
Menziesii, *Hook.*, var. Douglasii
— var. Newberryi
— var. Scouleri
Palmeri, *A. Gray*
pubescens, *Soland.*
— var. roseus
Richardsonii, *Dougl.*
spectabilis, *Thunb.*

Perantha

Forrestii, *Craib*

Peraphyllum

ramosissimum, *Nutt.*

Perezia

multiflora, *Less.*

Pernettya

mucronata, *Gaudich.*
nigra, *Hort.*

Pertya

phylicoides, *J. F. Jeffrey*
sinensis, *Oliver*

Petagnia

saniculaefolia, *Guss.*

Petteria

ramentacea, *Presl*

Peucedanum

angustifolium, *Reichb. f.*
coriaceum, *Reichb.*
Ostruthium, *Koch*

Phacelia

malvaefolia, *Cham. et Schlecht.*
tanacetifolia, *Benth.*
viscida, *Torr.*

Phaseolus

multiflorus, *Willd.*
vulgaris, *Linn.*

Phellodendron

japonicum, *Maxim.*

Philadelphus

colombianus, *Koehne*
coronarius, *Linn.*
— var. foliis aureis
— var. tomentosus
Delavayi, *Henry*
Gordonianus, *Lindl.*
— var. cordatus
grandiflorus, *Willd.*
— var. floribundus
incanus, *Koehne*
— var. Sargentianus
Lemoinei ×, *Hort.*
Lewisii, *Pursh*
Magdalenae, *Koehne*
Satsumi, *Siebold*, var. acuminatus
sericanthus, *Koehne*
— var. Rehderianus, *Koehne*
Wilsonii, *Koehne*

Phlomis

fruticosa, *Linn.*
macrophylla, *Wall.*
samia, *Linn.*
umbrosa, *Turcz.*, var. australis
viscosa, *Poir.*

Phormium

tenax, *Forst.*

Photinia

variabilis, *Hemsl.*

Phragmites

communis, *Trin.*

Phuopsis

stylosa, *Benth. et Hook. f.*

Phygelius

capensis, *E. Mey.*

Physalis

Alkekengi, *Linn.*

Phyteuma

campanuloides, *Bieb.*
canescens, *Waldst. et Kit.*
comosum, *Linn.*
Michelii, *All.*
— var. betonicaefolia
nigrum, *F. W. Schmidt*
orbiculare, *Linn.*
Scheuchzeri, *All.*
— var. Charmelii, *Vill.*
spicatum, *Linn.*, var. caeruleum

Phytolacca

clavigera, *W. W. Sm.*

Picea

nigra, *Link*

Picridium

tingitanum, *Desf.*

Pimpinella

magna, *Linn.*, var. rosea
serbica, *Hort. Edin.*

Pinguicula

grandiflora, *Lam.*
vulgaris, *Linn.*

Pinus

contorta, *Dougl.*
— var. Murrayana Sargentii
excelsa, *Wall.*
parviflora, *Sieb. et Zucc.*
Strobus, *Linn.*
sylvestris, *Linn.*

Piptanthus

bicolor, *Craib*

Pisum

formosum, *Alef.*
sativum, *Linn.*

Plagianthus

Lyallii, *Hook. f.*

Plantago

alpina, *Linn.*
arborescens, *Poir.*
argentea, *Chaix*
brachystachys, *Kunze*
Brownii, *Rafin.*
Coronopus, *Linn.*
fuscescens, *Jord.*
insularis, *Eastw.*
lanceolata, *Linn.*
— var. nitens
Loscosii, *Willk.*
major, *Linn.*
— var. monstrosa
maritima, *Linn.*
media, *Linn.*
nivalis, *Boiss.*
Psyllium, *Linn.*
Raoulii, *Decne.*
Rugelii, *Decne.*
subulata, *Linn.*

Platycodon

grandiflorum, *A. DC.*, var. Mariesii

Platystemon

californicus, *Benth.*

Pleurospermum

Hookeri, *C. B. Clarke*

Poa

caespitosa, *Forst. f.*
Maniototo, *Petrie*

Podophyllum

Emodi, *Wall.*
— var. majus
— var. Leichtlinii, *Hort.*

Polemonium

boreale, *Adams*
caeruleum, *Linn.*
— var. album
— var. gracile (*Willd.*)
— var. himalayanum, *Baker*
carneum, *A. Gray*
filicinum, *Greene*
flavo-caeruleum ×, *Hort.*
flavum, *Greene*
— var. album
grandiflorum, *Benth.*
humile, *Willd.*
mexicanum, *Cerv.*
pauciflorum, *S. Wats.*
reptans, *Linn.*
viscosum, *Nutt.*

Polygala

major, *Jacq.*
— var. alba
vulgaris, *Linn.*

Polygonum

affine, *D. Don*
amplexicaule, *D. Don*
baldschuanicum, *Regel*
Bistorta, *Linn.*
— var. major

Polygonum—*continued.*

campanulatum, *Hook. f.*
cuspidatum, *Sieb. et Zucc.*
Emodi, *Meissn.*
lichiangense, *W. W. Sm.*
macrophyllum, *D. Don*
paniculatum, *Blume*
sibiricum, *Laxm.*
sinocapitatum, *Hort.*
sinosphaerocephalum, *Hort.*
viviparum, *Linn.*

Polypteris

texana, *A. Gray*

Potentilla

adscharica, *Somm. et Lev.*
albifolia, *Wall.*
alchemilloides, *Lapeyr.*
alpestris, *Hall. f.*
ambigua, *Cambess.*
apennina, *Tenore*
argentea, *Linn.*
argyrophylla, *Wall.*
— var. atrosanguinea
aurea, *Linn.*
bifurca, *Linn.*
brachypetala, *Fisch. et Mey.*
Breunia ×, *Huter*
Buccoana, *Clem.*
Convallaria, *Rydb.*
crinita, *A. Gray*
Degenii, *Sieg.*
Delavayi, *Franch.*
delphinensis, *Gren. et Godr.*
Detommasii, *Tenore*
dissecta, *Pursh*
Dombeyi, *Nestl.*
effusa, *Dougl.*
eriocarpa, *Wall.*
fruticosa, *Linn.*
— var. alba
— var. glabrata
— var. humilis
— var. mandschurica
— var. rigida
— var. Vilmoriniana
fulgens, *Wall.*
gracilis, *Dougl.*
grammopetala, *Moretti*

Potentilla—*continued.*

Griffithii, *Hook. f.*, var. concolor
Herbichii, *Blocki*
Hippiana, *Lehm.*
hirta, *Linn.*
— var. taurica
Kerneri ×, *Borb.*
kurdica, *Boiss. et Hohen.*
Leschenaultiana, *Ser.*
Macnabiana ×, *Lem.*
micrandra, *Koehne*
montenegrina, *Pantoč*
monticola, *Zimm.*
Mooniana, *Wight*
multifida, *Linn.*
nepalensis, *Hook.*
— var. Willmottiana
Nicicii, *Adamovic*
nitida, *Linn.*
— var. elongata
nivalis, *Lapeyr.*
nivea, *Linn.*
opaca, *Linn.*
palustris, *Scop.*
pennsylvanica, *Linn.*
persica, *Boiss. et Haussk.*
Purpusii, *Hort. Edin.*
recta, *Linn.*
— var. pedata
— var. sulphurea
rhomboidea, *Rydb.*
rupestris, *Linn.*
— var. pygmaea
Sibbaldi, *Hall. f.*
Sibthorpiana, *Hort.*
speciosa, *Willd.*
Tormentilla, *Neck.*
tridentata, *Soland.*
Valderia, *Linn.*
— var. glabra
villosa, *Pall.*
viscosa, *Donn*

Poterium

canadense, *A. Gray*
hakusanense, *Hort.*
obtusum, *Franch. et Sav.*
officinale, *A. Gray*
verrucosum, *Ehrenb.*

Pratia

angulata, *Hook. f.*
arenaria, *Hook. f.*
begonifolia, *Lindl.*
montana, *Hassk.*
repens, *Gaudich.*

Prenanthes

purpurea, *Linn.*

Primula

anisodora, *Balf. f. et Forrest*
apennina, *Widm.*
Beesiana, *G. Forrest*
Bulleyana, *G. Forrest*
burmanica, *Balf. f. et Ward*
chionantha, *Balf. f. et Forrest*
chungensis, *Balf. f. et Forrest*
Cockburniana, *Hemsl.*
crispata, *Balf. f. et W. W. Sm.*
cyanantha, *Balf. f. et Forrest*
deflexa, *Franch.*
denticulata, *Sm.*, var. cachemiriana
Edina ×, *Hort.*
Ellisiae, *Pollard et Cockerell*
erythrocarpa, *Craib*
frondosa, *Janka*
helodoxa, *Balf. f.*
Inverleith ×, *Hort.*
involucrata, *Wall.*
japonica, *A. Gray*
kichanensis, *Franch.*
leucophylla, *Pax*
lichiangensis, *G. Forrest*
Littoniana, *G. Forrest*
longiflora, *All.*
luteola, *Ruprecht*
macrocalyx, *Bunge*
marginata, *Curtis*
Miyabeana, *Ito et Kawakama*
Mooreana, *Balf. f. et W. W. Sm.*
muscarioides, *Hemsl.*
nutans, *Franch.*
oblanceolata, *Balf. f.*
obliqua, *W. W. Sm.*
Palinuri, *Petag.*

Primula—*continued.*

pinnatifida, *Franch.*
Poissonii, *Franch.*
pseudo-capitata, *F. K. Ward*
pulverulenta, *Duthie*
reticulata, *Wall.*
Rusbyi, *Greene*
saxatilis, *Komarov*
scotica, *Hook.*
secundiflora, *Franch.*
septemloba, *Franch.*
Sieboldii, *E. Morr.*
— var. grandiflora
sikkimensis, *Hook. f.*
sinopurpurea, *Balf. f. et Forrest*
Smithiana, *Craib*
sphaerocephala, *Balf. f. et Forrest*
spicata, *Franch.*
suffrutescens, *A. Gray*
Veitchii, *Duthie*
vincaeflora, *Franch.*
viscosa, *All.*
vittata, *Franch.*
Wardii, *Balf. f.*
Watsoni, *Dunn*
Wilsoni, *Dunn*

Prosartes

oregana, *S. Wats.*

Prunella

grandiflora, *Jacq.*
— var. pinnatifida
— var. rosea
hyssopifolia, *Linn.*
laciniata, *Linn.*
vulgaris, *Linn.*

Prunus

acida, *Borkh.*, var. semperflorens
Amygdalus, *Stokes*
Mahaleb, *Linn.*, var. chrysocarpa
mollis, *Walp.*

Psoralea

acaulis, *Stev.*
Jeffreyi, *Hort.*

Ptelea

Baldwinii, *Torr. et Gray*
trifoliata, *Linn.*

Pulicaria

dysenterica, *Gaertn.*
vulgaris, *Gaertn.*

Pyrethrum

Akinfiewi, *Hort.*
Haussknechtii, *Bornm.*

Pyrola

rotundifolia, *Linn.*, var. incarnata

Pyrus

alpina, *Willd.*, var. superaria
americana, *DC.*
Aria, *Ehrh.*, var. flabelliformis
— var. obtusata
— var. Theophrasta
Aucuparia, *Gaertn.*
— var. Dirkenii
— var. discolor
— var. Fifeana
— var. fructu luteo
— var. moravica
— var. pendula variegata
— var. rossica
— var. satureifolia, *Hort.*
baccata, *Linn.*
— var. cerasifera
— var. costata
canescens, *Spach*
communis, *Linn.*
— var. fascicularis
germanica, *Hook. f.*
Hostii ×, *Hort.*
hybrida, *Moench*
japonica, *Thunb.*
lanuginosa, *DC.*
melanocarpa, *K. Koch*
nivalis, *Jacq.*
orthocarpa, *Nichols.*
pekinensis, *Koehne*

Pyrus—*continued.*

prunifolia, *Willd.*
— var. Colvillei
— var. fructu dulci
— var. pendula
Ringo, *Wenzig*, var. fastigiata bifera, *Hort.*
rivularis, *Dougl.*, var. integrifolia
rotundifolia, *Bechst.*
salicifolia, *Pall.*
Sorbus, *Gaertn.*
spectabilis, *Ait.*
theifera, *Rehder*
Toringo, *Sieb.*, var. incisa
Torminalis, *DC.*
unguiculata (*Koehne*)
Vilmorini, *Schneider*
Zumi, *Matsum.*

Quercus

Cerris, *Linn.*
pedunculata, *Ehrh.*
sessiliflora, *Salisb.*

Ramondia

pyrenaica, *Rich.*
— var. Myconi
— var. rosea

Ranunculus

acris, *Linn.*
amplexicaulis, *Linn.*
californicus, *Benth.*, var. latilobus
Cymbalaria, *Pursh*
gramineus, *Linn.*
inamoenus, *Greene*
lobulatus, *Cockayne*
Munroi, *Hook. f.*
parviflorus, *Linn.*
Villarsii, *DC.*
Weyleri, *Marès*

Raoulia

australis, *Hook. f.*
glabra, *Hook. f.*
subsericea, *Hook. f.*

Raphanus

sativus, *Linn.*

Reseda

alba, *Linn.*
complicata, *Bory*
glauca, *Linn.*
odorata, *Linn.*

Rhamnus

alpina, *Linn.*
californica, *Eschsch.*
— var. tomentella (*Benth.*)
cathartica, *Linn.*
Frangula, *Linn.*
Purshiana, *DC.*
rupestris, *Scop.*
tinctoria, *Waldst. et Kit.*

Rhazya

orientalis, *A. DC.*

Rheum

Alexandrae, *Batalin*
Collinianum, *Baill.*
Forrestii, *Diels*
officinale, *Baill.*
palmatum, *Linn.*
— var. rubrum
Rhaponticum, *Linn.*

Rhododendron

ambiguum, *Hemsl.*
Anthopogon, *D. Don*
arborescens, *Torr.*
arboreum, *Sm.*
argenteum, *Hook. f.*
Augustinii, *Hemsl.*
azaleoides ×, *Desf.*
brachyanthum, *Franch.*
californicum, *Hook.*
calophyllum, *Nutt.*
camelliaeflorum, *Hook. f.*
campanulatum, *D. Don*
campylocarpum, *Hook. f.*
carolinianum, *Rehder*
catawbiense, *Michx.*

Rhododendron—*continued.*

cephalanthum, *Franch.*
chartophyllum, *Franch.*
ciliatum, *Hook. f.*
cinnabarinum, *Hook. f.*
cuneatum, *W. W. Sm.*
Davidsonianum, *Rehd. et Wils.*
decorum, *Franch.*
fastigiatum, *Franch.*
ferrugineum, *Linn.*
— var. album
— var. atrococcineum
— var. majus
flavum, *G. Don*
Fortunei, *Lindl.*
glaucum, *Hook. f.*
Grievei ×, *Hort.*
hedyosmum, *Balf. f.*
hirsutum, *Linn.*
— var. album
impeditum, *Balf. f. et W. W. Sm.*
intermedium ×, *Tausch*
intricatum, *Franch.*
irroratum, *Franch.*
Kaempferi, *Planch.*
kamtschaticum, *Pall.*
Keiskei, *Miq.*
Kotschyi, *Simonkai*
ledoides, *Balf. f. et W. W. Sm.*
lepidotum, *Wall.*
lochmium, *Balf. f.*
longistylum, *Rehd. et Wils.*
Maddeni, *Hook. f.*
manipurense, *Balf. f. et Watt*
Metternichii, *Sieb. et Zucc.*
— var. pentamerum
micranthum, *Turcz.*
multiflorum ×, *Hort.*
oleifolium, *Franch.*
oreotrephes, *W. W. Sm.*
ovatum, *Planch.*
pholidotum, *Balf. f. et W. W. Sm.*
ponticum, *Linn.*
prostratum, *W. W. Sm.*
pseudo-yanthinum, *Balf. f.*
racemosum, *Franch.*
salignum, *Hook. f.*

Rhododendron—*continued.*

Sargentianum, *Rehd. et Wils.*
Searsiae, *Rehd. et Wils.*
Smirnowi, *Trautv.*
sycnanthum, *Balf. f. et W. W. Sm.*
Thomsoni, *Hook. f.*
thyodocum, *Balf. f. et Cooper*
trifiorum, *Hook. f.*
Tschonoskii, *Maxim.*
Vaseyi, *A. Gray*
villosum, *Hemsl. et Wils.*
virgatum, *Hook. f.*

Rhodotypos

kerrioides, *Sieb. et Zucc.*

Rhus

glabra, *Linn.*
typhina, *Linn.*
— var. laciniata
— var. filicina

Ribes

Koehneanum ×, *Jancz.*
nigrum, *Linn.*, var. fructu luteo
rubrum, *Linn.*
— var. scandicum
sanguineum, *Pursh*, var. albidum
— var. atrosanguineum
speciosum, *Pursh*
vulgare ×, *Hort.*

Richardsonia

pilosa, *H. B. et K.*

Rodgersia

aesculifolia, *Batalin*
pinnata, *Franch.*
podophylla, *A. Gray*
sambucifolia, *Hemsl.*
tabularis, *Kom.*

Romanzoffia

unalaschcensis, *Cham.*

Romulea

Columnae, *Sebast. et Mauri*

Rosa

agrestis, *Savi*, var. belgradensis, *Nichols.*
alpina, *Linn.*
— var. pyrenaica
Banksiopsis, *Baker*
blanda, *Ait.*
— var. arkansana
— var. Sayi
californica, *Schlecht.*
calocarpa ×, *André*
cinnamomea, *Linn.*, var. davurica
damascena, *Mill.*
Davidi, *Crép.*
— var. elongata
Fendleri, *Crép.*
ferox, *Bieb.*
foetida, *Herrm.*, var. bicolor
gallica, *Linn.*
glauca, *Vill.*
glutinosa, *Sibth. et Sm.*
Jundzilli, *Besser*
kamtchatica, *Vent.*
laevigata, *Michx.*, var. anemone
laxa, *Retz.*
macrophylla, *Lindl.*
— var. Prattii
Malyi, *Kern.*
moschata, *Herrm.*
Moyesii, *Hemsl. et Wilson*
— var. rosea
multiflora, *Thunb.*
Murielae, *Rehd. et Wils.*
nitida, *Willd.*
pomifera, *Herrm.*
poteriifolia, *Hort.*
rugosa, *Thunb.*
— var. alba
— var. Regelliana
Seraphini, *Viv.*
setipoda, *Hemsl.*
spinosissima, *Linn.*
Szaboi, *Bord.*
tomentosa, *Sm.*

Rosa—*continued.*

Webbiana, *Wall.*
— var. pimpinellifolia
Woodsii, *Lindl.*

Roscoea

alpina, *Royle*
cautleoides, *Gagnep.*
intermedia, *Gagnep.*
purpurea, *Sm.*

Rubus

amabilis, *Focke*
Henryi, *Hemsl.*
laciniatus, *Willd.*
lasiostylus, *Focke*, var. dizygos, *Focke*
parvus, *J. Buch.*
reflexus, *Ker*
rosaefolius, *Sm.*
xanthocarpus, *Bur. et Franch.*

Rudbeckia

laciniata, *Linn.*
nitida, *Nutt.*
triloba, *Linn.*

Rumex

flexuosus, *Soland.*
mexicanus, *Meissn.*
obtusifolius, *Linn.*
occidentalis, *S. Wats.*
scutatus, *Linn.*

Ruta

chalepensis, *Linn.*
graveolens, *Linn.*
— var. variegata
macrophylla, *Soland.*

Sagina

glabra, *Fenzl*, var. pilifera
maritima, *D. Don*

Salvia

acetabulosa, *Linn.*
azurea, *Lam.*
— var. Pitcheri (*Torr.*)

Salvia—*continued.*

Beckeri, *Trautv.*
Bertolonii, *Vis.*
bracteata, *Russ.*
Bulleyana, *Diels*
cleistogama, *De Bary et Paul*
flava, *G. Forrest*, var. megalantha, *Diels*
glutinosa, *Linn.*
grandiflora, *Etling.*
hians, *Royle*
nutans, *Linn.*
officinalis, *Linn.*
pratensis, *Linn.*
— var. alba
— var. rosea
Przewalskii, *Maxim.*
Pseudo-silvestris, *Stapf*
Roemeriana, *Scheele*
Sclarea, *Linn.*
— var. alba
Souliei, *Hort.*
sylvestris, *Linn.*
trijuga, *Diels*
verbascifolia, *Bieb.*
verticillata, *Linn.*
virgata, *Ait.*, var. nemorosa

Sambucus

canadensis, *Linn.*
glauca, *Nutt.*
racemosa, *Linn.*

Sanicula

europaea, *Linn.*
marilandica, *Linn.*

Santolina

Chamaecyparissus, *Linn.*, var. tomentosa
— var. incana
pinnata, *Viv.*

Sanvitalia

procumbens, *Lam.*

Saponaria

caespitosa, *DC.*
ocymoides, *Linn.*
pulchella, *Hort.*

Sarothamnus

Reverchonii, *Degen et Hervier*

Satureia

cuneifolia, *Tenore*
montana, *Linn.*
— var. amoena
— var. illyrica
— var. pygmaea

Saussurea

Andersoni, *C. B. Clarke*
hypoleuca, *Spreng.*
salicifolia, *DC.*
Stella, *Maxim.*
uniflora, *Wall.*

Saxifraga

aizoides, *Linn.*
Aizoon, *Jacq.*
— f. brevifolia
— f. cultrata
— f. La-graveana
— f. lutea
— f. minima
— f. rhaetica
— f. rosularis (*Haw.*)
— f. Sturmiana (*Schott, Nym. et Kotschy*)
Allionii ×, *Hort.*
ambigua ×, *DC.*
apiculata ×, *Engler*
aquatica, *Lapeyr.*
arguta ×, *Suend.*
Blavii, *G. Beck*
Brunoniana, *Wall.*
— var. majuscula
Bucklandi ×, *Hort.*
caesia, *Linn.*
caespitosa, *Linn.*
californica, *Greene*
cartilaginea, *Willd.*
Churchilli ×, *Hort.*
cochlearis, *Reichb.*
— var. minor
cordifolia, *Haw.*
corsica, *Gren. et Godr.*

Saxifraga—*continued.*

Cotyledon, *Linn.*, var. montavoniensis
— var. pyramidalis
— var. pyrenaica
crassifolia, *Linn.*
cuneifolia, *Linn.*
— f. apennina (*Bertol.*)
— f. davurica
decipiens, *Ehrh.*
— f. adscendens
— f. grandiflora
— f. hirta
— f. platypetala
— f. pulchella
— f. Sternbergii (*Willd.*)
Delavayi, *Franch.*
diversifolia, *Wall.*, var. angustibracteata, *Engl. et Irmscher*
flagellaris, *Willd.*
geranioides, *Linn.*
Geum, *Linn.*, f. crispa
— — minor
— f. dentata
— f. Donii
— f. ovalifolia
— f. reniformis
— f. rotundifolia
hederacea, *Linn.*
Hostii, *Tausch*, var. altissima
Huetiana, *Boiss.*
hypnoides, *Linn.*
incrustata, *Vest*
irrigua, *Bieb.*
juniperifolia, *Adams.*
laevis, *Bieb.*
leptophylla, *Hort.*
Lindsayana ×, *Hort.*
lingulata, *Bell.*
— var. catalaunica (*Boiss. et Reut.*)
longifolia, *Lapeyr.*
luteo-viridis, *Schott et Kotschy*
macrostigma, *Franch.*, var. longipes
Maweana, *Baker*
micrantha, *Edgew.*
— var. corymbiflora, *Engl. et Irmscher*
mutata, *Linn.*

Saxifraga—*continued.*

nivalis, *Linn.*
obscura, *Gren. et Godr.*
oranensis, *Munby*
paniculata, *Cav.*
paradoxa ×, *Sternb.*
pedatifida, *Ehrh.*
pedemontana, *All.*, var. aromatica, *Niven*
— var. cervicornis (*Viv.*)
pennsylvanica, *Linn.*
pentadactylis, *Lapeyr.*
Portae ×, *Engl.*
rosea-superba, *Hort.*
rotundifolia, *Linn.*, f. glandulosa, *Griseb.*
— f. hirsuta
sancta, *Griseb.*
Schraderi, *Sternb.*
Sibthorpii, *Boiss.*
Stansfieldii ×, *Hort.*
stellaris, *Linn.*
tellimoides, *Maxim.*
trifurcata, *Schrad.*
umbrosa, *Linn.*
— f. acanthifolia
— f. primuloides
— f. variegata
vochinensis ×, *Gusm.*
Wallacei ×, *M'Nab*
yunnanense, *Franch.*
Zelebori, *Schott*

Scabiosa

arvensis, *Linn.*
balcanica, *Velen.*
caucasica, *Bieb.*
fumarioides, *Vis. et Panč.*
graminifolia, *Linn.*
Hookeri, *C. B. Clarke*
magnifica, *Benth. et Hook. f.*
montana, *Bieb.*
ochroleuca, *Linn.*, var. Webbiana, *D. Don*
plumosa, *Sibth. et Sm.*
Pterocephala, *Linn.*
Succisa, *Linn.*
— var. alba

Schizocodon

soldanelloides, *Sieb. et Zucc.*

Schizophragma

integrifolium, *Oliver*

Scilla

autumnalis, *Linn.*
festalis, *Salisb.*
— var. alba
hispanica, *Mill.*

Scirpus

Eriophorum, *Michx.*
Holoschoenus, *Linn.*
lacustris, *Linn.*, var. Tabernaemontani

Scolymus

grandiflorus, *Desf.*

Scopolia

lurida, *Dun.*

Scorpiurus

subvillosa, *Linn.*

Scorzonera

cinerea, *Boiss.*
hispanica, *Linn.*
purpurea, *Linn.*

Scrophularia

alata, *Gilib.*
alpestris, *J. Gay*
auriculata, *Linn.*
nodosa, *Linn.*
Scorodonia, *Linn.*
variegata, *Bieb.*

Scutellaria

alpina, *Linn.*
altissima, *Linn.*
balearica, *Barc.*
hirta, *Sibth. et Sm.*
indica, *Linn.*, var. japonica
macrantha, *Fisch.*
orientalis, *Linn.*
peregrina, *Linn.*
splendens, *Link, Klotzsch et Otto*

Sedum

acre, *Linn.*
Aizoon, *Linn.*
album, *Linn.*
altissimum, *Poir.*
Anacampseros, *Linn.*
anopetalum, *DC.*
asiaticum, *Spreng.*
bupleuroides, *Wall.*
caeruleum, *Linn.*
Ellacombianum, *Praeger*
Ewersii, *Ledeb.*
fastigiatum, *Hook. f. et Thoms.*
hispanicum, *Linn.*
hybridum, *Linn.*
kamtschaticum, *Fisch. et Mey.*
— var. variegatum
maximum, *Suter*
— var. purpureum
multicaule, *Wall.*
pilosum, *Bieb.*
populifolium, *Pall.*
quadrifidum, *Pall.*
reflexum, *Linn.*
roseum, *Scop.*, var. Scopoli
rupestre, *Linn.*
— var. Forsterianum
Semenovii, *Mast.*
sempervivoides, *Fisch.*
Sieboldii, *Sweet*
spectabile, *Bor.*
spurium, *Bieb.*, var. splendens
Stephani, *Cham.*
stoloniferium, *S. T. Gmel.*, var. ibericum
Telephium, *Linn.*, var. Borderi
tibeticum, *Hook. f. et Thoms.*
trifidum, *Wall.*
Winkleri, *Wolley-Dod*
yunnanense, *Franch.*, var. valerianoides, *Hamet*

Selinum

pyrenaeum, *Gouan*
tenuifolium, *Wall.*
— var. album

Sempervivum

arenarium, *Koch*
arvernense, *Lecoq et Lamotte*
barbatum, *C. Sm.*
Boutignyanum, *Billot et Gren.*
chrysanthum, *Hochst.*
glaucum, *Tenore*
Fontanae ×, *Bruegg.*
Ledebouri, *Hort.*
ponticum, *Hort.*
sanguineum, *Jeanb.*
Schnittspahni, *Lagg.*
Seguieri, *DC.*
tectorum, *Linn.*, var. densum
— var. glaucum
— var. pulchrum
— var. robustum
triste, *Hort.*, var. sanguineum
Verloti, *Lamotte*
violaceum, *Hort.*

Senebiera

pinnatifida, *DC.*

Senecio

abrotanifolius, *Linn.*
— var. grandiflorus
acuminatus, *Wall.*
adonidifolius, *Loisel.*
alatus, *Wall.*
bellidioides, *Hook. f.*
Bigelovii, *A. Gray*
biligulatus, *W. W. Sm.*
Boissieri, *DC.*
cacaliaefolius, *Sch. Bip.*
clivorum, *Maxim.*
— var. subcrenatus
coccineus, *Klatt*
compactus, *T. Kirk*
Correvonianus, *Hort.*
Doria, *Linn.*
Doronicum, *Linn.*
Fendleri, *A. Gray*
fibrillosus, *Dunn*
Fuchsii, *C. C. Gmel.*
graciliflorus, *DC.*
Greyii, *Hook. f.*
japonicus, *Sch. Bip.*
laxifolius, *J. Buch.*
Ligularia, *Hook. f.*

Senecio—*continued.*

Lyallii, *Hook. f.*
macrophyllus, *Bieb.*
mosoynensis, *Franch.*
Munroi, *Hook. f.*
nemorensis, *Linn.*
plantaginifolius, *Franch.*
pulcher, *Hook. et Arn.*
sarracenicus, *Linn.*
Smithii, *DC.*
speciosus, *Willd.*
stenocephalus, *Maxim.*, var. comosus
suaveolens, *Ell.*
tuberivagus, *W. W. Sm.*
Veitchianus, *Hemsl.*
vellereus, *Franch.*
viscosus, *Linn.*
vulgaris, *Linn.*

Serratula

coronata, *Linn.*
Gmelini, *Ledeb.*
macrocephala, *Bertol.*
tinctoria, *Linn.*

Seseli

caespitosum, *Sibth. et Sm.*

Sesleria

argentea, *Savi*, var. robusta

Sibiraea

tomentosa, *Diels*

Sidalcea

candida, *A. Gray*
diploscypha, *A. Gray*
malvaeflora, *A. Gray*
— var. atropurpurea
neo-mexicana, *A. Gray*
oregana, *A. Gray*
spicata, *Greene*

Sideritis

hyssopifolia, *Linn.*
scordioides, *Linn.*
spinosa, *Lam.*

Silaus

tenuifolius, *DC.*

Silene

adenantha, *Franch.*
alpestris, *Jacq.*
ambigua, *Hort.*
Armeria, *Linn.*
auriculata, *Sibth. et Sm.*
Boryi, *Boiss.*
caryophylloides, *Otth.*
caucasica, *Boiss.*
chloraefolia, *Sm.*
ciliata, *Pourr.*
Cucubalus, *Wibel*
Elisabethae, *Janka*
Fabaria, *Sibth. et Sm.*
fimbriata, *Sims*
Fortunei, *Vis.*
fruticosa, *Linn.*
fruticulosa, *Sieber*
gigantea, *Linn.*
Harrowiana ×, *Hort.*
Hookeri, *Nutt.*
italica, *Pers.*
Keiskii, *Miq.*
Lerchenfeldiana, *Baumg.*
linicola, *C. C. Gmel.*
maritima, *With.*
multicaulis, *Guss.*
Otites, *Sm.*
palaestina, *Boiss.*
pendula, *Linn.*, var. Bonnettii
pharnaceifolia, *Fenzl*
picta, *Pers.*
quadridentata, *Pers.*
— var. pusilla
Requienii, *Otth.*
rhynchocarpa, *Boiss.*
rosiflora, *F. K. Ward*
rubella, *Linn.*
Saxifraga, *Linn.*
Schafta, *Gmel.*
Sendtneri, *Boiss.*
sino-Watsonii, *W. W. Sm.*
Stracheyi, *Edgew.*
Thorei, *Duf.*
turgida, *Bieb.*
vallesia, *Linn.*
viridiflora, *Linn.*
Zawadzkii, *Herbich*

Siler
trilobum, *Crantz*

Silphium
perfoliatum, *Linn.*

Silybum
Marianum, *Gaertn.*

Sisymbrium
Alliaria, *Scop.*
myriophyllum, *H. B. et K.*
strictissimum, *Linn.*

Sisyrinchium
angustifolium, *Mill.*
— var. anceps, *Cav.*
— var. mucronatum
filifolium, *Gaudich.*
pachyrhizum, *Baker*
striatum, *Sm.*

Skimmia
Fortunei, *Mast.*
Laureola, *Sieb. et Zucc.*, var. oblata

Smilacina
racemosa, *Desf.*
stellata, *Desf.*
— var. glauca

Solanum
crispum, *Ruiz et Pav.*
Dulcamara, *Linn.*

Solenanthus
apenninus, *Hohen.*

Solidago
aurea, *Spreng.*
Buckleyi, *Torr. et Gray*
caesia, *Linn.*
canadensis, *Linn.*
elongata, *Nutt.*
gigantea, *Hort.*
glomerata, *Michx.*
Solidago—*continued.*
multiradiata, *Ait.*
neglecta, *Torr. et Gray*
nemoralis, *Ait.*
odora, *Ait.*
ohioensis, *Riddell*
pallida, *Rydberg*
Purshii, *Porter*, var. nana
rigida, *Linn.*
rigidiuscula, *Porter*
rugosa, *Mill.*
sempervirens, *Linn.*
Virgaurea, *Linn.*

Sonchus
arvensis, *Linn.*
oleraceus, *Linn.*

Sparganium
ramosum, *Curt.*

Spartium
junceum, *Linn.*

Specularia
Speculum, *A. DC.*

Spenceria
ramalana, *Trimen*

Spergula
vernalis, *Willd.*, var. normalis

Spergularia
diandra, *Boiss.*
rubra, *J. et C. Presl*

Spinacia
oleracea, *Linn.*

Spiraea
Aitchisoni, *Hemsl.*
Aruncus, *Linn.*
bracteata, *Zabel*
caespitosa, *Nutt.*
— var. argentea
Camtschatica, *Pall.*
canescens, *D. Don*
crenata, *Linn.*

Spiraea—*continued.*

discolor, *Pursh*
— var. dumosa
Douglasii, *Hook.*
Filipendula, *Linn.*
Foxii ×, *Hort.*
Henryi, *Hemsl.*
japonica, *Linn. f.*
— var. acuminata
— var. alba
— var. compacta coccinea
— var. Froebelii
— var. rubra
— var. variegata
laevigata, *Linn.*
Lindleyana, *Wall.*
lobata, *Jacq.*
media, *F. Schmidt*
Millefolium, *Torr.*
Miyabei, *Koidzumi,* var. glabrata
mollifolia, *Rehder*
myrtilloides, *Rehder*
Nobleana, *Hook.*
palmata, *Sternb.*
pectinata, *Torr. et Gray*
prunifolia, *Sieb. et Zucc.*
Rosthornii, *E. Pritz.*
salicifolia, *Linn.*
— var. paniculata
sorbifolia, *Linn.*
— var. gigantea
Ulmaria, *Linn.*
Veitchii, *Hemsl.*
Wilsoni, *Duthie*

Stachys

alopecuros, *Benth.*
Betonica, *Benth.*
— var. alba
coccinea, *Jacq.*
corsica, *Pers.*
discolor, *Benth.*
germanica, *Linn.*
grandiflora, *Benth.*
— var. robusta
heraclea, *All.*
lanata, *Jacq.*
recta, *Linn.*
repens, *Mart. et Gal.*
setifera, *C. A. Mey.*

Statice

altaica, *Hort.*
auriculaefolia, *Vahl*
echioides, *Linn.*
Gougetiana, *Girard*
latifolia, *Sm.*
minuta, *Linn.*
occidentalis, *Lloyd*
Suworowi, *Regel*
tatarica, *Linn.*
Thouini, *Viv.*

Stellaria

graminea, *Linn.*
Holostea, *Linn.*
longissima, *Wall.*

Stenanthium

angustifolium, *Kunth*

Stephanandra

flexuosa, *Sieb. et Zucc.*

Stevia

purpurea, *Pers.*

Stipa

barbata, *Desf.*

Stokesia

cyanea, *L'Hérit.*, var. alba

Stranvaesia

Davidiana, *Decne.*, var. undulata

Swertia

connata, *Schrenk*
pubescens, *Franch.*

Symphoricarpus

Heyeri, *Dipp.*
occidentalis, *Hook.*
orbiculatus, *Moench*
racemosus, *Michx.*

Symphyandra

Hofmanni, *Pant.*
ossetica, *A. DC.*
pendula, *A. DC.*

Symphytum

orientale, *Linn.*

Symplocarpus

foetidus, *Nutt.*

Syringa

Adamiana, *Balf. f. et W. W. Sm.*
Emodi, *Wall.*
— var. variegata
Josikaea, *Jacq.*
villosa, *Vahl*
vulgaris, *Linn.*
yunnanensis, *Franch.*

Tagetes

signata, *Bartl.*, var. pumila

Tanacetum

argenteum, *Willd.*
— var. minor
nubigenum, *Wall.*
Pseudachillea, *C. Winkl.*
vulgare, *Linn.*
— var. crispum

Taraxacum

officinale, *Weber*

Taxus

baccata, *Linn.*
— var. adpressa
— var. dovastoni
— var. fastigiata

Telephium

Imperati, *Linn.*

Tellima

grandiflora, *R. Br.*

Tetragonia

echinata, *Ait.*

Teucrium

canadense, *Linn.*
Chamaedrys, *Linn.*
lanceolatum, *Rafin.*
lancifolium, *Boiss.*
lucidum, *Linn.*
montanum, *Linn.*
palmatum, *Benth.*
Polium, *Linn.*
— var. achaemensis
pyrenaicum, *Linn.*
Scorodonia, *Linn.*
— var. crispum

Thalictrum

angustifolium, *Linn.*
aquilegiaefolium, *Linn.*
calabricum, *Spreng.*
Chelidonii, *DC.*
corynellum, *DC.*
dioicum, *Linn.*
elegans, *Wall.*
flavum, *Linn.*
glaucum, *Desf.*
isopyroides, *C. A. Mey*
minus, *Linn.*
— var. adiantifolium
— var. saxatile
purpurascens, *Linn.*
simplex, *Linn.*

Thaspium

aureum, *Nutt.*

Thermopsis

angustata, *Greene*
fabacea, *DC.*
lanceolata, *R. Br.*
rhombifolia, *Richards.*

Thuya

occidentalis, *Linn.*
orientalis, *Linn.*
plicata, *D. Don*

Thymus

Chamaedrys, *Fries*
— var. nummularius
nitidus, *Guss.*
Serpyllum, *Linn.*
— var. albus
— var. alpinus
— var. coccineus
— var. comosus (*Heuff.*)
— var. grandiflorus
— var. Marschallianus (*Willd.*)
— var. micans
— var. pannonicus
— var. pulchellus (*Bluff. et Fingerh.*)
— var. Snowdonianus
vulgaris, *Linn.*, var. argentea
— var. citriodorus
Zygis, *Linn.*

Tiarella

trifoliata, *Linn.*

Tofieldia

calyculata, *Wahlenb.*
palustris, *Huds.*

Tolpis

barbata, *Gaertn.*

Townsendia

Wilcoxiana, *Wood*

Trachydium

obtusiusculum, *Benth. et Hook. f.*

Tradescantia

virginiana, *Linn.*
— var. alba
— var. atropurpurea
— var. elata

Tragopogon

porrifolius, *Linn.*
pratensis, *Linn.*

Trautvetteria

palmata, *Fisch. et Mey.*

Tridax

procumbens, *Linn.*

Trifolium

alpinum, *Linn.*
medium, *Linn.*
pannonicum, *Jacq.*
pratense, *Linn.*, var. nivale
— var. quinquefolium

Triglochin

bulbosum, *Linn.*

Trigonella

arabica, *Delile*
spinosa, *Linn.*

Trillium

grandiflorum, *Salisb.*

Trisetum

argentum, *Roem. et Schult.*
flavescens, *Beauv.*
glaciale, *Boiss.*

Triticum

vulgare, *Vill.*

Tritonia

rosea, *Klatt*

Trochodendron

aralioides, *Sieb. et Zucc.*

Trollius

abschasicus, *Hort.*
asiaticus, *Linn.*
caucasicus, *Stev.*
europaeus, *Linn.*
— var. napellifolius (*Roep.*)
Ledebourii, *Reichb.*
patulus, *Salisb.*
— var. pedunculatus
pumilus, *D. Don*
— var. yunnanensis

Tulipa
Didieri, *Jord.*
pulchella, *Fenzl*, var. lycaonica
vitellina, *Hort.*

Tunica
prolifera, *Scop.*
Saxifraga, *Scop.*

Typha
angustifolia, *Linn.*
latifolia, *Linn.*
Laxmanni, *Lepech.*
Shuttleworthii, *Koch et Send.*

Ulex
europaeus, *Linn.*

Uncinia
compacta, *R. Br.*

Uvularia
perfoliata, *Linn.*

Vaccinium
Mortinia, *Benth.*
Myrtillus, *Linn.*
padifolium, *Sm.*
pennsylvanicum, *Lam.*

Valeriana
alliariaefolia, *Vahl*
tripteris, *Linn.*

Valerianella
congesta, *Lindl.*
membranacea, *Loisel.*

Veratrum
album, *Linn.*

Verbascum
Lychnitis, *Linn.*
phoeniceum, *Linn.*
— var. hybridum
pyramidatum, *Bieb.*
rigidum, *Boiss. et Heldr.*

Verbena
erinoides, *Lam.*, var. Sabini

Verbesina
Purpusii, *Brandegee*

Veronica
Allionii, *Vill.*
anomala, *Armstr.*
aphylla, *Linn.*
arborea, *J. Buch.*
austriaca, *Linn.*
— var. dentata
— var. multifida
— var. pinnatifida
— var. prenja
Bidwillii, *Hook.*
Biebersteiniana, *Hort.*
Buchanani, *Hook. f.*
buxifolia, *Benth.*
canescens, *T. Kirk*
carnea, *Armst.*
carnosula, *Hook. f.*
catarractae, *Forst. f.*, var. compacta
chathamica, *J. Buch.*
Colensoi, *Hook. f.*
— var. glauca
— var. minor
corymbosa, *Hort.*
crassifolia, *Zeyh.*, var. alba
cuneifolia, *D. Don*
cupressoides, *Hook. f.*, var. variabilis
decumbens, *Armstr.*
decussata, *Moench*
Dorrien-Smithii, *Cockayne*
Eastonii, *Hort.*
Fairfieldii ×, *Hort. Martin*
filifolia, *Lipsky*
Forrestii, *Diels*
gentianoides, *Vahl*
glaucophylla, *Cockayne*
grandis, *Fisch.*
Grievei, *Hort.*
Guthrieana ×, *Hort.*
Hookeriana, *Walp.*
Hulkeana, *F. Muell.*
ignobilis, *Less.*
imperialis, *Hort.*
incana, *Linn.*

Veronica—*continued.*

laevis, *Benth.*
latifolia, *Linn.*
Lavaudiana, *Raoul*
Lindsayi ×, *Hort.*
longifolia, *Linn.*
— var. alba
— var. subsessilis
Lyallii, *Hook. f.*
lycopodioides, *Hook. f.*
Matthewsii, *Cheeseman*
montana, *Linn.*
monticola, *Armstr.*
multifida, *Linn.*
nivalis, *Hort.*
obovata, *T. Kirk*
parviflora, *Vahl*
— var. angustifolia, *Hook. f.*
peduncularis, *Bieb.*
peregrina, *Linn.*
pimeleoides, *Hook. f.*
— var. glauco-caerulea
pinguifolia, *Hook. f.*
— var. decumbens
pinnata, *Linn.*
pirolaeformis, *Franch.*
plebeia, *R. Br.*
polifolia, *Benth.*
prostrata, *Linn.*, var. alba
pseudo-Traversii, *Cockayne*
rakaiensis, *Armstr.*
Raoulii, *Hook. f.*
salicifolia, *Forst. f.*
— var. angustifolia
saxatilis, *Scop.*
— var. alba
spicata, *Linn.*
— var. rosea
spuria, *Linn.*
Teucrium, *Linn.*
— var. dubia
Tournefortii, *C. C. Gmel.*
Traversii, *Hook. f.*
vernicosa, *Hook. f.*
— var. canterburiensis
virginica, *Linn.*
Wardiensis ×, *Hort.*
Wilcoxii ×, *Hort.*

Vesicaria

utriculata, *DC.*

Viburnum

burejaeticum, *Regel et Herd.*
crassifolium, *Rehder*
Davidi, *Franch.*
foetidum, *Wall.*
hupehense, *Rehder*
Lantana, *Linn.*
— var. lanceolatum
Opulus, *Linn.*
— var. fructu-luteo
rhytidophyllum, *Hemsl.*
theiferum, *Rehder*
tomentosum, *Thunb.*

Vicia

Cracca, *Linn.*
Faba, *Linn.*
ochroleuca, *Tenore*
onobrychioides, *Linn.*
oroboides, *Wulf.*
pyrenaica, *Pourr.*
sativa, *Linn.*, var. torulosa (*Jord.*)
sylvatica, *Linn.*
unijuga, *A. Braun*

Vincetoxicum

fuscatum, *Reichb. f.*
nigrum, *Moench*
officinale, *Moench*

Viola

alpina, *Jacq.*
bosniaca, *Form.*
canina, *Linn.*
— var. alba
— var. rosea
cognata, *Greene*
cornuta, *Linn.*
— var. alba
elatior, *Fries*
glabella, *Nutt.*
gracilis, *Sibth. et Sm.*
— var. aurea
latisepala, *Wettst.*
lutea, *Huds.*
Patrinii, *Ging.*
stagnina, *Kit.*
sylvestris, *Lam.*
tricolor, *Linn.*

Vitis
betulifolia, *Diels et Gilg*

Wahlenbergia
graminifolia, *A. DC.*
pendula, *Schrad.*
serpyllifolia, *G. Beck*, var. dinarica

Wendlandia
subalpina, *W. W. Sm.*

Wulfenia
carinthiaca, *Jacq.*

Wyethia
mollis, *A. Gray*

Xeranthemum
annuum, *Linn.*, var. niveum

Xerophyllum
asphodeloides, *Nutt.*

Zanthoxylum
alatum, *Roxb.*

Zenobia
speciosa, *D. Don*
— var. pulverulenta (*Pollard*)

Zinnia
Haageana, *Regel*

Zygadenus
elegans, *Pursh*
venenosus, *S. Wats.*

PLANTS UNDER GLASS.

Abutilon
megapotamicum, *St. Hil. et Naud.*, var. variegatum
Sonneratianum, *Sweet*

Acacia
armata, *R. Br.*
Baileyana, *F. Muell.*
brachybotrya, *Benth.*
cyanophylla, *Lindl.*
dealbata, *Link*
Drummondii, *Benth.*
elongata, *Sieber*
microbotrya, *Benth.*
myrtifolia, *Willd.*
neriifolia, *A. Cunn.*
Riceana, *Hensl.*
rostellifera, *Benth.*
spadicigera, *Cham. et Schlecht.*
stricta, *Willd.*
suaveolens, *Willd.*
undulaefolia, *A. Cunn.*
verticillata, *Willd.*
Whanii, *F. Muell.*

Acalypha
Wilkesiana, *Muell. Arg.*

Actinostrobus
pyramidalis, *Miq.*

Adhatoda
cydoniaefolia, *Nees*

Agapanthus
umbellatus, *L'Hérit.*

Agapetes
variegata, *D. Don*

Agave
maculata, *Regel*

Aglaonema
commutatum, *Schott*

Albizzia
lophantha, *Benth.*

Albuca
Nelsoni, *N. E. Br.*

Allamanda
cathartica, *Linn.*

Aloe
arborescens, *Mill.*

Alonsoa
acutifolia, *Ruiz et Pav.*
caulialata, *Ruiz et Pav.*
Warscewiczii, *Regel*

Alpinia
calcarata, *Rosc.*
malaccensis, *Rosc.*
mutica, *Roxb.*
Sanderae, *Hort. Sand.*

Altamiranoa
elongata, *Rose*
Goldmani, *Rose*

Alternanthera
paronychioides, *St. Hil.*

Alyxia
buxifolia, *R. Br.*

Amasonia
calycina, *Hook. f.*

Amorphophallus
bulbifer, *Blume*

Amphicome
arguta, *Royle*

Anacampseros
arachnoides, *Sims*
filamentosa, *Sims*
lanceolata, *Sweet*

Anchomanes
dubius, *Schott*

Anchusa
capensis, *Thunb.*

Angianthus
humifusus, *Benth.*

Anhalonium
Williamsii, *Lem.*, var. Lewinii

Anigozanthos
rufa, *Labill.*
flavida, *DC.*

Anisotes
diversifolius, *Balf. f.*

Annesorhiza
elata, *Eckl. et Zeyh.*

Anopterus
glandulosus, *Labill.*

Antholyza
aethiopica, *Linn.*

Anthurium
Andreanum, *Linden*
Gustavi, *Regel*
Hookeri, *Kunth*
hybridum, *Hort.*
leuconeurum, *Lem.*
macrolobum ×, *Hort.*

Anthyllis
cytisoides, *Linn.*

Antirrhinum
maurandioides, *A. Gray*

Aphelandra
pumila, *Hook. f.*
velutina, *Hort.*

Arachis
hypogaea, *Linn.*

Ardisia

crenata, *Roxb.*
— var. fructu albo
japonica, *Blume*
mamillata, *Hance*
polycephala, *Wall.*
umbellata, *Baker*
Wallichii, *A. DC.*

Argyreia

speciosa, *Sweet*

Arisaema

consanguineum, *Schott*

Aristea

Eckloni, *Baker*

Aristolochia

elegans, *Mast.*
trilobata, *Linn.*

Aristotelia

Macqui, *L'Hérit.*, var. variegata

Arthraxon

microphyllus, *Hochst.*

Arthropodium

cirrhatum, *R. Br.*

Artocarpus

laciniata, *Hort.*

Asclepias

curassavica, *Linn.*
linifolia, *H. B. et K.*

Asparagus

gonocladus, *Baker*
madagascariensis, *Baker*
medeoloides, *Thunb.*
racemosus, *Willd.*
scandens, *Thunb.*
Sprengeri, *Regel*

Astelia

Cunninghamii, *Hook. f.*

Astrocaryum

Ayri, *Mart.*
mexicanum, *Liebm.*

Astroloma

pinifolium, *Benth.*

Asystasia

bella, *Harv.*

Atriplex

californica, *Moq.*
spongiosa, *F. Muell.*

Babiana

stricta, *Ker-Gawl.*, var. rubrocyanea

Baeckea

camphorata, *R. Br.*
linifolia, *Rudge*

Barleria

cristata, *Linn.*

Bauera

rubioides, *Andr.*

Begonia

Bruantii ×, *Hort.*
dichotoma, *Jacq.*
Dregei, *Otto et Dietr.*
erfordia, *Hort.*
— var. grandiflora
Franconis, *Liebm.*
fuchsioides, *Hook.*
gracilis, *H. B. et K.*
Haageana, *W. Watson*
Harrowiana, *Diels*
luxurians, *Scheidw.*
maculata, *Raddi*
malabarica, *Lam.*
Poggei, *Warb.*

Begonia—*continued.*
prismatocarpa, *Hook.*
ricinifolia ×, *Hort.*
sanguinea, *Raddi*
Socotrana, *Hook. f.*
Teuscheri, *Linden*
ulmifolia, *Willd.*

Belamcanda
punctata, *Moench*

Bertolonia
maculata, *DC.*
marmorata, *Naud.*

Beschorneria
tubiflora, *Kunth*

Biophytum
sensitivum, *DC.*

Blumea
laciniata, *DC.*

Bobartia
indica, *Linn.*

Boehmeria
biloba, *Miq.*
platyphylla, *D. Don*

Boenninghausenia
albiflora, *Reichb.*

Bomarea
Lehmanni, *Baker*

Boronia
serrulata, *Sm.*

Bossiaea
eriocarpa, *Benth.*

Boussingaultia
baselloides, *H. B. et K.* (tuber)

Bowiea
volubilis, *Harv.*

Brachysema
subcordatum, *Benth.*

Brillantaisia
Emini, *Lindau*

Brittonastrum
ionocalyx, *Robinson*

Browallia
Czerniakowskii, *Warsc.*

Brownea
coccinea, *Jacq.*
grandiceps, *Jacq.*

Bryophyllum
crenatum, *Baker*

Buettneria
urticifolia, *K. Schum.*

Calandrinia
grandiflora, *Lindl.*

Calceolaria
Ballii ×, *Hort.*
Buchtienii, *Kraenzl.*
Burbidgei ×, *Hort.*
fuchsiaefolia, *Hort.*
hyssopifolia, *H. B. et K.*
integrifolia, *Murr.*
Kayii, *Hort.*
Sinclairii, *Hook.*

Callicarpa
purpurea, *Juss.*

Callistemon
phoeniceus, *Lindl.*
pinifolius, *Sweet*
pithyoides, *Miq.*
rigidus, *R. Br.*
salignus, *Sweet*

Callitris
oblonga, *Rich.*

Calophanes
Perrottetii, *Nees*

Calvoa
sessiliflora, *Cogn.*

Camellia
cuspidata, *Hort. Veitch.*

Camoensia
maxima, *Welw.*

Campanula
Barrelieri, *Marnock*
isophylla, *Moretti*, var. alba
Vidalii, *H. C. Wats.*

Campomanesia
cerasoides, *A. Gray*

Canavalia
ensiformis, *DC.*

Canna
angustifolia, *Linn.*
indica, *Linn.*

Cantua
buxifolia, *Lam.*

Capparis
flexuosa, *Blume*

Capsicum
annuum, *Linn.*
microcarpum, *Cav.*

Carex
baccans, *Nees*
cruciata, *Nees*
japonica, *Thunb.*
limosa, *Linn.*

Carissa
acuminata, *A. DC.*
Arduina, *Lam.*

Carludovica
Gardneri, *Hook.*
Wendlandii, *Hort.*

Carmichaelia
australis, *R. Br.*
grandiflora, *Hook. f.*

Cassia
Absus, *Linn.*
laevigata, *Willd.*
Tora, *Linn.*

Cassine
Maurocenia, *Linn.*

Cavendishia
acuminata, *Benth.*

Celastrus
Cunninghamii, *F. Muell.*

Celosia
argentea, *Linn.*
cristata, *Linn.*, var. pyramidalis

Celsia
brevipedicellata, *Engl.*

Centaurea
ragusina, *Linn.*

Centradenia
floribunda, *Planch.*

Ceratopetalum
gummiferum, *Sm.*

Cereus
erinaceus, *Haw.*

Ceropegia
bulbosa, *Roxb.* (bulbil)
debilis, *N. E. Br.* (bulbil)
Woodii, *Schlechter* (bulbil)

Cestrum
aurantiacum, *Lindl.*
Newellii, *Veitch*
Smithii, *Hort. Bull.*

Chamaedorea
Sartorii, *Liebm.*

Chamaeranthemum
Beyrichii, *Nees*, var. variegata

Chirita
barbata, *Sprague*

Chironia
baccifera, *Linn.*

Chlorophytum
elatum, *R. Br.*
— var. variegatum
Orchidastrum, *Lindl.*

Chorizema
ilicifolium, *Labill.*

Cissus
adenopodus, *Sprague*

Citrus
Medica, *Linn.*, var. Limonum

Clematis
grewiaeflora, *DC.*
uncinata, *Champ.*

Cleome
spinosa, *Jacq.*

Clerodendron
fallax, *Lindl.*
infortunatum, *Gaertn.*
splendens, *G. Don*
Thomsonae, *Balf.*
— var. variegatum

Clethra
arborea, *Ait.*

Clianthus
puniceus, *Banks et Sol.*
— var. albus

Clitoria
Ternatea, *Linn.*

Clivia
miniata, *Regel*
nobilis, *Lindl.*

Cobaea
scandens, *Cav.*
— var. variegata

Coffea
arabica, *Linn.*

Coleus
Mahonii, *Baker*

Colobanthus
acicularis, *Hook. f.*

Columnea
aureonitens, *Hook.*
gloriosa, *Sprague*, var. superba

Combretum
coccineum, *Lam.*

Commelina
obliqua, *Buch.-Ham.*
pallida, *Willd.*

Conandron
ramondioides, *Sieb. et Zucc.*

Convolvulus
crenatifolius, *Ruiz et Pav.*,
var. argenteus

Corchorus
pilolobus, *Link*

Coronilla
viminalis, *Salisb.*

Correa
speciosa, *Ait.*

Corydalis
tomentosa, *N. E. Br.*

Corymbium
nervosum, *Thunb.*

Costus
discolor, *Rosc.*
igneus, *N. E. Br.*

Cotyledon
adunca, *Baker*
dichotoma, *Haw.*
edulis, *Brewer*
fulgens, *Baker*
Grusoni, *Hort.*
linguaefolia, *Lem.*
orbiculata, *Linn.*
Pachyphytum, *Baker*
racemosa, *E. Mey.*
roseata, *Baker*
secunda, *Baker*
teretifolia, *Thunb.*

Crassula
Cooperi, *Regel*
ericoides, *Haw.*
falcata, *Wendl.*
imbricata, *Burm. f.*
impressa, *N. E. Br.*
perfoliata, *Linn.*
rosularis, *Haw.*
rubicunda, *E. Mey.*
tenuifolia, *Schoenl.*

Crawfurdia
fasciculata, *Wall.*

Crinum
augustum, *Roxb.*
Moorei, *Hook. f.*
— var. variegatum
variabile, *Herb.*

Crossandra
undulaefolia, *Salisb.*

Cullumia
setosa, *R. Br.*

Cummingia
trimaculata, *D. Don*

Cuphea
cyanaea, *Moc. et Sesse*
ignea, *A. DC.*

Cupressus
arizonica, *Greene*
lusitanica, *Mill.*
torulosa, *D. Don*

Cuscuta
reflexa, *Roxb.*

Cyananthus
Hookeri, *C. B. Clarke*

Cyanotis
somaliensis, *C. B. Clarke*

Cyathula
geniculata, *Lour.*

Cyclanthera
explodens, *Naud.*

Cyperus
alternifolius, *Linn.*
— var. compactus
— var. variegatus
bulbosus, *Vahl*
fertilis, *Boeck.*
Luzulae, *Rottl.*
nutans, *Vahl*
Papyrus, *Linn.*

Cyphomandra
betacea, *Sendt.*

Cytisus
canariensis, *Steud.*
candicans, *Lam.*
Fontanesii, *Spach*
fragrans, *Lam.*
Hillebrandtii, *Briq.*

Daedalacanthus
nervosus, *T. Anders.*

Dalechampia
Roezliana, *Muell. Arg.*
scandens, *Linn.*

Datura
Leichhardtii, *F. Muell.*

Debregeasia
velutina, *Gaudich.*

Decaisnea
Fargesii, *Franch.*

Dermatobotrys
Saundersii, *Bolus*

Derris
scandens, *Benth.*

Desmodium
gyrans, *DC.*
incanum, *DC.*
tortuosum, *DC.*
viridiflorum, *Beck*

Dianella
caerulea, *Sims*
intermedia, *Endl.*

Dianthera
nodosa, *Benth. et Hook. f.*

Dicentra
scandens, *Walp.*
thalictrifolia, *Hook. f.*

Dichroa
febrifuga, *Lour.*

Didymanthus
Roei, *Endl.*

Dionaea
muscipula, *Ellis*

Dioscorea
sativa, *Linn.* (tuber)

Dipladenia
boliviensis, *Hook. f.*

Dissotis
incana, *Triana*

Distylium
racemosum, *Sieb. et Zucc.*

Dizygotheca
Reginae, *Hemsl.*

Dodonaea
triquetra, *Wendl.*

Dolichos
Lablab, *Linn.*

Dorstenia
Drakena, *Linn.*

Dracaena
elliptica, *Thunb.*
Godseffiana, *Baker*
surculosa, *Lindl.*

Drimys
Winteri, *Forst.*

Drosera

binata, *Labill.*
— var. dichotoma
capensis, *Linn.*
hilaris, *Cham. et Schlecht.*
rotundifolia, *Linn.*
spathulata, *Labill.*

Drosophyllum

lusitanicum, *Link*

Echeandia

eleutherandra, *C. Koch*

Echeveria

alpina, *Rose*
cuspidata, *Rose*
gibbiflora, *DC.*, var. metallica
gigantea, *Rose et Purpus*
gracilis, *Rose*
Hookeri, *Salm-Dyck*
lutea, *Rose*
microcalyx, *Britt. et Rose*
multicaulis, *Rose*
nodulosa, *Otto*
nuda, *Baker*
obtusifolia, *Rose*
Pittieri, *Rose*
Pringlei, *Rose*
pulchella, *Berger*

Echinocactus

erinaceus, *Lem.*
mammulosus, *Lem.*
submammulosus, *Lem.*

Echium

plantagineum, *Linn.*

Elaeocarpus

cyaneus, *Sims*

Eleusine

indica, *Gaertn.*

Episcia

punctata, *Hanst.*

Eragrostis

falcata, *Gaudich.*

Eranthemum

albiflorum, *Hook.*
leuconeurum, *Hort.*

Erica

albens, *Linn.*
Veitchii ×, *Hort.*

Erlangea

tomentosa, *S. Moore*

Erythrochiton

brasiliensis, *Nees*

Erythroxylum

Coca, *Lam.*

Eucalyptus

ficifolia, *F. Muell.*

Eucomis

punctata, *L'Hérit.*, var. striata (*Donn*)

Eugenia

apiculata, *DC.*
myrtifolia, *Sims*

Eupatorium

brevipes, *DC.*
ianthinum, *Hemsl.*
riparium, *Regel*
Weinmannianum, *Regel et Koern.*

Euphorbia

alcicornis, *Baker*
Regis-Jubae, *Webb et Berth.*

Euryops

socotranus, *Balf. f.*

Eustrephus

latifolius, *R. Br.*
— var. angustifolius

Evodia

elegans, *Hort.*

Fallugia

paradoxa, *Endl.*

Ficus

Carica, *Linn.*
diversifolia, *Blume*
pyriformis, *Hook. et Arn.*

Filago

Bianori, *Sennen*

Francoa

appendiculata, *Cav.*
ramosa, *D. Don*
sonchifolia, *Cav.*

Frankenia

hirsuta, *Linn.*

Frasera

Parreyi, *Torr.*

Fuchsia

corymbiflora, *Ruiz et Pav.*
— var. alba
integrifolia, *Cambess.*
macrostemma, *Ruiz et Pav.*,
var. globosa
parviflora, *Lindl.*
procumbens, *R. Cunn.*
virgata, *Sweet*

Garcinia

Xanthochymus, *Hook. f.*

Gasteria

acinacifolia, *Haw.*
disticha, *Haw.*, var. angulata

Geitonoplesium

cymosum, *A. Cunn.*

Gelasine

azurea, *Herb.*

Genista

stenopetala, *Webb et Berth.*

Geonoma

pumila, *H. Wendl.*

Geranium

canariense, *Reut.*

Gladiolus

brevifolius, *Jacq.*

Globba

strobilifera, *Zoll.* (bulbil)

Gloriosa

superba, *Linn.*
virescens, *Lindl.*

Glycosmis

pentaphylla, *Correa*

Goodenia

filiformis, *R. Br.*
ovata, *Sm.*

Goodia

latifolia, *Salisb.*
pubescens, *Sims*

Gossypium

herbaceum, *Linn.*

Grevillea

Forsteri, *Hort.*
glabrata, *Meissn.*
occidentalis, *R. Br*

Gunnera
monoica, *Raoul*

Gurania
malacophylla, *Barb. Rodr.*

Haemanthus
Katherinae, *Baker*

Hakea
acicularis, *Knight*
cristata, *R. Br.*
microcarpa, *R. Br.*
Preissii, *Meissn.*
ulicina, *R. Br.*, var. carinata

Haloragis
alata, *Jacq.*
micrantha, *R. Br.*

Hamelia
patens, *Jacq.*

Hardenbergia
monophylla, *Berth.*, var. alba

Hedychium
carneum, *Carey*
Horsfieldii, *R. Br.*

Heeria
elegans, *Schlecht.*

Helichrysum
crassifolium, *D. Don*
virgineum, *Griesb.*

Heliotropium
europaeum, *Linn.*
peruvianum, *Linn.*

Hermannia
candicans, *Ait.*
hyssopifolia, *Linn.*

Hewittia
bicolor, *Wight et Arn.*

Hibbertia
dentata, *R. Br.*

Hibiscus
Denisoni, *Hort.*
furcatus, *Willd.*
Hamabo, *Sieb. et Zucc.*
Parkeri, *Baker*
Rosa-sinensis, *Linn.*
— var. Cooperi, *Hort.*
— var. Reevesii
— var. variegatus
schizopetalus, *Hook. f.*
Scottii, *Balf. f.*
Trionum, *Linn.*

Homalanthus
Leschenaultianus, *A. Juss.*

Howittia
trilocularis, *F. Muell.*

Humea
elegans, *Sm.*

Hydrangea
Hortensia, *Siebold*, var. stellata

Hydrocotyle
asiatica, *Linn.*
moschata, *Forst.*

Hymenanthera
dentata, *R. Br.*, var. angustifolia

Hymenocallis
macrostephana, *Baker*

Hypericum
aegypticum, *Linn.*
balearicum, *Linn.*
floribundum, *Dryand.*
nanum, *Poir.*

Hypolytrum

latifolium, *Rich.*

Hypoxis

Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

Hyptis

suaveolens, *Poit.*

Ilex

insignis, *Hook. f.*

Impatiens

Balsamina, *Linn.*
Petersiana, *Gilg*
platypetala, *Lindl.*
stenantha, *Hook. f.*

Indigofera

australis, *Willd.*
pulchella, *Roxb.*

Ipomoea

Quamoclit, *Linn.*

Iresine

celosioides, *Linn.*

Isoplexis

canariensis, *Steud.*

Isotoma

axillaris, *Lindl.*, var. subpinnatifida

Ixora

alba, *Hort.*

Jasminum

lineare, *R. Br.*
lucidum, *Banks*
polyanthum, *Franch.*

Jatropha

podagrica, *Hook.*

Jussieuia

Sprengeri, *Hort.*
suffruticosa, *Linn.*

Justicia

calycotricha, *Link*

Kalanchoë

Cassiopeja, *Damm.*
flammea, *Stapf*
rotundifolia, *Haw.*

Karatas

Innocentii, *Antoine*

Kennedya

prostrata, *R. Br.*
— var. glabrata
— var. Marryattae
retrorsa, *Hemsl.*
rubicunda, *Vent.*

Klugia

Notoniana, *A. DC.*

Kunzea

corifolia, *Reichb.*
parvifolia, *Schau.*

Kyllinga

brevifolia, *Rottb.*
nepalensis, *C. B. Clarke*

Labichea

lanceolata, *Benth.*

Lagenaria

vulgaris, *Ser.*
— var. pelegrina, *Hort.*

Lantana

Camara, *Linn.*

Lapeyrousia
cruenta, *Benth.*

Laportea
moroides, *Wedd.*

Lathyrus
pubescens, *Hook. et Arn.*

Lavandula
dentata, *Linn.*

Leea
aspera, *Edgew.*
sambucina, *Willd.*

Leptodermis
pilosa (*Franch.*), *Diels*

Leptospermum
arachnoideum, *Sm.*
ericoides, *A. Rich.*, var. lineatum
firmum, *Benth.*
laevigatum, *F. Muell.*
Liversidgei, *R. T. Baker et H. G. Smith*
scoparium, *Forst.*
— var. Nicholli

Lespedeza
sericea, *Benth.*

Lessertia
linearis, *DC.*

Leucophae
dasygnaphala, *Webb et Berth.*

Leucopogon
fasciculatus, *A. Rich.*
Richei, *R. Br.*

Leucothoe
Keiskei, *Miq.*

Lhotskya
ericoides, *Schau.*

Lilium
pardalinum, *Kellogg*
roseum, *Wall.*
— var. Thomsonianum, *Lindl.*

Limosella
aquatica, *Linn.*
— var. tenuifolia

Lindenbergia
urticaefolia, *Lehm.*

Lipocarpha
argentea, *R. Br.*

Lippia
nodiflora, *Michx.*

Littonia
modesta, *Hook.*

Livistona
humilis, *R. Br.*

Lobelia
Cliffortiana, *Linn.*
erecta, *Hook. f. et Thoms.*
tenuior, *R. Br.*
triquetra, *Linn.*
Tupa, *Linn.*

Lomatia
tinctoria, *R. Br.*

Lonicera
Braceana, *Hemsl.*
Hildebrandiana, *Collett et Hemsl.*
sempervirens, *Linn.*, var. minor

Lopezia

coronata, *Andr.*
minima, *Lag.*

Ludovia

crenifolia, *Drude*

Luffa

aegyptiaca, *Mill.*
cylindrica, *Roem.*

Lupinus

saxatilis, *Ulbrich*

Lycopersicum

esculentum, *Mill.*

Lysimachia

euxantha, *Hort.*

Mallotus

japonicus, *Muell. Arg.*

Malpighia

coccigera, *Linn.*

Malvastrum

capense, *Garcke*
hypomadarum, *Sprague*

Mammillaria

multiceps, *Salm-Dyck*
pusilla, *DC.*

Maranta

noctiflora, *Regel et Koernicke*

Marcetia

taxifolia, *DC.*, var. pubescens

Marica

Northiana, *Ker-Gawl.*

Martynia

proboscidea, *Glox.*

Maurandia

erubescens, *A. Gray*
Purpusii, *T. S. Brandegee*
scandens, *A. Gray*
— var. coccinea

Maytenus

ilicifolia, *Mart.*

Melaleuca

hypericifolia, *Sm.*

Melasphaerula

graminea, *Ker-Gawl.*

Melastoma

normale, *D. Don*

Melianthus

major, *Linn.*

Melocactus

communis, *Link et Otto*

Mesembryanthemum

blandum, *Haw.*
Bolusii, *Hook. f.*
Brownii, *Hook. f.*
calamiforme, *Linn.*
candens, *Haw.*
cordifolium, *Linn.*
cultratum, *Hort.*
curviflorum, *Haw.*
deltoides, *Linn.*
Ecklonis, *Salm-Dyck*
falciforme, *Haw.*
formosum, *Haw.*
glomeratum, *Linn.*
Haworthii, *Donn*
inflexum, *Haw.*
lepidum, *Haw.*
longum, *Haw.*
rhomboideum, *Salm-Dyck*
roseum, *Willd.*
rubricaule, *Willd.*
spectabile, *Haw.*
stellatum, *Mill.*
Taylori, *N. E. Br.*
tigrinum, *Haw.*
verruculatum, *Linn.*

Metrosideros

robusta, *A. Cunn.*

Micromeria

Douglasii, *Benth.*

Mimosa

marginata, *Lindl.*
pudica, *Linn.*

Mimulus

glutinosus, *Wendl.*, var. puniceus

Miscanthus

japonicus, *Anderss.*, var. zebrina
sinensis, *Anderss.*, var. gracillima univittata

Mitraria

coccinea, *Cav.*

Mitriostigma

axillare, *Hochst.*

Momordica

cochinchinensis, *Spreng.*

Monanthes

agriostaphys, *Christ*
atlantica, *Ball*
polyphylla, *Haw.*

Monochaetum

alpestre, *Naud.*

Monolena

primulaeflora, *Hook. f.*

Moraea

flexuosa, *Linn.*
iridioides, *Linn.*

Muehlenbeckia

chilensis, *Meissn.*

Musschia

Wollastoni, *Lowe*

Mutisia

Clematis, *Linn. f.*
ilicifolia, *Cav.*

Myoporum

acuminatum, *R. Br.*
oppositifolium, *R. Br.*

Myosotis

capitata, *Hook. f.*, var. albiflora

Myrica

aethiopica, *Linn.*

Myrsine

africana, *Linn.*

Myrtus

communis, *Linn.*
nummularia, *Poir.*
Ugni, *Mol.*

Nephthytis

liberica, *N. E. Br.*

Nerine

Bowdeni, *W. Watson*
candida, *Hort.*
curvifolia, *Herb.*, var. Fothergillii (*M. Roem.*)

Nertera

Balfouriana, *Cockayne*
ciliata, *T. Kirk*
depressa, *Banks*

Nesaea

syphilitica, *Steud.*

Nicandra

physaloides, *Gaertn.*

Nicotiana

glauca, *R. Grah.*
plumbaginifolia, *Viv.*
Sanderae ×, *Hort.*
solanifolia, *Walp.*

Notelaea

longifolia, *Vent.*

Ochna

mossambicensis, *Klotzsch*
multiflora, *DC.*

Ocimum

sanctum, *Linn.*
viride, *Willd.*

Olea

capensis, *Linn.*

Oliveranthus

elegans, *Rose*

Opuntia

Ficus-indica, *Mill.*
grandis, *Hort.*

Oreocharis

Henryana, *Oliver*

Oreostylidium

subulatum, *Berggr.*

Ornithogalum

tenellum, *Jacq.*
thyrsoides, *Jacq.*

Orobanche

Hederae, *Duby*

Oryza

sativa, *Linn.*
— var. mutica
— var. perennis
— var. rufibarba

Osteomeles

anthyllidifolia, *Lindl.*

Oxalis

Griffithii, *Edgew. et Hook. f.*
Hirthii, *Phil.*

Oxylobium

Callistachys, *Benth.*
cuneatum, *Benth.*

Pachyphytum

bracteosum, *Klotzsch*
longifolium, *Rose*

Palisota

Barteri, *Hook. f.*
Maclaudii, *Cornu*
Pynaertii, *Wildem.*

Pancratium

fragrans, *Salisb.*

Panicum

Crus-galli, *Linn.*
plicatum, *Lam.*

Parochetus

communis, *Buch.-Ham.*

Paronychia

arabica, *DC.*
argentea, *Lam.*

Passiflora

Banksii, *Benth.*
caerulea, *Linn.*
edulis, *Sims*
elegans, *Mart.*
quadrangularis, *Linn.*
suberosa, *Linn.*

Paullinia

thalictrifolia, *Juss.*

Pavonia

grandiflora, *A. St. Hil.*
hastata, *Cav.*
spinifex, *Cav.*

Pelargonium

australe, *Jacq.*
crispum, *L'Hérit.*, var. minor
denticulatum, *Jacq.*
flavum, *Soland.*
graveolens, *L'Hérit.*
saniculaefolium, *Willd.*
scandens, *Ehrh.*
Skelii, *Hoffmgg.*
vitifolium, *Ait.*

Pentarhaphia

libanensis, *Hanst.*

Pentas

carnea, *Benth.*
— var. kermesina.

Peperomia

cordulata, *C. DC.*
galioides, *H. B. et K.*
rubella, *Hook.*
Sandersii, *C. DC.*
scandens, *Ruiz et Pav.*
velutina, *Linden et André*

Petiveria

alliacea, *Linn.*

Petrophila

pedunculata, *R. Br.*
sessilis, *Sieber*

Phagnalon

rupestre, *DC.*, var. tomentosa

Phyllanthus

grandifolius, *Linn.*
montanus, *Sw.*
reticulatus, *Poir.*

Physalis

minima, *Linn.*
peruviana, *Linn.*

Picramnia

polyantha, *Planch.*

Pieris

formosa, *D. Don*

Pilea

grandis, *Wedd.*
muscosa, *Lindl.*
Spruceana, *Wedd.*

Pimelea

ligustrina, *Labill.*
Traversii, *Hook. f.*

Piqueria

trinervia, *Cav.*

Pitcairnia

Altensteinii, *Lem.*
Andreana, *Linden*
aphelandraeflora, *Verschaff.*
flammea, *Lindl.*
heterophylla, *Beer*
Klotzschiana, *Baker*
Lamarcheana, *E. Morr.*
maidifolia, *Decne.*
punicea, *Beer*
undulata, *Schiedw.*
viridiflora, *Regel*

Pittosporum

Ralphii, *T. Kirk*
viridiflorum, *Sims*

Plantago

mexicana, *Link*

Plectranthus

glaucocalyx, *Maxim.*
irroratus, *G. Forrest*

Pleuropetalum

costaricense, *Hemsl.*

Plumbago

scandens, *Linn.*

Podocarpus

alpina, *R. Br.*
nivalis, *Hook.*

Pogostemon

Patchouli, *Pellet.*

Polyalthia

suberosa, *Benth. et Hook. f.*

Polycarpaea

divaricata, *Balf. f.*

Pomaderris

lanigera, *Sims*
phylicaefolia, *Lodd.*
prunifolia, *A. Cunn.*
subrepanda, *F. Muell.*

Posoqueria

multiflora, *Lem.*

Prasium

majus, *Linn.*

Primula

alsophila, *Balf. f. et Forrest*
capitata, *Hook.*
congestifolia, *G. Forrest*
conspersa, *Balf. f. et Purdom*
fasciculata, *Balf. f. et Ward*
floribunda, *Wall.*
— var. Isabellae
florida, *Balf. f.*
Forbesii, *Franch.*
Forrestii, *Balf. f.*
Fortunei, *Vatke*
gemmifera, *Batalin*
geraniifolia, *Hook. f.*
Kewensis ×, *Hort.*
Knuthiana, *Pax*
Maclareni, *Balf. f.*
malacoides, *Franch.*
malvacea, *Franch.*

Primula—*continued.*

Menziesiana, *Balf. f. et W. W. Sm.*
modesta, *Bisset et Moore*
mollis, *Nutt.*
philoresia, *Balf. f. et Ward*
Prattii, *Hemsl.*
pulchella, *Franch.*
pulchelloides, *F. K. Ward*
redolens, *Balf. f. et Ward*
Reidii, *Duthie*
scapigera, *Craib*
sinolisteri, *Balf. f.*
stenocalyx, *Maxim.*
tenella, *King*
verticillata, *Forsk.*
werringtonensis, *Wallace*

Procris

frutescens, *Blume*

Prostanthera

lasianthos, *Labill.*
linearis, *R. Br.*
nivea, *A. Cunn.*

Protea

cynaroides, *Linn.*

Proustia

pyrifolia, *Lag.*

Prunus

ilicifolia, *Walp.*

Pseuderanthemum

seticalyx, *Stapf*

Psidium

montanum, *Sw.*

Ptilotrichum

purpureum, *Boiss.*
Reverchonii, *Degen et Hervier*

Pultenaea

rigida, *R. Br.*

Pycnostachys

Dawei, *N. E. Br.*

Reinwardtia
trigyna, *Planch.*

Remusatia
vivipara, *Schott*

Rhabdothamnus
Solandri, *A. Cunn.*

Rhodochiton
volubile, *Zucc.*

Rhododendron
afghanicum, *Aitch. et Hemsl.*

Rhoeo
discolor, *Hance*

Rhopalostylis
sapida, *H. Wendl. et Drude*

Rhynchoglossum
obliquum, *Blume*

Rhytidophyllum
tomentosum, *Mart.*

Richardia
africana, *Kunth*, var. ungeriensis

Ricinus
communis, *Linn.*

Rivina
humilis, *Linn.*
tinctoria, *Buch.-Ham.*

Rochea
coccinea, *DC.*

Roettlera
Forrestii, *Diels*

Romanzoffia
Suksdorfii, *Greene*

Rondeletia
odorata, *Jacq.*

Ruellia
macrantha, *Mart.*
Portellae, *Hook. f.*
rubicaulis, *Cav.*
tuberosa, *Linn.*

Rulingia
hermanniaefolia, *Steetz*

Sabal
Blackburniana, *Glazebr.*

Sagittaria
guayanensis, *H. B. et K.*

Saintpaulia
ionantha, *Wendl.*

Salvia
Lemmoni, *A. Gray*
spinosa, *Linn.*

Samolus
ebracteatus, *H. B. et K.*
littoralis, *Schrank*

Sandersonia
aurantiaca, *Hook.*

Saxifraga
adscendens, *Linn.*
cortusaefolia, *Sieb. et Zucc.*
cuscutaeformis, *Lodd.*
Fortunei, *Hook.*
nevadensis, *Boiss.*
sarmentosa, *Linn.*
Veitchiana, *Balf. f.*

Schismatoglottis
Roebelina, *Hort.*

Schizanthus

pinnatus, *Ruiz et Pav.*
— var. grandiflorus
retusus, *Hook.*
Wisetonensis, *Hort.*

Schizeilema

nitens, *Domin*

Scirpus

riparus, *J. et C. Presl*

Scrophularia

pyrenaica, *Benth.*

Scutellaria

discolor, *Colebr.*

Sedum

cauticolum, *Praeger*
dasyphyllum, *Linn.*
indicum, *Hamet*, var. yunnanense
multiceps, *Coss. et Dur.*
Palmeri, *S. Wats.*
potosinum, *Rose*
Praegerianum, *W. W. Sm.*
primuloides, *Franch.*
pruinatum, *Brot.*
retusum, *Hemsl.*
Stahlii, *Solms*
trullipetalum, *Hook. f. et Thoms.*
versadense, *C. H. Thompson*
verticillatum, *Linn.*

Selago

corymbosa, *Linn.*

Sempervivum

arachnoideum, *Linn.*
Castello-Paivae, *Christ*
hybridum ×, *Bruegg.*

Senecio

auriculatissimus, *Britton*
echinatus, *DC.*
grandiflorus, *Berg.*

Senecio—*continued.*

grandifolius, *Less.*
Moorei ×, *Hort.*
populifolius, *DC.*
scandens, *Buch.-Ham.*
tropaeolifolius, *MacOwan*
Wootoni, *Greene*

Sibthorpia

africana, *Linn.*
europaea, *Linn.*, var. variegata
pichinchensis, *H. B. et K.*

Sida

acuta, *Burm.*

Siphocampylus

lanceolatus, *Regel*

Sisyrinchium

californicum, *Dryand.*

Solanum

aculeatissimum, *Jacq.*
auriculatum, *Ait.*
aviculare, *Forst. f.*
Capsicastrum, *Link*
jasminoides, *Paxt.*
khasianum, *C. B. Clarke*
Seaforthianum, *Andr.*
Torreyi, *A. Gray*

Solenomelus

chilensis, *Miers*

Sollya

Drummondi, *C. Morr.*
heterophylla, *Lindl.*

Sonerila

margaritacea, *Lindl.*

Spathiphyllum

cannaefolium, *Schott*
cochlearispathum, *Engl.*
floribundum, *N. E. Br.*

Sphacele
campanulata, *Benth.*

Sphaeralcea
pedata, *Torr.*

Sphaerolobium
alatum, *Benth.*
vimineum, *Sm.*

Sprekelia
formosissima, *Herb.*

Spyridium
globulosum, *Benth.*

Stachytarpheta
indica, *Vahl*

Statice
remotispicula, *Lacaita*

Streptocarpus
Blythini ×, *Hort.*
Holstii, *Engl.*
kewensis ×, *Hort.*
Rexii, *Lindl.*
Wendlandii, *Sprenger*

Stylidium
adnatum, *R. Br.*
articulatum, *R. Br.*

Stylophyllum
Hassei, *Rose*

Sutherlandia
frutescens, *R. Br.*

Swainsona
coronillaefolia, *Salisb.*, var. rosea
Greyana, *Lindl.*, var. coccinea

Synechanthus
fibrosus, *H. Wendl.*

Synedrella
nodiflora, *Gaertn.*

Tacca
artocarpifolia, *Seem.*
cristata, *Jack*
integrifolia, *Ker-Gawl.*
viridis, *Hemsl.*

Tacsonia
mollissima, *H. B. et K.*
Sutherlandii, *Hort.*
Van-Volxemii, *Hook.*

Talinum
patens, *Willd.*

Templetonia
retusa, *R. Br.*

Tetragonia
expansa, *Murr.*

Tetranema
mexicanum, *Benth.*

Teucrium
africanum, *Thunb.*
Marum, *Linn.*

Theropogon
pallidus, *Maxim.*

Thomasia
solanacea, *Benth. et Hook.*

Thyrsacanthus
rutilans, *Planch.*

Thysanotus
tuberosus, *R. Br.*

Tibouchina
semidecandra, *Cogn.*
— var. floribunda

Tigridia
Pavonia, *Ker-Gawl.*
— var. alba
— var. conchiflora (*Sweet*)

Tillaea
pharnaceoides, *Hochst.*

Tinnea
aethiopica, *Kotschy et Peyr.*

Torenia
cordifolia, *Roxb.*
flava, *Buch.-Ham.*

Trachelium
caeruleum, *Linn.*
rumelianum, *Hampe*

Triglochin
striatum, *Ruiz et Pav.*

Triphasia
Aurantiola, *Lour.*

Tripterygium
Forrestii, *Loes.*

Trochocarpa
laurina, *R. Br.*

Tulbaghia
acutiloba, *Harv.*

Tydaea
Lindeniana, *Regel*

Umbilicus
pendulinus, *DC.*
Pestalozzae, *Boiss.*

Urbinea
Purpusii, *Rose*

Urena
sinuata, *Linn.*

Uroskinnera
spectabilis, *Lindl.*

Ursinia
speciosa, *DC.*

Utricularia
caerulea, *Linn.*
emarginata, *Benj.*
prehensilis, *E. Mey.*

Vaccinium
Delavayi, *Franch.*

Vanilla
planifolia, *Andr.*

Vellozia
elegans, *Talbot*

Villadia
guatemalensis, *Rose*
imbricata, *Rose*

Villarsia
parnassiaefolia, *R. Br.*

Vitis
heterophylla, *Thunb.*, var. humulifolia
nitens, *F. Muell.*

Wachendorfia
paniculata, *Linn.*

Wahlenbergia
saxicola, *A. DC.*
tasmanica, *Hort.*

Whitfieldia
lateritia, *Hook.*

Xanthosia
rotundifolia, *DC.*

Xyris
capensis, *Thunb.*

GENERA IN NATURAL ORDERS.

PLANTS IN THE OPEN AND UNDER GLASS.

ACANTHACEAE.

Acanthus
niger, *Mill.*
Schottii, *Hort.*

Adhatoda
cydoniaefolia, *Nees*

Anisotes
diversifolius, *Balf. f.*

Aphelandra
pumila, *Hook. f.*
velutina, *Hort.*

Asystasia
bella, *Harv.*

Barleria
cristata, *Linn.*

Brillantaisia
Emini, *Lindau*

Calophanes
Perrottetii, *Nees*

Chamaeranthemum
Beyrichii, *Nees*, var. variegata

Crossandra
undulaefolia, *Salisb.*

Daedalacanthus
nervosus, *T. Anders.*

Dianthera
nodosa, *Benth. et Hook. f.*

Eranthemum
albiflorum, *Hook.*
leuconeurum, *Hort.*

ACANTHACEAE—*continued.*

Justicia
calycotricha, *Link*

Pseuderanthemum
seticalyx, *Stapf*

Ruellia
macrantha, *Mart.*
Portellae, *Hook. f.*
rubicaulis, *Cav.*
tuberosa, *Linn.*

Thyrsacanthus
rutilans, *Planch.*

Whitfieldia
lateritia, *Hook.*

ALISMACEAE.

Alisma
Plantago, *Linn.*

Butomus
umbellatus, *Linn.*

Sagittaria
guayanensis, *H. B. et K.*

AMARANTHACEAE.

Alternanthera
paronychioides, *St. Hil.*

Amaranthus
caudatus, *Linn.*

Celosia
argentea, *Linn.*
cristata, *Linn.*, var. pyramidalis

AMARANTHACEAE—*continued.*

Cyathula

geniculata, *Lour.*

Iresine

celosioides, *Linn.*

AMARYLLIDEAE.

Agave

maculata, *Regel*

Alstroemeria

aurantiaca, *D. Don*
Hookeriana, *C. Gay*
revoluta, *Ruiz et Pav.*

Beschorneria

tubiflora, *Kunth*

Bomarea

Lehmanni, *Baker*

Clivia

miniata, *Regel*
nobilis, *Lindl.*

Crinum

augustum, *Roxb.*
Moorei, *Hook. f.*
— var. variegatum
variabile, *Herb.*

Cummingia

trimaculata, *D. Don*

Haemanthus

Katherinae, *Baker*

Hymenocallis

macrostephana, *Baker*

Hypoxis

Krebsii, *Fisch.*
Rooperii, *T. Moore*
villosa, *Linn.*

AMARYLLIDEAE—*continued.*

Leucojum

autumnale, *Linn.*

Nerine

Bowdeni, *W. Watson*
candida, *Hort.*
curvifolia, *Herb.*, var. Fothergillii (*M. Roem.*)

Pancratium

fragrans, *Salisb.*

Sprekelia

formosissima, *Herb.*

Vellozia

elegans, *Talbot*

AMPELIDEAE.

Cissus

adenopodus, *Sprague*

Leea

aspera, *Edgew.*
sambucina, *Willd.*

Vitis

betulifolia, *Diels et Gilg*
heterophylla, *Thunb.*, var. humulifolia
nitens, *F. Muell.*

ANACARDIACEAE.

Rhus

glabra, *Linn.*
typhina, *Linn.*
— var. filicina
— var. laciniata

ANONACEAE.

Polyalthia

suberosa, *Benth. et Hook. f.*

APOCYNACEAE.

Allamanda

cathartica, *Linn.*

Alyxia

buxifolia, *R. Br.*

Carissa

acuminata, *A. DC.*
Arduina, *Lam.*

Dipladenia

boliviensis, *Hook. f.*

Rhazya

orientalis, *A. DC.*

ARALIACEAE.

Acanthopanax

leucorrhizus, *Harms*, var. fulvescens
— var. scaberulus

Aralia

cachemirica, *Decne.*
californica, *S. Wats.*

Dizygotheca

Reginae, *Hemsl.*

ARISTOLOCHIACEAE.

Aristolochia

elegans, *Mast.*
heterophylla, *Hemsl.*
trilobata, *Linn.*

AROIDEAE.

Aglaonema

commutatum, *Schott*

Amorphophallus

bulbifer, *Blume*

AROIDEAE—*continued.*

Anchomanes

dubius, *Schott*

Anthurium

Andreanum, *Linden*
Gustavi, *Regel*
Hookeri, *Kunth*
hybridum, *Hort.*
leuconeurum, *Lem.*
macrolobum ×, *Hort.*

Arisaema

consanguineum, *Schott*
japonicum, *Blume*

Arum

italicum, *Mill.*

Lysichitum

camtschatcense, *Schott*

Nephthytis

liberica, *N. E. Br.*

Remusatia

vivipara, *Schott*

Richardia

africana, *Kunth*, var. ungeriensis

Schismatoglottis

Roebelina, *Hort.*

Spathiphyllum

cannaefolium, *Schott*
cochlearispathum, *Engl.*
floribundum, *N. E. Br.*

Symplocarpus

foetidus, *Nutt.*

ASCLEPIADEAE.

Asclepias

curassavica, *Linn.*
linifolia, *H. B. et K.*

Ceropegia

bulbosa, *Roxb.* (bulbil)
debilis, *N. E. Br.* (bulbil)
Woodii, *Schlechter* (bulbil)

Vincetoxicum

fuscatum, *Reichb. f.*
nigrum, *Moench*
officinale, *Moench*

BEGONIACEAE.

Begonia

Bruantii, *Hort.*
dichotoma, *Jacq.*
Dregei, *Otto et Dietr.*
erfordia, *Hort.*
— var. grandiflora
Franconis, *Liebm.*
fuchsioides, *Hook.*
gracilis, *H. B. et K.*
Haageana, *W. Watson*
Harrowiana, *Diels*
luxurians, *Scheidw.*
maculata, *Raddi*
malabarica, *Lam.*
Poggei, *Warb.*
prismatocarpa, *Hook.*
ricinifolia ×, *Hort.*
sanguinea, *Raddi*
Socotrana, *Hook. f.*
Teuscheri, *Linden*
ulmifolia, *Willd.*

BERBERIDEAE.

Berberis

aemulans, *Schneider*
aggregata, *Schneider*, var. Prattii
amurensis, *Rupr.*
angulosa, *Wall.*
Aquifolium, *Pursh*

BERBERIDEAE—*continued.*

Berberis—*continued.*

aristata, *DC.*
brachypoda, *Maxim.*
brevipaniculata, *Schneider*
Coryi, *Hort.*
Darwinii, *Hook.*
Gagnepaini, *Schneider*
Guimpellii, *C. Koch*
polyantha, *Hemsl.*
repens, *Lindl.*
stenophylla, *Hance*
subcaulialata, *Schneider*
virescens, *Hook. f.*
vulgaris, *Linn.*

Decaisnea

Fargesii, *Franch.*

Podophyllum

Emodi, *Wall.*
— var. Leichtlinii, *Hort.*
— var. majus

BIGNONIACEAE.

Amphicome

arguta, *Royle*

Incarvillea

grandiflora, *Bur. et Franch.*, var. brevipes
variabilis, *Batalin*
— var. Przewalskii

BORAGINEAE.

Alkanna

lutea, *A. DC.*
orientalis, *Boiss.*

Anchusa

capensis, *Thunb.*
officinalis, *Linn.*
sempervirens, *Linn.*

Borago

officinalis, *Linn.*

BORAGINEAE—*continued.*

Cynoglossum

amabile, *Stapf et Drumm.*, var. album
denticulatum, *A. DC.*
furcatum, *Wall.*
nervosum, *Benth.*

Echium

plantagineum, *Linn.*
violaceum, *Linn.*
vulgare, *Linn.*

Heliotropium

europaeum, *Linn.*
peruvianum, *Linn.*

Lindelofia

spectabilis, *Lehm.*
— var. afghanica

Lithospermum

graminifolium, *Viv.*
prostratum, *Loisel.*
— var. caerulescens
Sibthorpianum, *Griseb.*

Macrotomia

echioides, *Boiss.*

Mertensia

elongata, *Benth.*
lanceolata, *DC.*
oblongifolia, *G. Don*

Moltkia

petraea, *Boiss.*

Myosotis

capitata, *Hook. f.*, var. albiflora
cespitosa, *Schultz*
dissitiflora, *Baker*
Forsteri, *Lehm.*
macrantha, *Hook. f.*
palustris, *Lam.*
refracta, *Boiss.*
Traversii, *Hook. f.*
Welwitschii, *Boiss. et Reut.*

BORAGINEAE—*continued.*

Nonnea

rosea, *Link*

Omphalodes

linifolia, *Moench*
Luciliae, *Boiss.*

Onosma

albo-roseum, *Fisch. et Mey.*

Paracaryum

glochidiatum, *Benth. et Hook. f.*

Solenanthus

apenninus, *Hohen.*

Symphytum

orientale, *Linn.*

BROMELIACEAE.

Karatas

Innocentii, *Antoine*

Pitcairnia

Altensteinii, *Lem.*
Andreana, *Linden*
aphelandraeflora, *Verschaff.*
flammea, *Lindl.*
heterophylla, *Beer*
Klotzschiana, *Schiedw.*
Lamarcheana, *E. Morr.*
maidifolia, *Decne.*
punicea, *Beer*
undulata, *Schiedw.*
viridiflora, *Regel*

CACTEAE.

Anhalonium

Williamsii, *Lem.*, var. Lewinii

Cereus

erinaceus, *Haw.*

CACTEAE—*continued.*

Echinocactus

erinaceus, *Lem.*
mammulosus, *Lem.*
submammulosus, *Lem.*

Mammillaria

multiceps, *Salm-Dyck*
pusilla, *DC.*

Melocactus

communis, *Link et Otto*

Opuntia

Ficus-indica, *Mill.*
grandis, *Hort.*

CAMPANULACEAE.

Adenophora

Bulleyana, *Diels*
latifolia, *Fisch.*
liliifolia, *Bess.*
polymorpha, *Ledeb.*

Campanula

acutangula, *Ler. et Lev.*
Allionii, *Vill.*
barbata, *Linn.*
— var. alba
Barrelieri, *Marnock*
bononiensis, *Linn.*
caespitosa, *Scop.*, var. Vensloi
carpatica, *Jacq.*
— var. pelviformis
— var. turbinata
— — — alba
— — — compacta
— — — pallida
cochlearifolia, *Hort.*
colorata, *Wall.*
elatinoides, *Moretti*
elegans, *Roem. et Schult.*
excisa, *Schleich.*
fenestrelata, *Feer*
glomerata, *Linn.*
— var. acaulis
— var. superba
haylodgensis ×, *Hort.*

CAMPANULACEAE—*continued.*

Campanula—*continued.*

Hendersoni ×, *Hort.*
incurva, *Auch.*
isophylla, *Morelli*, var. alba
istriaca, *Feer*
kolenatiana, *C. A. Mey.*
latifolia, *Linn.*, var. macrantha
— — — alba
— — — lilacina
linifolia, *Scop.*
— var. hirta
macrorrhiza, *J. Gay*
Marchesettii, *Wit.*
Mayi ×, *Hort.*
Medium, *Linn.*, var. calycanthema
mirabilis, *Alboff*
patula, *Linn.*
persicifolia, *Linn.*
— var. alba
— var. grandiflora
— var. Moerheimi
pilosa, *Pall.*
pseudo-carnica, *Hort. Suend.*
pulcherrima, *Hort.*
pulla, *Linn.*
pulloides, *Hort. Kew.*
punctata, *Lam.*
pusilla, *Haenke*, var. alba
pyramidalis, *Linn.*, var. alba
pyrenaica, *A. DC.*
Raddeana, *Trautv.*
Rainerii, *Perpent.*
rapunculoides, *Linn.*
Rapunculus, *Linn.*
Reuteriana, *Boiss. et Bal.*
rhomboidalis, *Linn.*
rhomboidea, *Murr.*
— var. alba
rotundifolia, *Linn.*
— var. alba
— var. arcuata
— var. Baumgartenii
— var. magnifica
salicifolia, *Hort.*
Scheuchzeri, *Vill.*, var. alba
Steveni, *Bieb.*, var. dasycarpa
Teymonsii, *Hort.*

CAMPANULACEAE—*continued.*
Campanula—*continued.*

thyrsoides, *Linn.*
— var. carnea
Trachelium, *Linn.*
versicolor, *Sibth. et Sm.*
Vidalii, *H. C. Wats.*

Codonopsis

Benthamii, *Hook. f. et Thoms.*
Bulleyana, *Diels et G. Forrest*
ovata, *Benth.*
silvestris, *Kom.*
subglobosa, *W. W. Sm.*

Cyananthus

Hookeri, *C. B. Clarke*
incanus, *Hook. f. et Thoms.*, var. leiocalyx, *Franch.*
inflatus, *Hook. f. et Thoms.*
lobatus, *Wall.*

Edraianthus

Pumilio, *DC.*

Isotoma

axillaris, *Lindl.*, var. subpinnatifida

Jasione

humilis, *Loisel.*
perennis, *Lam.*

Lobelia

Cliffortiana, *Linn.*
erecta, *Hook. f. et Thoms.*
tenuior, *R. Br.*
triquetra, *Linn.*
Tupa, *Linn.*
urens, *Linn.*

Musschia

Wollastoni, *Lowe*

Phyteuma

campanuloides, *Bieb.*
canescens, *Waldst. et Kit.*

CAMPANULACEAE—*continued.*
Phyteuma—*continued.*

comosum, *Linn.*
Michelii, *All.*
— var. betonicaefolia
nigrum, *F. W. Schmidt*
orbiculare, *Linn.*
Scheuchzeri, *All.*
— var. Charmelii, *Vill.*
spicatum, *Linn.*, var. caeruleum

Platycodon

grandiflorum, *A. DC.*, var. Mariesii

Pratia

angulata, *Hook. f.*
arenaria, *Hook. f.*
begonifolia, *Lindb.*
montana, *Hassk.*
repens, *Gaudich.*

Siphocampylus

lanceolatus, *Regel*

Specularia

Speculum, *A. DC.*

Symphyandra

Hofmanni, *Pant.*
ossetica, *A. DC.*
pendula, *A. DC.*

Trachelium

caeruleum, *Linn.*
rumelianum, *Hampe*

Wahlenbergia

graminifolia, *A. DC.*
pendula, *Schrad.*
saxicola, *A. DC.*
serpyllifolia, *G. Beck*, var. dinarica
tasmanica, *Hort.*

CAPPARIDEAE.

Capparis

flexuosa, *Blume*

Cleome

spinosa, *Jacq.*

CAPRIFOLIACEAE.

Abelia

triflora, *R. Br.*

Diervilla

floribunda, *Sieb. et Zucc.*, var. Lowii
florida, *Sieb. et Zucc.*
— var. alba
— var. candida

Dipelta

ventricosa, *Hemsl.*

Leycesteria

formosa, *Wall.*

Lonicera

alpigena, *Linn.*
bella, *Zabel*, var. albida
— var. rosea
Braceana, *Hemsl.*
Charlotti, *Hort.*
Henryi, *Hemsl.*
— var. subcoriacea
Hildebrandiana, *Collett et Hemsl.*
lanceolata, *Wall.*
Morrowii, *A. Gray*
parvifolia, *Edgew.*, var. Myrtillus
Periclymenum, *Linn.*
pyrenaica, *Linn.*
sempervirens, *Linn.*, var. minor
Sulivantii, *A. Gray*
tomentella, *Hook. f. et Thoms.*

Sambucus

canadensis, *Linn.*
glauca, *Nutt.*
racemosa, *Linn.*

Symphoricarpus

Heyeri, *Dipp.*
occidentalis, *Hook.*
orbiculatus, *Moench*
racemosus, *Michx.*

Viburnum

burejaeticum, *Regel et Herd.*
crassifolium, *Rehder*
Davidi, *Franch.*
foetidum, *Wall.*
hupehense, *Rehder*
Lantana, *Linn.*
— var. lanceolatum
Opulus, *Linn.*
— var. fructu-luteo
rhytidophyllum, *Hemsl.*
theiferum, *Rehder*
tomentosum, *Thunb.*

CARYOPHYLLEAE.

Arenaria

banatica, *Heuff.*
bavarica, *Pall.*
Bertolonii, *Fiori et Paol.*
biflora, *Linn.*
caespitosa, *Phil.*
capillaris, *Poir.*
capitata, *Lam.*
confusa, *Rydb.*
decussata, *Willd.*
Fendleri, *A. Gray*
foliosa, *Royle*
frigida, *Rupr.*
gothica, *Fries*
gracilis, *Kit.*
graminifolia, *Schrad.*
grandiflora, *Linn.*
gypsophiloides, *Linn.*
juniperina, *Linn.*
Kingii, *M. E. Jones.*
lanceolata, *All.*

CARYOPHYLLEAE—*continued.*

Arenaria—*continued.*

laricifolia, *Linn.*
leptoclados, *Boiss.*
montana, *Linn.*, var. grandiflora
pinifolia, *Bieb.*
purpurascens, *Ramond*
sajanensis, *Willd.*
saxatilis, *Linn.*
setacea, *Thuill.*, var. erythrosepala
striata, *Vill.*
stricta, *Michx.*
tmolea, *Boiss.*, var. Kotschyana
trinervia, *Linn.*, var. plantaginea, *Mert. et Koch*
verna, *Linn.*, var. caespitosa (*Ehrh.*)
Villarsii, *Balb.*, var. villosula

Cerastium

arvense, *Linn.*, var. grandiflorum
Boissieri, *Gren.*
illyricum, *Ard.*
ovatum, *Hoppe*
viride, *A. A. Heller*
vulgatum, *Linn.*

Colobanthus

acicularis, *Hook. f.*

Dianthus

alpinus, *Linn.*
— var. albus
arboreus, *Linn.*
arenarius, *Linn.*
Armeria, *Linn.*
arvensis, *Hort.*
atrococcineus, *Hort.*
atrorubens, *All.*
attenuatus, *Sm.*
brachyanthus, *Boiss.*
— var. alpinus
caesius, *Sm.*
— var. semiplenus
campestris, *Bieb.*

CARYOPHYLLEAE—*continued.*

Dianthus—*continued*

chinensis, *Linn.*
ciliatus, *Guss.*
cinnabarinus, *Sprun.*
crinitus, *Sm.*
delicatus, *Hort.*
deltoides, *Linn.*, var. glaucus
Freynii, *Vandas*
furcatus, *Balb.*
gallicus, *Pers.*
grandiflorus, *Poir.*
graniticus, *Jord.*
inodorus, *Hort. Corr.*, var. suavis
lactiflorus, *Fenzl*
longicaulis, *Tenore*
monspessulanus, *Linn.*, var. alpestris
orbelicus, *Hort.*
petraeus, *Waldst. et Kit.*
— var. spiculifolius
plumarius, *Linn.*
pulchellus, *Hort.*
pungens, *Linn.*
scardicus, *Wettst.*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*
strictus, *Sibth. et Sm.*
superbus, *Linn.*, var. nanus
tymphresteus, *Heldr. et Sart.*
velebiticus, *Borb.*
Velenowskyi, *Borb.*
zonatus, *Fenzl*

Drypis

spinosa, *Linn.*

Gypsophila

cerastoides, *D. Don*
curvifolia, *Fenzl*
paniculata, *Linn.*
prostrata, *Linn.*
repens, *Linn.*
Suendermannii, *Hort.*
transsylvanica, *Spreng.*

Lychnis

alpina, *Linn.*
— var. lapponica

CARYOPHYLLEAE—*continued.*

Lychnis—*continued.*

Arkwrightii ×, *Hort.*
chalcedonica, *Linn.*
Coeli-rosa, *Desr.*
coronaria, *Desr.*
— var. alba
corsica, *Loisel.*
dioica, *Linn.*
Flos-cuculi, *Linn.*
Flos-Jovis, *Desr.*
Githago, *Scop.*
Haageana, *Lemaire*
Lagascae, *Hook. f.*
Miqueliana, *Rohrb.*
nutans, *Benth.*
Sartori, *Hort. Leichtl.*
Viscaria, *Linn.*
— var. alba

Polycarpaea

divaricata, *Balf: f.*

Sagina

glabra, *Fenzl*, var. pilifera
maritima, *D. Don*

Saponaria

caespitosa, *DC.*
ocymoides, *Linn.*
pulchella, *Hort.*

Silene

adenantha, *Franch.*
alpestris, *Jacq.*
ambigua, *Hort.*
Armeria, *Linn.*
auriculata, *Sibth. et Sm.*
Boryi, *Boiss.*
caryophylloides, *Otth.*
caucasica, *Boiss.*
chloraefolia, *Sm.*
ciliata, *Pourr.*
Cucubalus, *Wibel*
Elizabethae, *Janka*
Fabaria, *Sibth. et Sm.*
fimbriata, *Sims*
Fortunei, *Vis.*

CARYOPHYLLEAE—*continued.*

Silene—*continued.*

fruticosa, *Linn.*
fruticulosa, *Sieber*
gigantea, *Linn.*
Harrowiana ×, *Hort.*
Hookeri, *Nutt.*
italica, *Pers.*
Keiskii, *Miq.*
Lerchenfeldiana, *Baumg.*
linicola, *C. C. Gmel.*
maritima, *With.*
multicaulis, *Guss.*
Otites, *Sm.*
palaestina, *Boiss.*
pendula, *Linn.*, var. Bonnettii
pharnaceifolia, *Fenzl*
picta, *Pers.*
quadridentata, *Pers.*
— var. pusilla
Requienii, *Otth.*
rhyncocarpa, *Boiss.*
rosiflora, *F. K. Ward*
rubella, *Linn.*
Saxifraga, *Linn.*
Schafta, *Gmel.*
Sendtneri, *Boiss.*
sino-Watsonii, *W. W. Sm.*
Stracheyi, *Edgew.*
Thorei, *Duf.*
turgida, *Bieb.*
Vallesia, *Linn.*
viridiflora, *Linn.*
Zawadzkii, *Herbich*

Spergula

vernalis, *Willd.*, var. normalis

Spergularia

diandra, *Boiss.*
rubra, *J. et C. Presl*

Stellaria

graminea, *Linn.*
Holostea, *Linn.*
longissima, *Wall.*

Tunica

prolifera, *Scop.*
Saxifraga, *Scop.*

CELASTRINEAE.

Cassine

Maurocenia, *Linn.*

Celastrus

Cunninghamii, *F. Muell.*

Euonymus

alatus, *Thunb.*
europaeus, *Linn.*
latifolius, *Mill.*, var. planipes

Maytenus

ilicifolia, *Mart.*

Tripterygium

Forrestii, *Loes.*

CHENOPODIACEAE.

Atriplex

californica, *Moq.*
confertifolia, *S. Wats.*
hortensis, *Linn.*, var. rubra
spongiosa, *F. Muell.*

Beta

vulgaris, *Linn.*

Boussingaultia

baselloides, *H. B. et K.* (tuber)

Chenopodium

album, *Linn.*
Bonus-Henricus, *Linn.*
capitatum, *Aschers.*
Vulvaria, *Linn.*

Didymanthus

Roei, *Endl.*

Kochia

trichophylla, *Hort.*

CHENOPODIACEAE—*continued.*

Monolepis

trifida, *Schrad.*

Spinacia

oleracea, *Linn.*

CISTINEAE.

Cistus

Delilei ×, *Burnat*
laurifolius, *Linn.*
purpureus ×, *Lam.*

Helianthemum

alpestre, *Dunal*
apenninum, *Lam. et DC.*
— var. roseum
canum, *Boiss.*
glaucum, *Boiss.*, var. bicolor (*Presl*)
hirtum, *Pers.*
hymettium, *Boiss. et Heldr.*
lasianthum, *Pers.*, var. concolor
pilosum, *Benth.*
— var. purpureum
polifolium, *DC.*
Tuberaria, *Mill.*
umbellatum, *Mill.*
vulgare, *Gaertn.*
— var. cruentum
— var. mutabile
— var. roseum
— var. variegatum

COMBRETACEAE.

Combretum

coccineum, *Lam.*

COMMELINACEAE.

Commelina

obliqua, *Buch.-Ham.*
pallida, *Willd.*

Cyanotis

somaliensis, *C. B. Clarke*

COMMELINACEAE—*continued.*

Palisota

Barteri, *Hook. f.*
Maclaudii, *Cornu*
Pynaertii, *Wildem.*

Rhoeo

discolor, *Hance*

Tradescantia

virginiana, *Linn.*
— var. alba
— var. atropurpurea
— var. elata

COMPOSITAE.

Achillea

ageratifolia, *Benth. et Hook. f.*
Ageratum, *Linn.*
alpina, *Linn.*
crithmifolia, *Waldst. et Kit.*
filipendulina, *Lam.*
Hausmanniana ×, *Suend.*
Huteri ×, *Sendt.*
Jaborneggii ×, *Halacsy*
Lereschei, *Sch. Bip.*
lingulata, *Waldst. et Kit.*
macedonica, *Rouy*
macrophylla, *Linn.*
nobilis, *Linn.*
Obristii ×, *Suend.*
pedemontana, *Vacc. et Wilcz.*
Ptarmica, *Linn.*
setacea, *Waldst. et Kit.*
sibirica, *Ledeb.*
spinulifolia, *Fenzl*
taygetea, *Boiss. et Heldr.*
tomentosa, *Linn.*
umbellata, *Sibth. et Sm.*, var. major

Actinomeris

helianthoides, *Nutt.*

Adenostyles

albida, *Cass.*
alpina, *Kern.*

COMPOSITAE—*continued.*

Agathaea

coelestis, *Cass.*

Ainsliaea

acerifolia, *Sch. Bip.*

Ambrosia

trifida, *Linn.*

Ammobium

alatum, *R. Br.*.

Anacyclus

formosus, *Fenzl*

Anaphalis

cinnomomea, *C. B. Clarke*
japonica, *Maxim.*
margaritacea, *Benth. et Hook. f.*
triplinervis, *Sims*
yedoensis, *Maxim.*

Andryala

ragusina, *Linn.*

Angianthus

humifusus, *Benth.*

Antennaria

decipiens, *Greene*
dioica, *Gaertn.*
— var. parvifolia
— var. tomentosa
imbricata, *E. Nelson*, var. rosea
magellanica, *Sch. Bip.*
neodioica, *Greene*

Anthemis

canescens, *Brot.*
cinerea, *Panč.*
Kotschyana, *Boiss.*
macedonica, *Boiss.*
santolinoides, *Munby*
transsylvanica, *Hort.*

COMPOSITAE—*continued.*

Aplopappus

croceus, *A. Gray*
suffruticosus, *A. Gray*

Arctium

minus, *Bernh.*
nemorosum, *Lejeune*

Arctotis

reptans, *Jacq.*
stoechadifolia, *Berg.*

Arnica

alpina, *Olin. et Ladau*
Chamissonis, *Less.*
montana, *Linn.*
sachalinensis, *A. Gray*
unalaschkensis, *Less.*

Artemisia

argentea, *L'Hérit.*
canadensis, *Michx.*
glomerata, *Ledeb.*
hololeuca, *Bieb.*
lanata, *Willd.*
maritima, *Linn.*
Moorcroftiana, *Wall.*
nitida, *Bertol.*
pontica, *Linn.*
sacrorum, *Ledeb.*
sericea, *Weber*
spicata, *Wulf.*
splendens, *Willd.*
suffruticosa, *Hort.*
tridentata, *Nutt.*
vulgaris, *Linn.*

Aster

acris, *Linn.*
alpinus, *Linn.*, var. albus
— var. Garibaldii
Amellus, *Linn.*, var. ameloides (*Hoffm.*)
— var. bessarabicus (*Bernh.*)
amethystinus, *Nutt.*
Andersoni, *A. Gray*
Arcturus, *Hort.*

COMPOSITAE—*continued.*

Aster—*continued.*

Bigelovii, *A. Gray*
brachytrichus, *Franch.*
canus, *Waldst. et Kit.*
conspicuus, *Lindl.*
cordifolius, *Linn.*, var. elegans
corymbosus, *Ait.*
Curtisii, *Torr. et Gray*
dahuricus, *Benth.*
Delavayi, *Franch.*
diplostephioides, *Benth. et Hook. f.*
Douglasii, *Lindl.*
dumosus, *Linn.*
Farreri, *W. W. Sm.*
fastigiatus, *Fisch.*
floribundus, *Nutt.*
foliaceus, *Lindl.*
frutescens, *S. Wats.*
Harrowianus, *Diels*
Hauptii, *Ledeb.*
himalaicus, *C. B. Clarke*
junceus, *Ait.*
linariifolius, *Linn.*
Linosyris, *Bernh.*
Lipskyi, *Hort.*
longifolius, *Lam.*
macrophyllus, *Linn.*
micranthus, *Léveillé et Vaniot*
Novae-Angliae, *Linn.*
oreophilus, *Franch.*
paniculatus, *Lam.*
patens, *Ait.*
polyphyllus, *Willd.*
prenanthoides, *Muhl.*
puniceus, *Linn.*, var. lucidulus
Purdomii, *W. W. Sm.*
pyrenaeus, *DC.*
ramulosus, *Hort.*
rivularis, *Cass.*
salicifolius, *Ait.*
sibiricus, *Linn.*
sikkimensis, *Hook. f. et Thoms.*
spectabilis, *Ait.*
staticifolius, *Franch.*
subcaeruleus, *S. Moore*
Thomsoni, *C. B. Clarke*
Tradescanti, *Linn.*

COMPOSITAE—*continued.*

Aster—*continued.*

umbellatus, *Mill.*
Vahlii, *Hook. et Arn.*
vestitus, *Franch.*
yunnanensis, *Franch.*

Baccharis

patagonica, *Hook. et Arn.*

Baldwinia

multiflora, *Nutt.*

Bellium

bellidioides, *Linn.*

Berkheya

purpurea, *Benth. et Hook. f.*

Bidens

dahlioides, *S. Wats.*
pilosa, *Linn.*

Blumea

laciniata, *DC.*

Boltonia

asteroides, *L'Hérit.*

Brachycome

iberidifolia, *Benth.*
Sinclairii, *Hook. f.*

Buphthalmum

salicifolium, *Linn.*
speciosum, *Schreb.*

Carduncellus

monspeliensium, *All.*

Carduus

cernuus, *Steud.*
Kerneri ×, *Simonk.*

COMPOSITAE—*continued.*

Carlina

acaulis, *Linn.*
vulgaris, *Linn.*

Cassinia

fulvida, *Hook. f.*
leptophylla, *R. Br.*
retorta, *A. Cunn.*
Vauvilliersii, *Hook. f.*

Catananche

bicolor, *Hort.*
caerulea, *Linn.*

Celmisia

coriacea, *Raoul*
densiflora, *Hook. f.*
discolor, *Hook. f.*
holosericea, *Hook. f.*
Lindsayi, *Hook. f.*
longifolia, *Cass.*
Lyallii, *Hook. f.*, var. pseudo-Lyallii
Munroi, *Hook. f.*
spectabilis, *Hook. f.*
verbascifolia, *Hook. f.*
viscosa, *Hook. f.*

Centaurea

Cyanus, *Linn.*
cynaroides, *Link*
dealbata, *Willd.*
glastifolia, *Linn.*
gymnocarpa, *Moris et De Not.*
Janerii, *Graells*
Kerneriana, *Janka*
lutea, *Gueldenst.*
macrocephala, *Puschk.*
montana, *Linn.*
— var. ochroleuca
— var. rosea
mucronifera, *DC.*
napifolia, *Linn.*
nervosa, *Willd.*
nigra, *Linn.*
odorata, *C. Koch*
phrygia, *Linn.*
pulcherrima, *Willd.*

COMPOSITAE—*continued.*

Centaurea—*continued.*

pulchra, *DC.*, var. major
ragusina, *Linn.*
ruthenica, *Lam.*
rutifolia, *Sibth. et Sm.*
Scabiosa, *Linn.*
— var. alba
sordida, *Willd.*
Tenoreana, *Willk.*

Chaptalia

alsophila, *Greene*

Charieis

heterophylla, *Cass.*

Chrysanthemum

arcticum, *Linn.*
atratum, *Linn.*
caucasicum, *Pers.*
coccineum, *Willd.*
coronopifolium, *Vill.*
densum, *Steud.*
lacustre, *Brot.*
leucanthemum, *Linn.*
maximum, *Ramond*
Parthenium, *Bernh.*
tauricum, *Hort.*
Tchihatichewii, *Hort.*
Zawadskii, *Herbich*

Chrysogonum

virgineanum, *Linn.*

Chrysopsis

camporum, *Greene*
villosa, *DC.*, var. foliosa
— var. Rutteri

Cichorium

Intybus, *Linn.*

Cnicus

acaulis, *Willd.*
Bertolonii, *Bertol.*
canus, *Roth*
Carolorum, *Hook. f.*
eriophorus, *Roth*

COMPOSITAE—*continued.*

Cnicus—*continued.*

heterophyllus, *Roth*
monspessulanus, *Roth*
pratensis, *Willd.*
rivularis, *Willd.*, var. atropurpurea
tartaricus, *Willd.*

Conyza

squarrosa, *Georgi*

Coreopsis

atrosanguinea, *Hort.*
marmorata, *Hort.*
tinctoria, *Nutt.*

Corethrogyne

rigida, *A. A. Heller*

Corymbium

nervosum, *Thunb.*

Cosmos

sulphureus, *Cav.*

Cotula

squalida, *Hook. f.*

Craspedia

uniflora, *Forst. f.*

Cremanthodium

reniforme, *Benth.*

Crepis

blattarioides, *Vill.*
depressa, *Hook. f.*
grandiflora, *Tausch*
incana, *Sibth. et Sm.*
Jacquini, *Tausch*
pygmaea, *Linn.*
sibirica, *Linn.*

Cullumia

setosa, *R. Br.*

COMPOSITAE—*continued.*

Cynara

Cardunculus, *Linn.*

Dahlia

Merckii, *Lehm.*
variabilis, *Desf.*

Dimorphotheca

aurantiaca, *DC.*
pluvialis, *Moench*

Doronicum

caucasicum, *Bieb.*

Echinacea

purpurea, *Moench*

Echinops

niveus, *Wall.*
Ritro, *Linn.*
sphaerocephalus, *Linn.*

Erigeron

Coulteri, *Porter et Coulter*
flagellaris, *A. Gray*
glabellus, *Nutt.*
— var. asper
— var. mollis
grandiflorus, *Hook.*
leiomerus, *A. Gray*
macranthus, *Nutt.*
montanensis, *Rydb.*
multiradiatus, *Benth. et Hook. f.*
— var. platyphyllus
oreganus, *A. Gray*
patentisquama, *J. F. Jeffrey*
philadelphicus, *Linn.*
Roylei, *DC.*
salsuginosus, *A. Gray*
speciosus, *DC.*, var. major
— var. superbus, *Linn.*
tegetarius, *Cov.*
trifidus, *Hook.*
— var. albescens

COMPOSITAE—*continued.*

Eriophyllum

caespitosum, *Dougl.*
lanatum, *Forbes*, var. obovatum

Erlangea

tomentosa, *S. Moore*

Eupatorium

ageratoides, *Linn.*
brevipes, *DC.*
cannabinum, *Linn.*
deltoideum, *Jacq.*
ianthinum, *Hemsl.*
japonicum, *Thunb.*
purpureum, *Linn.*
riparium, *Regel*
Rothrockii, *A. Gray*
Weinmannianum, *Regel et Koern.*

Euryops

socotranus, *Balf. f.*

Filago

Bianori, *Sennen*

Gaillardia

aristata, *Pursh*

Gazania

splendens ×, *Hort.*
— var. variegata

Gerbera

Anandria, *Sch. Bip.*
Delavayi, *Franch.*
Jamesoni, *Bolus*
Kunzeana, *A. Br. et Aschers.*
nivea, *Sch. Bip.*

Gnaphalium

supinum, *Linn.*
sylvaticum, *Linn.*, var. scoparium
trinerve, *Forst. f.*

COMPOSITAE—*continued.*

Helenium

autumnale, *Linn.*
— var. Halleri
— var. pumilum
Hoopesii, *A. Gray*

Helianthella

quinquenervis, *A. Gray*

Helianthus

annuus, *Linn.*
giganteus, *Linn.*
pumilus, *Nutt.*

Helichrysum

antennarium, *F. Muell.*
arenarium, *Moench*
bellidioides, *Willd.*
callichrysum, *DC.*
crassifolium, *D. Don*
frigidum, *Willd.*
lanatum, *DC.*
plicatum, *DC.*
rutidolepsis, *DC.*
virgineum, *Griesb.*

Heliopsis

padula, *Wender.*
scabra, *Dun.*
— var. Pitchiana

Hieracium

alpinum, *Linn.*
Auricula, *Linn.*
Bornmuelleri, *Freyn*
brevifolium, *Hort.*
callistophyllum, *Hanbury*
curvatum, *Elfstr.*
cylindraceum, *Stenström*, var. glabellum
depressum, *Zahn*
glabrum, *Kit.*, var. album
gymnocephalum, *Griseb.*
Heldreichii, *Boiss.*
humile, *Jacq.*
incanum, *Bieb.*
incisum, *Hoppe*
intybaceum, *Jacq.*

COMPOSITAE—*continued.*

Hieracium—*continued.*

lanatum, *Waldst. et Kit.*
Legrandianum, *Arv. Touv.*
pallidum, *Biv.*
pannosum, *Boiss.*
Pilosella, *Linn.*
Sommerfeltii, *Lindeb.*
villosum, *Jacq.*

Homogyne

alpina, *Cass.*

Humea

elegans, *Sm.*

Inula

auriculata, *Boiss. et Bal.*
britannica, *Linn.*
ensifolia, *Linn.*
glandulosa, *Puschk.*
grandiflora, *Willd.*
Helenium, *Linn.*
Hookeri, *C. B. Clarke*
montana, *Linn.*
Oculus-Christi, *Linn.*
racemosa, *Hook. f.*
Royleana, *DC.*
salicina, *Linn.*, var. subhirsuta
squarrosa, *Linn.*

Jurinea

Berardioidea, *Diels*
glycacantha, *DC.*

Lactuca

Bourgaei, *Hort.*
macrophylla, *A. Gray*
Plumieri, *Gren. et Godr.*
thianschanica, *Hort. Edin.*
virosa, *Linn.*

Layia

elegans, *Torr. et Gray*

Leontodon

hastilis, *Linn.*
hispidus, *Linn.*

COMPOSITAE—*continued.*

Leontopodium

alpinum, *Cass.*
— var. himalaicum
— var. transsylvanicum
hybridum, *Hort. Suend.*
japonicum, *Miq.*
sibiricum, *Cass.*

Leuzea

conifera, *DC.*

Liatris

pycnostachya, *Michx.*
spicata, *Willd.*

Madia

sativa, *Mollina*

Microglossa

albescens, *C. B. Clarke*

Mutisia

Clematis, *Linn. f.*
ilicifolia, *Cav.*

Myriactis

Wallichii, *Less.*

Odontospermum

maritimum, *Sch. Bip.*

Olearia

Haastii, *Hook. f.*
ilicifolia, *Hook. f.*
myrsinoides, *F. Muell.*
nummularifolia, *Hook. f.*
stellulata, *DC.*
virgata, *Hook. f.*

Onopordon

Acanthium, *Linn.*

Parthenium

integrifolium, *Linn.*

COMPOSITAE—*continued.*

Perezia

multiflora, *Less.*

Pertya

phylicoides, *J. F. Jeffrey*
sinensis, *Oliver*

Phagnalon

rupestre, *DC.*, var. tomentosa

Picridium

tingitanum, *Desf.*

Piqueria

trinervia, *Cav.*

Polypteris

texana, *A. Gray*

Prenanthes

purpurea, *Linn.*

Proustia

pyrifolia, *Lag.*

Pulicaria

dysenterica, *Gaertn.*
vulgaris, *Gaertn.*

Pyrethrum

Akinfiewi, *Hort.*
Haussknechtii, *Bornm.*

Raoulia

australis, *Hook. f.*
glabra, *Hook. f.*
subsericea, *Hook. f.*

Rudbeckia

laciniata, *Linn.*
nitida, *Nutt.*
triloba, *Linn.*

COMPOSITAE—*continued.*

Santolina

Chamaecyparissus, *Linn.*, var. tomentosa
— var. incana
pinnata, *Viv.*

Sanvitalia

procumbens, *Lam.*

Saussurea

Andersoni, *C. B. Clarke*
hypoleuca, *Spreng.*
salicifolia, *DC.*
Stella, *Maxim.*
uniflora, *Wall.*

Scolymus

grandiflorus, *Desf.*

Scorzonera

cinerea, *Boiss.*
hispanica, *Linn.*
purpurea, *Linn.*

Senecio

abrotanifolius, *Linn.*
— var. grandiflorus
acuminatus, *Wall.*
adonifolius, *Loisel.*
alatus, *Wall.*
auriculatissimus, *Britton*
bellidioides, *Hook. f.*
Bigelovii, *A. Gray*
biligulatus, *W. W. Sm.*
Boissieri, *DC.*
cacaliaefolius, *Sch. Bip.*
clivorum, *Maxim.*
— var. subcrenatus
coccineus, *Klatt*
compactus, *T. Kirk*
Correvonianus, *Hort.*
Doria, *Linn.*
Doronicum, *Linn.*
echinatus, *DC.*
Fendleri, *A. Gray*
fibrillosus, *Dunn*
Fuchsii, *C. C. Gmel.*
graciliflorus, *DC.*

COMPOSITAE—*continued.*

Senecio—*continued.*

grandiflorus, *Berg.*
grandifolius, *Less.*
Greyii, *Hook. f.*
japonicus, *Sch. Bip.*
laxifolius, *J. Buch.*
Ligularia, *Hook. f.*
Lyallii, *Hook. f.*
macrophyllus, *Bieb.*
Moorei ×, *Hort.*
mosoynensis, *Franch.*
Munroi, *Hook. f.*
nemorensis, *Linn.*
plantaginifolius, *Franch.*
populifolius, *DC.*
pulcher, *Hook. et Arn.*
sarracenicus, *Linn.*
scandens, *Buch.-Ham.*
Smithii, *DC.*
speciosus, *Willd.*
stenocephalus, *Maxim.*, var. comosus
suaveolens, *Ell.*
tropaeolifolius, *MacOwan*
tuberivagus, *W. W. Sm.*
Veitchianus, *Hemsl.*
vellereus, *Franch.*
viscosus, *Linn.*
vulgaris, *Linn.*
Wootoni, *Greene*

Serratula

coronata, *Linn.*
Gmelini, *Ledeb.*
macrocephala, *Bertol.*
tinctoria, *Linn.*

Silphium

perfoliatum. *Linn.*

Silybum

Marianum, *Gaertn.*

Solidago

aurea, *Spreng.*
Buckleyi, *Torr. et Gray*
caesia, *Linn.*
canadensis, *Linn.*
elongata, *Nutt.*

COMPOSITAE—*continued.*

Solidago—*continued.*
gigantea, *Hort.*
glomerata, *Michx.*
multiradiata, *Ait.*
neglecta, *Torr. et Gray*
nemoralis, *Ait.*
odora, *Ait.*
ohioensis, *Riddell*
pallida, *Rydberg*
Purshii, *Porter*, var. nana
rigida, *Linn.*
rigidiuscula, *Porter*
rugosa, *Mill.*
sempervirens, *Linn.*
Virgaurea, *Linn.*

Sonchus
arvensis, *Linn.*
oleraceus, *Linn.*

Stevia
purpurea, *Pers.*

Stokesia
cyanea, *L'Hérit.*, var. alba

Synedrella
nodiflora, *Gaertn.*

Tagetes
signata, *Bartl.*, var. pumila

Tanacetum
argenteum, *Willd.*
— var. minor
nubigenum, *Wall.*
Pseudachillea, *C. Winkl.*
vulgare, *Linn.*
— var. crispum

Taraxacum
officinale, *Weber*

Tolpis
barbata, *Gaertn.*

Townsendia
Wilcoxiana, *Wood*

COMPOSITAE—*continued.*

Tragopogon
porrifolius, *Linn.*
pratensis, *Linn.*

Tridax
procumbens, *Linn.*

Ursinia
speciosa, *DC.*

Verbesina
Purpusii, *Brandegee*

Wyethia
mollis, *A. Gray*

Xeranthemum
annuum, *Linn.*, var. niveum

Zinnia
Haageana, *Regel*

CONIFERAE.

Actinostrobus
pyramidalis, *Miq.*

Callitris
oblonga, *Rich.*

Cryptomeria
japonica, *D. Don*

Cupressus
arizonica, *Greene*
Benthami, *Endl.*
Goveniana, *Gord.*
Lawsoniana, *A. Murr.*
— var. argentea
— var. laxa
— var. versicolor
lusitanica, *Mill.*
macrocarpa, *Hartw.*
nootkatensis, *Lamb.*
obtusa, *Koch*
pisifera, *Koch*
sempervirens, *Linn.*
torulosa, *D. Don*

CONIFERAE—*continued.*

Juniperus
chinensis, *Linn.*
communis, *Linn.*
recurva, *Buch.-Ham.*

Larix
europaea, *DC.*
leptolepis, *Endl.*

Picea
nigra, *Link*

Pinus
contorta, *Dougl.*
— var. Murrayana Sargentii
excelsa, *Wall.*
parviflora, *Sieb. et Zucc.*
Strobus, *Linn.*
sylvestris, *Linn.*

Podocarpus
alpina, *R. Br.*
nivalis, *Hook.*

Taxus
baccata, *Linn.*
— var. adpressa
— var. dovastoni
— var. fastigiata

Thuya
occidentalis, *Linn.*
orientalis, *Linn.*
plicata, *D. Don*

CONVOLVULACEAE.

Argyreia
speciosa, *Sweet*

Convolvulus
crenatifolius, *Ruiz et Pav.*, var. argenteus
tricolor, *Linn.*

Cuscuta
reflexa, *Roxb.*

CONVOLVULACEAE—*continued.*

Dichondra
repens, *Forst.*

Hewittia
bicolor, *Wight et Arn.*

Ipomoea
Quamoclit, *Linn.*

CORIARIEAE.

Coriaria
nepalensis, *Wall.*

CORNACEAE.

Cornus
alba, *Linn.*, var. foliis tricoloribus
— var. variegata
Baileyi, *Coult. et Evans*
pubescens, *Nutt.*
sanguinea, *Linn.*

Corokia
Cotoneaster, *Raoul*
— var. fructu-luteo
virgata, *Turrill*

Garrya
elliptica, *Dougl.*

CRASSULACEAE.

Altamiranoa
elongata, *Rose*
Goldmani, *Rose*

Bryophyllum
crenatum, *Baker*

Cotyledon
adunca, *Baker*
atropurpurea, *Baker*
chrysantha, *Hort. Edin.*
dichotoma, *Haw.*
edulis, *Brewer*

CRASSULACEAE—*continued.*

Cotyledon—*continued.*

fulgens, *Baker*
Grusoni, *Hort.*
linguaefolia, *Lem.*
orbiculata, *Linn.*
Pachyphytum, *Baker*
racemosa, *E. Mey.*
roseata, *Baker*
secunda, *Baker*
teretifolia, *Thunb.*

Crassula

Cooperi, *Regel*
ericoides, *Haw.*
falcata, *Wendl.*
imbricata, *Burm. f.*
impressa, *N. E. Br.*
perfoliata, *Linn.*
rosularis, *Haw.*
rubicunda, *E. Mey.*
tenuifolia, *Schoenl.*

Echeveria

alpina, *Rose*
cuspidata, *Rose*
gibbiflora, *DC.*, var. metallica
gigantea, *Rose et Purpus*
gracilis, *Rose*
Hookeri, *Salm-Dyck*
lutea, *Rose*
microcalyx, *Britt. et Rose*
multicaulis, *Rose*
nodulosa, *Otto*
nuda, *Baker*
obtusifolia, *Rose*
Pittieri, *Rose*
Pringlei, *Rose*
pulchella, *Berger*

Kalanchoë

Cassiopeja, *Damm.*
flammea, *Stapf*
rotundifolia, *Haw.*

Monanthes

agriostaphys, *Christ*
atlantica, *Ball*
polyphylla, *Haw.*

CRASSULACEAE—*continued.*

Oliveranthus

elegans, *Rose*

Pachyphytum

bracteosum, *Klotzsch*
longifolium, *Rose*

Rochea

coccinea, *DC.*

Sedum

acre, *Linn.*
Aizoon, *Linn.*
album, *Linn.*
altissimum, *Poir.*
Anacampseros, *Linn.*
anopetalum, *DC.*
asiaticum, *Spreng.*
bupleuroides, *Wall.*
caeruleum, *Linn.*
cauticolum, *Praeger*
dasyphyllum, *Linn.*
Ellacombianum, *Praeger*
Ewersii, *Ledeb.*
fastigiatum, *Hook. f. et Thoms.*
hispanicum, *Linn.*
hybridum, *Linn.*
indicum, *Hamet*, var. yunnanense
kamtschaticum, *Fisch. et Mey.*
— var. variegatum
maximum, *Suter*
— var. purpureum
multicaule, *Wall.*
multiceps, *Coss. et Dur.*
Palmeri, *S. Wats.*
pilosum, *Bieb.*
populifolium, *Pall.*
potosinum, *Rose*
Praegerianum, *W. W. Sm.*
primuloides, *Franch.*
pruinatum, *Brot.*
— var. Forsterianum
quadrifidum, *Pall.*
reflexum, *Linn.*
retusum, *Hemsl.*
roseum, *Scop.*, var. Scopoli
rupestre, *Linn.*
— var. Forsterianum

CRASSULACEAE—*continued.*

Sedum—*continued.*

Semenovii, *Mast.*
sempervivoides, *Fisch.*
Sieboldii, *Sweet*
spectabile, *Bor.*
spurium, *Bieb.*, var. splendens
Stahlii, *Solms*
Stephani, *Cham.*
stoloniferum, *S. T. Gmel.*, var. ibericum
Telephium, *Linn.*
— var. Borderi
tibeticum, *Hook. f. et Thoms.*
trifidum, *Wall.*
trullipetalum, *Hook. f. et Thoms.*
versadense, *C. H. Thompson*
verticillatum, *Linn.*
Winkleri, *Wolley-Dod*
yunnanense, *Franch.*, var. valerianoides, *Hamet*

Sempervivum

arachnoideum, *Linn.*
arenarium, *Koch*
arvernense, *Lecoq et Lamotte*
barbatum, *C. Sm.*
Boutignyanum, *Billot et Gren.*
Castello-Paivae, *Christ*
chrysanthum, *Hochst.*
Fontanae ×, *Bruegg.*
glaucum, *Tenore*
hybridum ×, *Bruegg.*
Ledebouri, *Hort.*
ponticum, *Hort.*
sanguineum, *Jeanb.*
Schnittspahni, *Lagg.*
Seguieri, *DC.*
tectorum, *Linn.*, var. densum
— var. glaucum
— var. pulchrum
— var. robustum
triste, *Hort.*, var. sanguineum
Verloti, *Lamotte*
violaceum, *Hort.*

Stylophyllum

Hassei, *Rose*

CRASSULACEAE—*continued.*

Tillaea

pharnaceoides, *Hochst.*

Umbilicus

pendulinus, *DC.*
Pestalozzae, *Boiss.*

Urbinea

Purpusii, *Rose*

Villadia

guatemalensis, *Rose*
imbricata, *Rose*

CRUCIFERAE.

Aethionema

cordatum, *Boiss.*
creticum, *Boiss. et Heldr.*
flavum, *Siehe*
grandiflorum, *Boiss. et Hohen.*
Kotschyanum, *Hort. Suend.*
pulchellum, *Boiss. et Huet*
schistosum, *Boiss. et Kotschy*
stylosum, *DC.*

Alyssum

argenteum, *Vitm.*
floribundum, *Boiss.*
gemonense, *Linn.*
halimifolium, *Willd.*
Lagascae, *Janka*
leucadeum, *Guss.*
longicaule, *Boiss.*
minimum, *Willd.*
montanum, *Linn.*
saxatile, *Linn.*
serpyllifolium, *Desf.*, var. granatense
spinosum, *Linn.*

Arabis

albida, *Stev.*
— var. rosea
alpina, *Linn.*
— var. crispata

CRUCIFERAE—*continued.*

Arabis—*continued.*

aubrietioides, *Boiss.*
brassicaeformis, *Wallr.*
Breweri, *S. Wats.*
Holboelii, *Hornem.*
microphylla, *Nutt.*
muralis, *Bertol.*, var. rosea
petraea, *Lam.*
rhaetica, *Bruegg.*
Scopoliana, *Boiss.*
stricta, *Huds.*

Aubrietia

Columnae, *Guss.*
croatica, *Schott, Nym. et Kotschy*
deltoidea, *DC.*, var. Campbellii
— var. cilicica
— var. lutea variegata
— var. Perkinsii
— var. Richardi
erubescens, *Griseb.*

Biscutella

laevigata, *Linn.*

Brassica

alba, *Boiss.*
campestris, *Linn.*, var. chinensis (*Linn.*)
juncea, *Coss.*
oleracea, *Linn.*

Braya

alpina, *Sternb. et Hoppe*

Bunias

Erucago, *Linn.*

Cakile

maritima, *Scop.*

Capsella

Bursa-pastoris, *Medic.*

Carpoceras

cilicicum, *Boiss. et Kurz*

CRUCIFERAE—*continued.*

Cheiranthus

Cheiri, *Linn.*

Cochlearia

glastifolia, *Linn.*

Crambe

cordifolia, *Stev.*
maritima, *Linn.*
pinnatifida, *R. Br.*

Draba

aizoides, *Linn.*
Aizoon, *Wahlenb.*
alpina, *Linn.*, var. involucrata
altaica, *Ledeb.*
amplexicaulis, *Franch.*
arabisans, *Michx.*
athoa, *Boiss.*
aurea, *Vahl*
bruniaefolia, *Stev.*
cornuta, *Hort.*
ellipsoidea, *Hook. f. et Thoms.*
hirta, *Linn.*
— var. dovrensis, *Fries*
incana, *Linn.*
— var. Adamsii
longirostrata, *Schott, Nym. et Kotschy*
nemorosa, *Linn.*
nivalis, *Lilj.*
oligosperma, *Hook.*
oxycarpa, *Boiss. et Heldr.*
pycnosperma, *Fernald et Knowlton*
rupestris, *R. Br.*
siliquosa, *Bieb.*
stellata, *Jacq.*
streptocarpa, *A. Gray*
surculosa, *Franch.*
Zahlbruckneri, *Host*

Erysimum

asperum, *DC.*
bracteatum, *W. W. Sm.*
capitatum, *Greene*
cheiranthoides, *Linn.*
linifolium, *J. Gay*
nanum, *Boiss. et Hohen.*
pumilum, *Nutt.*

CRUCIFERAE—*continued.*

Farsetia

clypeata, *R. Br.*
eriocarpa, *DC.*

Heliophila

amplexicaulis, *Linn. f.*

Hesperis

matronalis, *Linn.*

Hymenophysa

pubescens, *C. A. Mey.*

Iberis

Jordani, *Boiss.*
linifolia, *Linn.*
Pruiti, *Tineo*
semperflorens, *Linn.*
sempervirens, *Linn.*
— var. superba

Isatis

aleppica, *Scop.*
alpina, *All.*
glauca, *Auch.*
tinctoria, *Linn.*

Lepidium

latifolium, *Linn.*
pubicarpum, *A. Nelson*
sativum, *Linn.*

Lunaria

annua, *Linn.*

Macropodium

nivale, *R. Br.*

Malcomia

maritima, *R. Br.*

Matthiola

fastigiata, *Hort.*
fenestralis, *R. Br.*
fragrantissima, *Hort.*
tricuspidata, *R. Br.*

CRUCIFERAE—*continued.*

Noccaea

alpina, *Reichb.*
Auerswaldii, *Willk.*

Ptilotrichum

purpureum, *Boiss.*
Reverchonii, *Degen et Hervier*

Raphanus

sativus, *Linn.*

Senebiera

pinnatifida, *DC.*

Sisymbrium

Alliaria, *Scop.*
myriophyllum, *H. B. et K.*
strictissimum, *Linn.*

Vesicaria

utriculata, *DC.*

CUCURBITACEAE.

Cyclanthera

explodens, *Naud.*

Gurania

malacophylla, *Barb. Rodr.*

Lagenaria

vulgaris, *Ser.*
— var. pelegrina, *Hort.*

Luffa

ægyptiaca, *Mill.*
cylindrica, *Roem.*

Momordica

cochinchinensis, *Spreng.*

CUPULIFERAE.

Alnus

alnobetula, *Hartig*
cordifolia, *Tenore*

CUPULIFERAE—*continued.*

Alnus—*continued.*

glutinosa, *Medic.*
— var. laciniata
— var. rubrinervia
incana, *Moench*
— var. aurea
— var. emarginata
— var. glauca, *Regel*
— var. hirsuta
— var. orbicularis
japonica, *Sieb. et Zucc.*
lanata, *Duthie*
maritima, *Nutt.*
oregona, *Nutt.*
rhombifolia, *Nutt.*
sitchensis, *Sarg.*
tenuifolia, *Nutt.*
viridis, *DC.*

Betula

alba, *Linn.*
— var. pendula
— var. populifolia
— var. pubescens
Andrewsii, *A. Nelson*
Ermani, *Cham.*
fruticosa, *Pall.*
humilis, *Schrank*
japonica, *Siebold*, var. mandshurica
— var. szechuanica
lutea, *Michx.*
Medwediewi, *Regel*
nana, *Linn.*
papyrifera, *Marsh.*
populifolia, *Marsh.*
ulmifolia, *Sieb. et Zucc.*
utilis, *D. Don*, var. glandulifera
— var. Prattii

Carpinus

Betulus, *Linn.*

Corylus

Avellana, *Linn.*

Ostrya

carpinifolia, *Scop.*

CUPULIFERAE—*continued.*

Quercus

Cerris, *Linn.*
pedunculata, *Ehrh.*
sessiliflora, *Salisb.*

CYCLANTHACEAE.

Carludovica

Gardneri, *Hook.*
Wendlandii, *Hort.*

Ludovia

crenifolia, *Drude*

CYPERACEAE.

Carex

aquatilis, *Wahlenb.*
atrata, *Linn.*
axillaris, *Good.*
baccans, *Nees*
binervis, *Sm.*
Buchanani, *Berggr.*
canescens, *Linn.*
cruciata, *Nees*
diandra, *Schrank*
distans, *Linn.*
divulsa, *Good.*
frigida, *All.*
glauca, *Scop.*
Grayii, *Carey*
helvola, *Blytt*
humilis, *Leyss.*
incurva, *Lightf.*
— var. erecta, *O. F. Lang*
japonica, *Thunb.*
laevigata, *Sm.*
lepidocarpa, *Tausch*
leporina, *Linn.*
— var. capitata
limosa, *Linn.*
microptera, *Mackenzie*
muricata, *Linn.*
Oederi, *Retz.*
ornithopoda, *Willd.*
paniculata, *Linn.*
Pseudo-cyperus, *Linn.*
punctata, *Gaud.*

CYPERACEAE—*continued.*

Carex—*continued.*

remota, *Linn.*
rigida, *Good.*
saxatilis, *Linn.*
sparsiflora, *Steud.*
stricta, *Good.*
vesicaria, *Linn.*, var. Grahami (*Boott*)
vulgaris, *Fries*

Cobresia

pygmaea, *C. B. Clarke*

Cyperus

alternifolius, *Linn.*
— var. compactus
— var. variegatus
bulbosus, *Vahl*
fertilis, *Boeck.*
Luzulae, *Rottl.*
nutans, *Vahl*
Papyrus, *Linn.*

Eleocharis

neo-zelandica, *C. B. Clarke*
palustris, *R. Br.*

Eriophorum

angustifolium, *Roth*

Hypolytrum

latifolium, *Rich.*

Kyllinga

brevifolia, *Rottb.*
nepalensis, *C. B. Clarke*

Lipocarpha

argentea, *R. Br.*

Scirpus

Eriophorum, *Michx.*
Holoschoenus, *Linn.*
lacustris, *Linn.*, var. Tabernaemontani
riparius, *J. et C. Presl*

Uncinia

compacta, *R. Br.*

DATISCEAE.

Datisca

cannabina, *Linn.*

DIAPENSIACEAE.

Galax

aphylla, *Linn.*

Schizocodon

soldanelloides, *Sieb. et Zucc.*

DILLENIACEAE.

Hibbertia

dentata, *R. Br.*

DIOSCOREACEAE.

Dioscorea

sativa, *Linn.* (tuber)

DIPSACEAE.

Dipsacus

inermis, *Wall.*

Morina

Coulteriana, *Royle*
Delavayi, *Franch.*
longifolia, *Wall.*

Scabiosa

arvensis, *Linn.*
balcanica, *Velen.*
caucasica, *Bieb.*
fumarioides, *Vis. et Panč.*
graminifolia, *Linn.*
Hookeri, *C. B. Clarke*
magnifica, *Benth. et Hook. f.*
montana, *Bieb.*
ochroleuca, *Linn.*, var. Webbiana, *D. Don*
plumosa, *Sibth. et Sm.*
Pterocephala, *Linn.*
Succisa, *Linn.*
— var. alba

DROSERACEAE.

Dionaea

muscipula, *Ellis*

Drosera

binata, *Labill.*
— var. dichotoma
capensis, *Linn.*
hilaris, *Cham. et Schlecht.*
rotundifolia, *Linn.*
spathulata, *Labill.*

Drosophyllum

lusitanicum, *Link*

ELAEAGNACEAE.

Elaeagnus

umbellata, *Thunb.*

Hippophaë

rhamnoides, *Linn.*

EMPETRACEAE.

Empetrum

nigrum, *Linn.*
— var. scoticum (*Hook.*)

EPACRIDEAE.

Astroloma

pinifolium, *Benth.*

Leucopogon

fasciculatus, *A. Rich.*
Richei, *R. Br.*

Trochocarpa

laurina, *R. Br.*

ERICACEAE.

Agapetes

variegata, *D. Don*

ERICACEAE—*continued.*

Arbutus

Menziesii, *Pursh*

Bruckenthalia

spiculifolia, *Reichb.*

Bryanthus

empetriformis, *A. Gray*
— var. Drummondii
erectus ×, *Lindl. et Paxt.*
taxifolius, *A. Gray*

Calluna

vulgaris, *Salisb.*
— var. alba
— — — pilosa
— — — pumila
— — — rigida
— var. Alporti
— var. aurea
— var. Hammondii
— var. tomentosa alba

Cassandra

calyculata, *D. Don*

Cassiope

Mertensiana, *G. Don*

Cladothamnus

pyroliflorus, *Bong.*

Clethra

alnifolia, *Linn.*, var. paniculata
arborea, *Ait.*
canescens, *Reinw.*

Daboëcia

polifolia, *D. Don*
— var. alba
— var. bicolor
— var. purpurea

Elliottia

paniculata, *Benth. et Hook. f.*

ERICACEAE—*continued.*

Enkianthus

himalaicus, *Hook. f. et Thoms.*
latiflorus, *Craib*
Palibinii, *Craib*
pallidiflorus, *Craib*
pendulus, *Craib*
perulatus, *Schneider*
tectus, *Craib*

Erica

albens, *Linn.*
cinerea, *Linn.*
— var. alba minor
— var. atropurpurea
— var. atrosanguinea
— var. coccinea
— var. pallida
— var. rosea
lusitanica, *Rudolph*
mediterranea, *Linn.*, var. nana
Praegeri ×, *Hort.*
stricta, *Donn*
Tetralix, *Linn.*, var. Lawsoniana
vagans, *Linn.*, var. alba
— var. pallida
Veitchii ×, *Hort.*

Gaultheria

antipoda, *Forst. f.*
— var. erecta
fagifolia, *Hook. f.*
hispida, *R. Br.*, var. fructu albo
laxiflora, *Diels*
nummularioides, *D. Don*
perplexa, *T. Kirk*
pyrolaefolia, *Hook. f.*, var. cuneata
rupestris, *R. Br.*
Shallon, *Pursh*

Kalmia

glauca, *Ait.*

Ledum

palustre, *Linn.*
— var. latifolium, *Michx.*

ERICACEAE—*continued.*

Leiophyllum

buxifolium, *Ell.*

Leucothoe

Keiskei, *Miq.*

Lyonia

paniculata, *Nutt.*

Menziesia

ciliicalyx, *Maxim.*

Pernettya

mucronata, *Gaudich.*
nigra, *Hort.*

Pieris

formosa, *D. Don*

Pyrola

rotundifolia, *Linn.*, var. incarnata

Rhododendron

afghanicum, *Aitch. et Hemsl.*
ambiguum, *Hemsl.*
Anthopogon, *D. Don*
arborescens, *Torr.*
arboreum, *Sm.*
argenteum, *Hook. f.*
Augustinii, *Hemsl.*
azaleoides ×, *Desf.*
brachyanthum, *Franch.*
californicum, *Hook.*
calophyllum, *Nutt.*
camelliaeflorum, *Hook. f.*
campanulatum, *D. Don*
campylocarpum, *Hook. f.*
carolinianum, *Rehder*
catawbiense, *Michx.*
cephalanthum, *Franch.*
chartophyllum, *Franch.*
ciliatum, *Hook. f.*
cinnabarinum, *Hook. f.*

ERICACEAE—*continued.*

Rhododendron—*continued.*

cuneatum, *W. W. Sm.*
Davidsonianum, *Rehd. et Wils.*
decorum, *Franch.*
fastigiatum, *Franch.*
ferrugineum, *Linn.*
— var. album
— var. atrococcineum
— var. majus
flavum, *G. Don*
Fortunei, *Lindl.*
glaucum, *Hook. f.*
Grievei ×, *Hort*
hedyosmum, *Balf. f.*
hirsutum, *Linn.*
— var. album
impeditum, *Balf. f. et W. W. Sm.*
intermedium ×, *Tausch.*
intricatum, *Franch.*
irroratum, *Franch.*
Kaempferi, *Planch.*
kamtschaticum, *Pall.*
Keiskei, *Miq.*
Kotschyi, *Simonkai*
ledoides, *Balf. f. et W. W. Sm.*
lepidotum, *Wall.*
lochmium, *Balf. f.*
longistylum, *Rehd. et Wils.*
Maddeni, *Hook. f.*
manipurense, *Balf. f. et Watt*
Metternichii, *Sieb. et Zucc.*
— var. pentamerum
micranthum, *Turcz.*
multiflorum ×, *Hort.*
oleifolium, *Franch.*
oreotrephes, *W. W. Sm.*
ovatum, *Planch.*
pholidotum, *Balf. f. et W. W. Sm.*
ponticum, *Linn.*
prostratum, *W. W. Sm.*
pseudo-yanthinum, *Balf. f.*
racemosum, *Franch.*
salignum, *Hook. f.*
Sargentianum, *Rehd. et Wils.*
Searsiae, *Rehd. et Wils.*

ERICACEAE—*continued.*

Rhododendron—*continued.*

Smirnowi, *Trautv.*
sycnanthum, *Balf. f. et W. W. Sm.*
Thomsoni, *Hook. f.*
thyodocum, *Balf. f. et Cooper*
triflorum, *Hook. f.*
Tschonoskii, *Maxim.*
Vaseyi, *A. Gray*
villosum, *Hemsl. et Wils.*
virgatum, *Hook. f.*

Zenobia

speciosa, *D. Don*
— var. pulverulenta (*Pollard*)

EUPHORBIACEAE.

Acalypha

Wilkesiana, *Muell. Arg.*

Buxus

microphylla, *Sieb. et Zucc.*

Dalechampia

Roezliana, *Muell. Arg.*
scandens, *Linn.*

Euphorbia

alcicornis, *Baker*
balsamifera, *Ait.*
Gerardiana, *Jacq.*
Myrsinites, *Linn.*
Regis-Jubae, *Webb et Berth.*
spinosa, *Linn.*
stricta, *Linn.*

Homalanthus

Leschenaultianus, *A. Juss.*

Jatropha

podagrica, *Hook.*

Mallotus

japonicus, *Muell. Arg.*

EUPHORBIACEAE—*continued.*

Mercurialis

annua, *Linn.*

Phyllanthus

grandifolius, *Linn.*
montanus, *Sw.*
reticulatus, *Poir.*

Ricinus

communis, *Linn.*

FICOIDEAE.

Mesembryanthemum

blandum, *Haw.*
Bolusii, *Hook. f.*
Brownii, *Hook. f.*
calamiforme, *Linn.*
candens, *Haw.*
cordifolium, *Linn.*
cultratum, *Hort.*
curviflorum, *Haw.*
deltoides, *Linn.*
Ecklonis, *Salm-Dyck*
falciforme, *Haw.*
formosum, *Haw.*
glomeratum, *Linn.*
Haworthii, *Donn*
inflexum, *Haw.*
lepidum, *Haw.*
longum, *Haw.*
rhomboideum, *Salm-Dyck*
roseum, *Willd.*
rubricaule, *Willd.*
spectabile, *Haw.*
stellatum, *Mill.*
Taylori, *N. E. Br.*
tigrinum, *Haw.*
verruculatum, *Linn.*

Telephium

Imperati, *Linn.*

Tetragonia

echinata, *Ait.*
expansa, *Murr.*

FRANKENIACEAE.

Frankenia

hirsuta, *Linn.*

FUMARIACEAE.

Corydalis

adunca, *Maxim.*
cheilanthifolia, *Hemsl.*
lutea, *DC.*
— var. alba
thalictrifolia, *Jameson*
tomentosa, *N. E. Br.*
Wilsonii, *N. E. Br.*

Dicentra

scandens, *Walp.*
thalictrifolia, *Hook. f.*

Fumaria

officinalis, *Linn.*

Hypecoum

leptocarpum, *Hook. f. et Thoms.*

GENTIANEAE.

Chironia

baccifera, *Linn.*

Crawfurdia

fasciculata, *Wall.*

Erythraea

Centaurium, *Pers.*
littoralis, *Fries*

Frasera

Parreyi, *Torr.*

Gentiana

acaulis, *Linn.*
alba, *Muhl.*
asclepiadea, *Linn.*
— var. alba

GENTIANEAE—*continued.*

Gentiana—*continued.*

crassicaulis, *Duthie*
cruciata, *Linn.*
— var. macrophylla
Farreri, *Balf. f.*
Fetisowi, *Regel et Winkler*
Kesselringi, *Regel*
lutea, *Linn.*
macrophylla, *Pall.*, var. cyanea
Moorcroftiana, *Wall.*
obtusifolia, *Willd.*
Olivieri, *Griseb.*
pannonica, *Scop.*
phlogifolia, *Schott et Kotschy*
Przewalskii, *Maxim.*
purpurea, *Linn.*
robusta, *King*
septemfida, *Pall.*
— var. cordifolia
— var. latifolia
— var. procumbens
sino-ornata, *Balf. f.*
tianschanica, *Rupr.*, var. glomerata
tibetica, *King*

Halenia

elliptica, *D. Don*
Perrottetii, *Griseb.*

Swertia

connata, *Schrenk*
pubescens, *Franch.*

Villarsia

parnassiaefolia, *R. Br.*

GERANIACEAE.

Biophytum

sensitivum, *DC.*

Erodium

absinthoides, *Willd.*
— var. amanum
alpinum, *L'Hérit.*
carvifolium, *Boiss.*

GERANIACEAE—*continued.*

Erodium—*continued.*

corsicum, *Leman*
geifolium, *Munby*
guttatum, *Willd.*
Kolbianum, *Hort.*
leucanthum, *Boiss.*
macradenum, *L'Hérit.*
Manescavi, *Coss.*
petraeum, *Willd.*
trichomanefolium, *L'Hérit.*
Willkommianum, *Hort. Suend.*

Geranium

anemonifolium, *L'Hérit*
armenum, *Boiss.*
canariense, *Reut.*
cinereum, *Cav.*
dissectum, *Linn.*
Endressi, *J. Gay*
grandiflorum, *Hort.*
lucidum, *Linn.*
macrorrhizum, *Linn.*
palustre, *Linn.*
platypetalum, *Franch.*
pratense, *Linn.*
— var. album
— var. bicolor
pyrenaicum, *Burm. f.*
refractum, *Edgew. et Hook. f.*
Robertianum, *Linn.*
sanguineum, *Linn.*
— var. album
— var. lancastriense
— var. prostratum
sessiliflorum, *Cav.*
subcaulescens, *L'Hérit.*
sylvaticum, *Linn.*
— var. platypetalum
Wallichianum, *D. Don*
Webbianum, *Hort.*
yedoense, *Franch. et Sav.*

Impatiens

Balsamina, *Linn.*
Petersiana, *Gilg*
platypetala, *Lindl.*
Roylei, *Walp.*
stenantha, *Hook. f.*

GERANIACEAE—*continued.*

Oxalis

adenophylla, *Gill.*
corniculata, *Linn.*, var. atropurpurea
— var. tropaeoloides
Griffithii, *Edgew. et Hook. f.*
Hirthii, *Phil.*
valdiviensis, *Barn.*

Pelargonium

australe, *Jacq.*
crispum, *L'Hérit.*, var. minor
denticulatum, *Jacq.*
flavum, *Soland.*
graveolens, *L'Hérit.*
saniculaefolium, *Willd.*
scandens, *Ehrh.*
Skelii, *Hoffmgg.*
vitifolium, *Ait.*

GESNERACEAE.

Chirita

barbata, *Sprague*

Columnea

aureonitens, *Hook.*
gloriosa, *Sprague*, var. superba

Conandron

ramondioides, *Sieb. et Zucc.*

Didissandra

sericea, *Craib*

Episcia

punctata, *Hanst.*

Haberlea

Ferdinandi-Coburgii, *Urumoff*
kewensis, *Hort.*
rhodopensis, *Frivald*
— var. virginalis

GESNERACEAE—*continued.*

Klugia

Notoniana, *A. DC.*

Mitraria

coccinea, *Cav.*

Oreocharis

Henryana, *Oliver*

Pentarhaphia

libanensis, *Hanst.*

Perantha

Forrestii, *Craib*

Ramondia

pyrenaica, *Rich.*
— var. Myconi
— var. rosea

Rhabdothamnus

Solandri, *A. Cunn.*

Rhynchoglossum

obliquum, *Blume*

Rhytidophyllum

tomentosum, *Mart.*

Roettlera

Forrestii, *Diels*

Saintpaulia

ionantha, *Wendl.*

Streptocarpus

Blythini ×, *Hort.*
Holstii, *Engl.*
kewensis ×, *Hort.*
Rexii, *Lindl.*
Wendlandii, *Sprenger*

Tydaea

Lindeniana, *Regel*

GOODENOVIEAE.

Goodenia

filiformis, *R. Br.*
ovata, *Sm.*

GRAMINEAE.

Agropyron

scabrum, *Beauv.*

Agrostis

vulgaris, *With.*

Alopecurus

pratensis, *Linn.*

Anthoxanthum

odoratum, *Linn.*

Arrhenatherum

avenaceum, *Beauv.*

Arthraxon

microphyllus, *Hochst.*

Asperella

Hystrix, *Humb.*

Avena

aspera, *Munro*
bromoides, *Gouan*
sativa, *Linn.*
sempervirens, *Vill.*

Brachypodium

distachyum, *Beauv.*
ramosum, *Roem. et Schult.*
sylvaticum, *Beauv.*

Briza

maxima, *Linn.*
minor, *Linn.*

Corynephorus

canescens, *Beauv.*

GRAMINEAE—*continued.*

Dactylis

glomerata, *Linn.*
— var. variegata

Danthonia

Raoulii, *Steud.*

Deschampsia

caespitosa, *Beauv.*
flexuosa, *Trin.*

Eleusine

indica, *Gaertn.*

Elymus

arenarius, *Linn.*
dasystachys, *Trin.*

Eragrostis

falcata, *Gaudich.*
interrupta, *Beauv.*

Festuca

amethystina, *Linn.*
Eskia, *Ram.*
ovina, *Linn.*
— var. vivipara, *Sm.*
punctoria, *Sibth. et Sm.*
rubra, *Linn.*
varia, *Haenke*

Holcus

lanatus, *Linn.*
mollis, *Linn.*
— var. variegatus

Koeleria

cristata, *Pers.*, var. gracilis
setacea, *DC.*
— var. glabra

Melica

altissima, *Linn.*
nutans, *Linn.*

GRAMINEAE—*continued.*

Miscanthus

japonicus, *Anderss.*, var. zebrina
sinensis, *Anderss.*, var. gracillima univittata

Oryza

sativa, *Linn.*
— var. mutica
— var. perennis
— var. rufibarba

Oryzopsis

miliacea, *Benth. et Hook. f.*

Panicum

Crus-Galli, *Linn.*
plicatum, *Lam.*

Phragmites

communis, *Trin.*

Poa

caespitosa, *Forst. f.*
Maniototo, *Petrie*

Sesleria

argentea, *Savi*, var. robusta

Stipa

barbata, *Desf.*

Trisetum

argenteum, *Roem. et Schult.*
flavescens, *Beauv.*
glaciale, *Boiss.*

Triticum

vulgare, *Vill.*

GUTTIFERAE.

Garcinia

Xanthochymus, *Hook. f.*

HAEMODORACEAE.

Anigozanthos

rufa, *Labill.*
flavida, *DC.*

Ophiopogon

Jaburan, *Lodd.*

Wachendorfia

paniculata, *Linn.*

HALORAGEAE.

Gunnera

albocarpa, *Cockayne*
chilensis, *Lam.*
dentata, *T. Kirk*
monoica, *Raoul*

Haloragis

alata, *Jacq.*
micrantha, *R. Br.*

HAMAMELIDEAE.

Distylium

racemosum, *Sieb. et Zucc.*

HIPPOCASTANACEAE.

Aesculus

carnea, *Willd.*
glabra, *Willd.*
Hippocastanum, *Linn.*

HYDROPHYLLACEAE.

Nemophila

insignis, *Benth.*
integrifolia, *Abrams*
maculata, *Benth.*, var. grandiflora
Menziesii, *Hook. et Arn.*, var. atomaria
— var. discoidalis

HYDROPHYLLACEAE—*continued.*

Phacelia

malvaefolia, *Cham. et Schlecht.*
pimpinelloides, *A. Gray*
tanacetifolia, *Benth.*
viscida, *Torr.*

Romanzoffia

Suksdorfii, *Greene*
unalaschcensis, *Cham.*

HYPERICINEAE.

Hypericum

aegypticum, *Linn.*
Androsaemum, *Linn.*
balearicum, *Linn.*
Coris, *Linn.*
elatum, *Ait.*
floribundum, *Dryand.*
fragile, *Heldr. et Sart.*
Hookerianum, *Wight et Arn.*
inodorum, *Mill.*
intermedium, *Steud.*
Kotschyanum, *Boiss.*
lysimachioides, *Wall.*
nanum, *Poir.*
olympicum, *Linn.*
orientale, *Linn.*
patulum, *Thunb.*
perforatum, *Linn.*
polyphyllum, *Boiss.*
Przewalskii, *Maxim.*
pulchrum, *Linn.*
reptans, *Hook. f. et Thoms.*
Webbii, *Steud.*

ILICINEAE.

Ilex

Aquifolium, *Linn.*
— var. argentea
— var. argentea marginata
— var. argentea medio-picta
— var. aurantiaca marginata
— var. aurea angustifolia
— var. aurea marginata
— var. aurea medio-picta
— var. balearica

ILICINEAE—*continued.*

Ilex—*continued.*

Aquifolium, var. camelliaefolia
— var. flavescens
— var. fructu luteo
— var. handsworthensis
— var. intermedia
— var. lurida variegata
— var. maderensis
— var. platyphylla
Hodginsii ×, *Hort.*
— var. variegata
insignis, *Hook. f.*
Pernyi, *Franch.*

ILLECEBRACEAE.

Herniaria

glabra, *Linn.*
latifolia, *Lapeyr.*

Paronychia

arabica, *DC.*
argentea, *Lam.*
— var. aurantiaca
capitata, *Lam.*
polygonifolia, *DC.*

IRIDEAE.

Antholyza

aethiopica, *Linn.*

Aristea

Eckloni, *Baker*

Babiana

stricta, *Ker-Gawl.*, var. rubrocyanea

Belamcanda

punctata, *Moench*

Bobartia

indica, *Linn.*

Crocus

nudiflorus, *Sm.*

IRIDEAE—*continued.*

Dierama

pulcherrimum, *Baker*

Gelasine

azurea, *Herb.*

Gladiolus

brevifolius, *Jacq.*
palustris, *Gaud.*

Homeria

collina, *Vent.*

Iris

aphylla, *Linn.*
bucharica, *Foster*
Chamaeiris, *Bertol.*
chrysographis, *Dykes*
Clarkei, *Baker*
Douglasiana, *Herb.*
ensata, *Thunb.*, var. biglumis (*Vahl*)
falcifolia, *Bunge*
foetidissima, *Linn.*
Forrestii, *Dykes*
graminea, *Linn.*
Grant-Duffii, *Baker*
juncea, *Poir.*, var. lusitanica
Junonia, *Schott et Kotschy*
kumaonensis, *Wall.*
laevigata, *Fisch.*
longipetala, *Herb.*
orientalis, *Thunb.*
prismatica, *Pursh*
Pseudacorus, *Linn.*
— var. acoroides
pumila, *Linn.*, var. lutea
setosa, *Pall.*, var. Hookeri
sibirica, *Linn.*
— var. alba
— var. coreana
— var. sanguinea
Sintenisii, *Janka*
tectorum, *Maxim.*
— var. lilacina
versicolor, *Linn.*
— var. pulchella
Warleyensis, *Foster*
xiphioides, *Ehrh.*
Xiphium, *Linn.*

IRIDEAE—*continued.*

Lapeyrousia

cruenta, *Benth.*

Libertia

formosa, *R. Grah.*
grandiflora, *Sweet*
ixioides, *Spreng.*

Marica

Northiana, *Ker-Gawl.*

Melasphaerula

graminea, *Ker-Gawl.*

Moraea

flexuosa, *Linn.*
iridioides, *Linn.*

Romulea

Columnae, *Sebast. et Mauri*

Sisyrinchium

angustifoliun, *Mill.*
— var. anceps, *Cav.*
— var. mucronatum
californicum, *Dryand.*
filifolium, *Gaudich.*
pachyrhizum, *Baker*
striatum, *Sm.*

Solenomelus

chilensis, *Miers*

Tigridia

Pavonia, *Ker-Gawl.*
— var. alba
— var. conchiflora (*Sweet*)

Tritonia

rosea, *Klatt*

JUNCACEAE.

Juncus

alpinus, *Vill.*
arcticus, *Willd.*
balticus, *Willd.*

JUNCACEAE—*continued.*

Juncus—*continued.*

bufonius, *Linn.*
effusus, *Linn.*
Novae-Zelandiae, *Hook. f.*
squarrosus, *Linn.*

Luzula

campestris, *DC.*
— var. pyrenaica
maxima, *DC.*

LABIATAE.

Ajuga

reptans, *Linn.*, var. variegata

Ballota

africana, *Benth.*
hirsuta, *Benth.*
nigra, *Linn.*
spinosa, *Link*

Brittonastrum

ionocalyx, *Robinson*

Calamintha

grandiflora, *Moench*
graveolens, *Benth.*
Nepeta, *Savi*
umbrosa, *Fisch. et Mey.*

Cedronella

cana, *Hook.*
triphylla, *Moench*

Coleus

Mahonii, *Baker*

Dracocephalum

botryoides, *Stev.*
Forrestii, *W. W. Sm.*
fruticulosum, *Steph.*
grandiflorum, *Linn.*
imberbe, *Bunge*
Isabellae, *G. Forrest*
nodulosum, *Rupr.*
parviflorum, *Nutt.*

LABIATAE—*continued.*

Dracocephalum—*continued.*

Ruprechti, *Regel*
Ruyschiana, *Linn.*
speciosum, *Benth.*
taliense, *G. Forrest*
tanguticum, *Maxim.*

Horminum

pyrenaicum, *Linn.*
— var. album
— var. purpureum
— var. roseum

Hyptis

pectinata, *Poit.*
suaveolens, *Poit.*

Hyssopus

officinalis, *Linn.*
— var. grandiflorus

Lamium

album, *Linn.*
maculatum, *Linn.*
— var. roseum
Orvala, *Linn.*
puralbum ×, *Hort.*
striatum, *Sibth. et Sm.*

Lavandula

dentata, *Linn.*
vera, *DC.*
— var. compacta
— var. prostrata

Leucophae

dasygnaphala, *Webb et Berth.*

Lycopus

europaeus, *Linn.*

Marrubium

Kotschyi, *Boiss.*
supinum, *Linn.*
vulgare, *Linn.*

LABIATAE—*continued.*

Melissa

officinalis, *Linn.*, var. variegata

Melittis

Melissophyllum, *Linn.*, var. alba

Mentha

aquatica, *Linn.*
viridis, *Linn.*
— var. crispa

Micromeria

croatica, *Schott*
Douglasii, *Benth.*
filiformis, *Benth.*
microphylla, *Benth.*

Nepeta

amethystina, *Desf.*
cilicica, *Boiss.*
cyanea, *Stev.*
distans, *Royle*
kokanica, *Regel*
lamiopsis, *Benth.*
macrantha, *Fisch.*
Mussini, *Spreng.*
Nepetella, *Linn.*
nuda, *Linn.*
racemosa, *Lam.*, var. crassifolia
Sibthorpii, *Benth.*
Stewartiana, *Diels*
ucranica, *Linn.*
Wilsoni, *Duthie*

Ocimum

sanctum, *Linn.*
viride, *Willd.*

Origanum

vulgare, *Linn.*
— var. aurea

LABIATAE—*continued.*

Phlomis

fruticosa, *Linn.*
macrophylla, *Wall.*
samia, *Linn.*
umbrosa, *Turcz.*, var. australis
viscosa, *Poir.*

Plectranthus

glaucocalyx, *Maxim.*
irroratus, *G. Forrest*

Pogostemon

Patchouli, *Pellet.*

Prasium

majus, *Linn.*

Prostanthera

lasianthos, *Labill.*
linearis, *R. Br.*
nivea, *A. Cunn.*

Prunella

grandiflora, *Jacq.*
— var. pinnatifida
— var. rosea
hyssopifolia, *Linn.*
laciniata, *Linn.*
vulgaris, *Linn.*

Pycnostachys

Dawei, *N. E. Br.*

Salvia

acetabulosa, *Linn.*
azurea, *Lam.*
— var. Pitcheri (*Torr.*)
Beckeri, *Trautv.*
Bertolonii, *Vis.*
bracteata, *Russ.*
Bulleyana, *Diels*
cleistogama, *De Bary et Paul*
flava, *G. Forrest*, var. megalantha, *Diels*
glutinosa, *Linn.*
grandiflora, *Etling.*

LABIATAE—*continued.*

Salvia—*continued.*

hians, *Royle*
Lemmoni, *A. Gray*
nutans, *Linn.*
officinalis, *Linn.*
pratensis, *Linn.*
— var. alba
— var. rosea
Przewalskii, *Maxim.*
Pseudo-silvestris, *Stapf*
Roemeriana, *Scheele*
Sclarea, *Linn.*
— var. alba
Souliei, *Hort.*
spinosa, *Linn.*
sylvestris, *Linn.*
trijuga, *Diels*
verbascifolia, *Bieb.*
verticillata, *Linn.*
virgata, *Ait.*, var. nemorosa

Satureia

cuneifolia, *Tenore*
montana, *Linn.*
— var. amoena
— var. illyrica
— var. pygmaea

Scutellaria

alpina, *Linn.*
altissima, *Linn.*
balearica, *Barc.*
discolor, *Colebr.*
hirta, *Sibth. et Sm.*
indica, *Linn.*, var. japonica
macrantha, *Fisch.*
orientalis, *Linn.*
peregrina, *Linn.*
splendens, *Link, Klotsch et Otto*

Sideritis

hyssopifolia, *Linn.*
scordioides, *Linn.*
spinosa, *Lam.*

Sphacele

campanulata, *Benth.*

LABIATAE—*continued.*

Stachys

alopecuros, *Benth.*
Betonica, *Benth.*
— var. alba
coccinea, *Jacq.*
corsica, *Pers.*
discolor, *Benth.*
germanica, *Linn.*
grandiflora, *Benth.*
— var. robusta
heraclea, *All.*
lanata, *Jacq.*
recta, *Linn.*
repens, *Mart. et Gal.*
setifera, *C. A. Mey.*

Teucrium

africanum, *Linn.*
canadense, *Linn.*
Chamaedrys, *Linn.*
lanceolatum, *Rafin.*
lancifolium, *Boiss.*
lucidum, *Linn.*
Marum, *Linn.*
montanum, *Linn.*
palmatum, *Benth.*
Polium, *Linn.*
— var. Achaemenis
pyrenaicum, *Linn.*
Scorodonia, *Linn.*
— var. crispum

Thymus

Chamaedrys, *Fries*
— var. nummularius
nitidus, *Guss.*
Serpyllum, *Linn.*
— var. albus
— var. alpinus
— var. coccineus
— var. comosus (*Heuff.*)
— var. grandiflorus
— var. Marschallianus (*Willd.*)
— var. micans
— var. pannonicus
— var. pulchellus (*Bluff. et Fingerh.*)

LABIATAE—*continued.*

Thymus—*continued.*

Serpyllum, var. Snowdonianus
vulgaris, *Linn.*, var. argentea
— var. citriodorus
Zygis, *Linn.*

Tinnea

aethiopica, *Kotschy et Peyr.*

LEGUMINOSAE.

Acacia

armata, *R. Br.*
Baileyana, *F. Muell.*
brachybotrya, *Benth.*
cyanophylla, *Lindl.*
dealbata, *Link*
Drummondii, *Benth.*
elongata, *Sieber*
microbotrya, *Benth.*
myrtifolia, *Willd.*
neriifolia, *A. Cunn.*
Riceana, *Hensl.*
rostellifera, *Benth.*
spadicigera, *Cham. et Schlecht.*
stricta, *Willd.*
suaveolens, *Willd.*
undulaefolia, *A. Cunn.*
verticillata, *Willd.*
Whanii, *F. Muell.*

Adenocarpus

intermedius, *DC.*

Albizzia

lophantha, *Benth.*

Anthyllis

cytisoides, *Linn.*
Jacquini, *A. Kern.*
montana, *Linn.*
— var. atrorubens
Vulneraria, *Linn.*, var. Webbiana

Arachis

hypogaea, *Linn.*

LEGUMINOSAE—*continued.*

Astragalus

alopecuroides, *Linn.*
alpinus, *Linn.*
armeniacus, *Boiss.*
asper, *Jacq.*
chlorostachys, *Lindl.*
Cooperi, *A. Gray*
danicus, *Retz.*
— var. albus
exscapus, *Linn.*
falcatus, *Linn.*
frigidus, *A. Gray*
Glycyphyllos, *Linn.*
Gremlii, *Burnat*
gummifer, *Labill.*
Onobrychis, *Linn.*
penduliflorus, *Lam.*
pentaglottis, *Linn.*
podocarpus, *C. A. Mey.*
ponticus, *Pall.*
Poterium, *Vahl*
purpureus, *Lam.*
Robbinsii, *A. Gray*
Roemeri, *Simonkai*
sirinicus, *Tenore*
sulcatus, *Linn.*
utriger, *Pall.*
vaginatus, *Pall.*
verus, *Olivier*
Wulfeni, *Koch*

Bossiaea

eriocarpa, *Benth.*

Brachysema

subcordatum, *Benth.*

Brownea

coccinea, *Jacq.*
grandiceps, *Jacq.*

Camoensia

maxima, *Welw.*

Canavalia

ensiformis, *DC.*

LEGUMINOSAE—*continued.*

Caragana

arborescens, *Lam.*, var. cuneifolia
— var. nana
— var. pendula
Boisi, *Schneider*
frutescens, *Medic.*, var. latifolia

Carmichaelia

australis, *R. Br.*
Enysii, *T. Kirk*
flagelliformis, *Colenso*
grandiflora, *Hook. f.*
Petriei, *T. Kirk*
robusta, *T. Kirk*
subulata, *T. Kirk*

Cassia

Absus, *Linn.*
laevigata, *Willd.*
Tora, *Linn.*

Chorizema

ilicifolium, *Labill.*

Clianthus

puniceus, *Banks et Sol.*
— var. albus

Clitoria

Ternatea, *Linn.*

Colutea

cruenta, *Ait.*
longialata, *Koehne*

Coronilla

valentina, *Linn.*
varia, *Linn.*
viminalis, *Salisb.*

Cytisus

albus, *Linn.*
Ardoini, *Fourn.*
austriacus, *Linn.*
canariensis, *Steud.*

LEGUMINOSAE—*continued.*

Cytisus—*continued.*

candicans, *Lam.*
capitatus, *Scop.*
decumbens, *Spach*
eriocarpus, *Boiss.*
Fontanesii, *Spach*
fragrans, *Lam.*
glabrescens, *Sartor*
Hillebrandtii, *Briq.*
nigricans, *Linn.*
praecox × , *Hort.*
purgans, *Boiss.*
purpureus, *Scop.*
— var. incarnatus
scoparius, *Link*
— var. Andreanus
— var. prostratus
sessilifolius, *Linn.*
shipkaensis, *Dippel*

Derris

scandens, *Benth.*

Desmodium

gyrans, *DC.*
incanum, *DC.*
tortuosum, *DC.*
viridiflorum, *Beck*

Dolichos

Lablab, *Linn.*

Dorycnium

rectum, *Ser.*
suffruticosum, *Vill.*

Galega

officinalis, *Linn.*
— var. rosea
orientalis, *Lam.*

Genista

aethnensis, *DC.*
anglica, *Linn.*
dalmatica, *Bartl. et Wendl. f.*
depressa, *Bieb.*
elatior, *Koch*
germanica, *Linn.*

LEGUMINOSAE—*continued.*

Genista—*continued.*

hispanica, *Linn.*
Jaubertii, *Spach*
pilosa, *Linn.*
sagittalis, *Linn.*
sericea, *Wulf.*
stenopetala, *Webb et Berth.*
sylvestris, *Scop.*, var. dalmatica
tinctoria, *Linn.*
— var. anxantica
— var. apennina
— var. elatior
— var. prostrata
Villarsii, *Clementi*
virgata, *DC.*

Goodia

latifolia, *Salisb.*
pubescens, *Sims*

Gueldenstaedtia

himalaica, *Baker*

Hardenbergia

monophylla, *Benth.*, var. alba

Hedysarum

coronarium, *Linn.*
esculentum, *Ledeb.*
obscurum, *Linn.*
philoscia, *A. Nelson*

Hippocrepis

ciliata, *Willd.*
comosa, *Linn.*

Hosackia

Torreyi, *A. Gray*

Indigofera

australis, *Willd.*
Gerardiana, *Wall.*
pulchella, *Roxb.*

LEGUMINOSAE—*continued.*

Kennedya

prostrata, *R. Br.*
— var. glabrata
— var. Marryattae
retrorsa, *Hemsl.*
rubicunda, *Vent.*

Labichea

lanceolata, *Benth.*

Laburnum

Adami ×, *Lavall.*
alpinum, *J. S. Presl*
— var. austriacum
— var. autumnalis
— var. fragrans
Parksii ×, *Hort.*
vulgare, *J. S. Presl*
— var. Alschingeri, *Briq.*
— var. involutum, *Hort.*
— var. quercifolium, *Hort.*

Lathyrus

angulatus, *Linn.*
Drummondii, *Hort.*
hirsutus, *Linn.*
latifolius, *Linn.*
— var. albus
luteus, *Baker*
— var. aureus
macrorrhizus, *Wimm.*
maritimus, *Bigel.*
niger, *Bernh.*
pannonicus, *Garcke*, var. varius
pubescens, *Hook. et Arn.*
sphaericus, *Retz.*
sylvestris, *Linn.*
undulatus, *Boiss.*
venosus, *Muhl.*
vernus, *Bernh.*
— var. azureus
— var. flaccidus

Lespedeza

sericea, *Benth.*

Lessertia

linearis, *DC.*

LEGUMINOSAE—*continued.*

Lotus

corniculatus, *Linn.*
hispidus, *Desf.*

Lupinus

arboreus, *Sims*
— var. violaceus
micranthus, *Dougl.*
nootkatensis, *Donn*
polyphyllus, *Lindl.*
— var. albus
— var. Foxii
— var. Moerheimi
— var. roseus
— var. violaceus
rivularis, *Dougl.*
saxatilis, *Ulbrich*

Medicago

Aschersoniana, *Urban*
carstiensis, *Wulf.*
falcata, *Linn.*
sativa, *Linn.*

Melilotus

alba, *Desr.*

Mimosa

marginata, *Lindl.*
pudica, *Linn.*

Onobrychis

saxatilis, *Lam.*
supina, *DC.*
viciaefolia, *Scop.*

Ononis

antiquorum, *Linn.*
aragonensis, *Asso*
— var. microphylla
arvensis, *Linn.*
— var. alba
fruticosa, *Linn.*
hircina, *Jacq.*
rotundifolia, *Linn.*

LEGUMINOSAE—*continued.*

Oxylobium

callistachys, *Benth.*
cuneatum, *Benth.*

Oxytropis

argentata, *Pers.*
baicalensis, *Pall.*
campestris, *DC.*
foetida, *DC.*
Lambertii, *Pursh*
macrocarpa, *Kar. et Kir.*
ochroleuca, *Bunge*
pilosa, *DC.*
sulphurea, *Fisch.*
uralensis, *DC.*

Parochetus

communis, *Buch.-Ham.*

Petteria

ramentacea, *Presl*

Phaseolus

multiflorus, *Willd.*
vulgaris, *Linn.*

Piptanthus

bicolor, *Craib*

Pisum

formosum, *Alef.*
sativum, *Linn.*

Psoralea

acaulis, *Stev.*
Jeffreyi, *Hort.*

Pultenaea

rigida, *R. Br.*

Sarothamnus

Reverchonii, *Degen et Hervier*

Scorpiurus

subvillosa, *Linn.*

LEGUMINOSAE—*continued.*

Spartium

junceum, *Linn.*

Sphaerolobium

alatum, *Benth.*
vimineum, *Sm.*

Sutherlandia

frutescens, *R. Br.*

Swainsona

coronillaefolia, *Salisb.*, var. rosea
Greyana, *Lindl.*, var. coccinea

Templetonia

retusa, *R. Br.*

Thermopsis

angustata, *Greene*
fabacea, *DC.*
lanceolata, *R. Br.*
rhombifolia, *Richards.*

Trifolium

alpinum, *Linn.*
medium, *Linn.*
pannonicum, *Jacq.*
pratense, *Linn.*, var. nivale
— var. quinquefolium

Trigonella

arabica, *Delile*
spinosa, *Linn.*

Ulex

europaeus, *Linn.*

Vicia

Cracca, *Linn.*
Faba, *Linn.*
ochroleuca, *Tenore*
onobrychioides, *Linn.*
oroboides, *Wulf.*
pyrenaica, *Pourr.*

LEGUMINOSAE—*continued.*

Vicia—*continued.*

sativa, *Linn.*, var. torulosa (*Jord.*)
sylvatica, *Linn.*
unijuga, *A. Braun*

LENTIBULARIEAE.

Pinguicula

grandiflora, *Lam.*
vulgaris, *Linn.*

Utricularia

caerulea, *Linn.*
emarginata, *Benj.*
prehensilis, *E. Mey.*

LILIACEAE.

Agapanthus

umbellatus, *L'Hérit.*

Albuca

Nelsoni, *N. E. Br.*

Allium

ascalonicum, *Linn.*
Aschersonianum, *Barbey*
Beesianum, *W. W. Sm.*
cardiostemon, *Fisch. et Mey.*
cernuum, *Roth*
chrysanthum, *Regel*
cyaneum, *Regel*
— var. macrostemma
fallax, *Schult. f.*
fistulosum, *Linn.*
hirtifolium, *Boiss.*
Huteri, *Hort. Suend.*
kansuense, *Regel*
macranthum, *Baker*
montanum, *F. W. Schmidt*
narcissiflorum, *Vill.*
Nevii, *S. Wats.*
Ostrowskianum, *Regel*
Purdomii, *W. W. Sm.*
sikkimense, *Baker*
urceolatum, *Regel*
Wallichianum, *Steud.*
yunnanense, *Diels*

LILIACEAE—*continued.*

Aloe
arborescens, *Mill.*

Anthericum
Liliago, *Linn.*

Aphyllanthes
monspeliensis, *Linn.*

Arthropodium
cirrhatum, *R. Br.*

Asparagus
gonocladus, *Baker*
madagascariensis, *Baker*
medeoloides, *Thunb.*
racemosus, *Willd.*
scandens, *Thunb.*
Sprengeri, *Regel*

Asphodeline
lutea, *Reichb.*

Asphodelus
albus, *Willd.*

Astelia
Cunninghamii, *Hook. f.*

Bowiea
volubilis, *Harv.*

Brodiaea
lactea, *S. Wats.*

Bulbine
alooides, *Willd.*

Bulbinella
Hookeri, *Benth. et Hook. f.*

Chlorophytum
elatum, *R. Br.*
— var. variegatum
Orchidastrum, *Lindl.*

LILIACEAE—*continued.*

Clintonia
umbellata, *Torr.*

Convallaria
majalis, *Linn.*

Dianella
caerulea, *Sims*
intermedia, *Endl.*

Disporum
lanuginosum, *Nichols.*

Dracaena
elliptica, *Thunb.*
Godseffiana, *Baker*
surculosa, *Lindl.*

Echeandia
eleutherandra, *C. Koch*

Eremurus
robustus, *Regel*, var. albus
— var. Elwesianus
turkestanicus, *Regel*

Eucomis
punctata, *L'Hérit.*, var. striata (*Donn*)

Eustrephus
latifolius, *R. Br.*
— var. angustifolius

Fritillaria
Meleagris, *Linn.*, var. alba

Funkia
Sieboldiana, *Hook.*

Galtonia
candicans, *Decne.*

Gasteria
acinacifolia, *Haw.*
disticha, *Haw.*, var. angulata

LILIACEAE—*continued.*

Geitonoplesium

cymosum, *A. Cunn.*

Gloriosa

superba, *Linn.*
virescens, *Lindl.*

Hastingsia

alba, *S. Wats.*

Helonias

bullata, *Linn.*

Hyacinthus

amethystinus, *Linn.*
azureus, *Baker*
— var. giganteus
nervosus, *Bertol.*

Kniphofia

alooides, *Moench*
pauciflora, *Baker*

Lilium

Forrestii, *W. W. Sm.*
giganteum, *Wall.*
Martagon, *Linn.*
— var. album
— var. dalmaticum (*Vis.*)
ochraceum, *Franch.*
pardalinum, *Kellogg*
parviflorum, *Hort.*
philippinense, *Baker*, var. formosanum
roseum, *Wall.*
— var. Thomsonianum, *Lindl.*
Willmottiae, *Wilson*

Littonia

modesta, *Hook.*

Maianthemum

Convallaria, *Weber*

Muscari

alpinum, *J. Gay*
Argaei, *Hort. Siehe*

LILIACEAE—*continued.*

Muscari—*continued.*

armeniacum, *Baker*
botryoides, *Mill.*
comosum, *Mill.*
elegans, *Hort.*
neglectum, *Guss.*
polyanthum, *Boiss.*

Narthecium

ossifragum, *Huds.*

Ornithogalum

narbonense, *Linn.*, var. pyramidale
oligophyllum, *Clarke*
pyrenaicum, *Linn.*
tenellum, *Jacq.*
thyrsoides, *Jacq.*

Paradisea

Liliastrum, *Bertol.*

Paris

polyphylla, *Sm.*

Phormium

tenax, *Forst.*

Prosartes

oregana, *S. Wats.*

Sandersonia

aurantiaca, *Hook.*

Scilla

autumnalis, *Linn.*
festalis, *Salisb.*
— var. alba
hispanica, *Mill.*

Smilacina

racemosa, *Desf.*
stellata, *Desf.*
— var. glauca

Stenanthium

angustifolium, *Kunth*

LILIACEAE—*continued.*

Theropogon
pallidus, *Maxim.*

Thysanotus
tuberosus, *R. Br.*

Tofieldia
calyculata, *Wahlenb.*
palustris, *Huds.*

Trillium
grandiflorum, *Salisb.*

Tulbaghia
acutiloba, *Harv.*

Tulipa
Didieri, *Jord.*
pulchella, *Fenzl*, var. lycaonica
vitellina, *Hort.*

Uvularia
perfoliata, *Linn.*

Veratrum
album, *Linn.*

Xerophyllum
asphodeloides, *Nutt.*

Zygadenus
elegans, *Pursh*
venenosus, *S. Wats.*

LINEAE.

Erythroxylum
Coca, *Lam.*

Linum
angustifolium, *Huds.*
aquilinum, *Hort.*
flavum, *Linn.*
grandiflorum, *Desf.*
— var. rubrum
marginale, *A. Cunn.*
monogynum, *Forst.*

LINEAE—*continued.*

Linum—*continued.*
perenne, *Linn.*
— var. sibiricum (*DC.*)
tenuifolium, *Linn.*
usitatissimum, *Linn.*

Reinwardtia
trigyna, *Planch.*

LOASEAE.

Blumenbachia
Hieronymi, *Urb.*

Loasa
lateritia, *Gill.*
papaverifolia, *H. B. et K.*
triphylla, *Juss.*

Mentzelia
oligosperma, *Nutt.*

LOGANIACEAE.

Buddleia
albiflora, *Hemsl.*
Davidi, *Franch.*, var. superba
Forrestii, *Diels*
Hemsleyana, *Koehne*
intermedia, *Carr.*
macrostachya, *Benth.*
stenostachya, *Rehd. et Wils.*
variabilis, *Hemsl.*
— var. Veitchiana

LYTHRARIEAE.

Cuphea
cyanaea, *Moc. et Sesse*
ignea, *A. DC.*

Lythrum
Salicaria, *Linn.*
— var. cinereum
— var. hirsutum
virgatum, *Linn.*

Nesaea
syphilitica, *Steud.*

MAGNOLIACEAE.

Drimys

Winteri, *Forst.*

Trochodendron

aralioides, *Sieb. et Zucc.*

MALPIGHIACEAE.

Malpighia

coccigera, *Linn.*

MALVACEAE.

Abutilon

megapotamicum, *St. Hil. et Naud.*, var. variegatum
Sonneratianum, *Sweet*

Althaea

Froloviana, *Fisch.*
hirsuta, *Linn.*
officinalis, *Linn.*

Callirhoe

digitata, *Nutt.*

Gossypium

herbaceum, *Linn.*

Hibiscus

Denisoni, *Hort.*
furcatus, *Willd.*
Hamabo, *Sieb. et Zucc.*
Parkeri, *Baker*
Rosa-sinensis, *Linn.*
— var. Cooperi, *Hort.*
— var. Reevesii
— var. variegatus
schizopetalus, *Hook. f.*
Scottii, *Balf. f.*
Trionum, *Linn.*

Howittia

trilocularis, *F. Muell.*

MALVACEAE—*continued.*

Kitaibelia

vitifolia, *Willd.*

Kosteletzkya

pentacarpa, *Ledeb.*

Lavatera

arborea, *Linn.*
cretica, *Linn.*
maritima, *Gouan*
punctata, *All.*
trimestris, *Linn.*

Malva

Alcea, *Linn.*, var. fastigiata (*Cav.*)
moschata, *Linn.*
parviflora, *Linn.*, var. argentea
— var. cristata
sylvestris, *Linn.*
Tournefortiana, *Linn.*

Malvastrum

capense, *Garcke*
hypomadarum, *Sprague*

Modiola

multifida, *Moench*

Palaua

flexuosa, *Mast.*

Pavonia

grandiflora, *A. St. Hil.*
hastata, *Cav.*
spinifex, *Cav.*

Plagianthus

Lyallii, *Hook. f.*

Sida

acuta, *Burm.*

Sidalcea

candida, *A. Gray*
diploscypha, *A. Gray*

MALVACEAE—*continued.*

Sidalcea—*continued.*

malvaeflora, *A. Gray*
— var. atropurpurea
neo-mexicana, *A. Gray*
oregana, *A. Gray*
spicata, *Greene*

Sphaeralcea

pedata, *Torr.*

Urena

sinuata, *Linn.*

MELASTOMACEAE.

Bertolonia

maculata, *DC.*
marmorata, *Naud.*

Calvoa

sessiliflora, *Cogn.*

Centradenia

floribunda, *Planch.*

Dissotis

incana, *Triana*

Heeria

elegans, *Schlecht.*

Marcetia

taxifolia, *DC.*, var. pubescens

Melastoma

normale, *D. Don*

Monochaetum

alpestre, *Naud.*

Monolena

primulaeflora, *Hook. f.*

Sonerila

margaritacea, *Lindl.*

MELASTOMACEAE—*continued.*

Tibouchina

semidecandra, *Cogn.*
— var. floribunda

MYOPORINEAE.

Myoporum

acuminatum, *R. Br.*
oppositifolium, *R. Br.*

MYRICACEAE.

Myrica

aethiopica, *Linn.*

MYRSINEAE.

Ardisia

crenata, *Roxb.*
— var. fructu albo
japonica, *Blume*
mamillata, *Hance*
polycephala, *Wall.*
umbellata, *Baker*
Wallichii, *A. DC.*

Myrsine

africana, *Linn.*

MYRTACEAE.

Baeckea

camphorata, *R. Br.*
linifolia, *Rudge*

Callistemon

phoeniceus, *Lindl.*
pinifolius, *Sweet*
pithyoides, *Miq.*
rigidus, *R. Br.*
salignus, *Sweet*

Campomanesia

cerasoides, *A. Gray*

MYRTACEAE—*continued.*

Eucalyptus
ficifolia, *F. Muell.*
Gunnii, *Hook. f.*

Eugenia
apiculata, *DC.*
myrtifolia, *Sims*

Kunzea
corifolia, *Reichb.*
parvifolia, *Schau.*

Leptospermum
arachnoideum, *Sm.*
ericoides, *A. Rich.*, var. lineatum
firmum, *Benth.*
laevigatum, *F. Muell.*
Liversidgei, *R. T. Baker et H. G. Smith.*
scoparium, *Forst.*
— var. Nicholli

Lhotskya
ericoides, *Schau.*

Melaleuca
hypericifolia, *Sm.*

Metrosideros
robusta, *A. Cunn.*

Myrtus
communis, *Linn.*
nummularia, *Poir.*
Ugni, *Mol.*

Psidium
montanum, *Sw.*

NAIADACEAE.

Aponogeton
distachyum, *Thunb.*

Triglochin
bulbosum, *Linn.*
striatum, *Ruiz et Pav.*

NYCTAGINEAE.

Abronia
umbellata, *Lam.*

Mirabilis
Jalapa, *Linn.*

OCHNACEAE.

Ochna
mossambicensis, *Klotzsch*
multiflora, *DC.*

OLEACEAE.

Fontanesia
Fortunei, *Carr.*

Fraxinus
excelsior, *Linn.*
— var. heterophylla

Jasminum
Beesianum, *G. Forrest et Diels*
humile, *Linn.*
lineare, *R. Br.*
lucidum, *Banks*
polyanthum, *Franch.*

Ligustrum
Ibota, *Sieb.*
— var. Regelianum, *Hort.*
ionandrum, *Diels*
lucidum, *Ait.*
ovalifolium, *Hassk.*
— var. foliis aureis
Regelianum, *Hort.*
vulgare, *Linn.*
— var. italicum
— var. pendulum

Notelaea
longifolia, *Vent.*

Olea
capensis, *Linn.*

OLEACEAE—*continued.*

Syringa

Adamiana, *Balf. f. et W. W. Sm.*
Emodi, *Wall.*
— var. variegata
Josikaea, *Jacq.*
villosa, *Vahl*
vulgaris, *Linn.*
yunnanensis, *Franch.*

ONAGRARIEAE.

Clarkia

elegans, *Dougl.*

Epilobium

angustifolium, *Linn.*
— var. album
arcuatum, *Petrie*
Cockaynianum, *Petrie*
collinum, *C. C. Gmel.*
Dodonaei, *Vill.*
glabellum, *Forst.*
Hectori, *Hausskn.*
hirsutum, *Linn.*
luteum, *Pursh*
montanum, *Linn.*
obcordatum, *A. Gray*
oregonense, *Haussk.*
reticulatum, *C. B. Clarke*
roseum, *Schreb.*
rosmarinifolium, *Haenke*
tetragonum, *Linn.*

Eucharidium

grandiflorum, *Fisch. et Mey.*

Fuchsia

corymbiflora, *Ruiz et Pav.*
— var. alba
discolor, *Lindl.*
integrifolia, *Cambess.*
macrostemma, *Ruiz et Pav.*, var. globosa
parviflora, *Lindl.*
procumbens, *R. Cunn.*
Riccartoni ×, *Hort.*
virgata, *Sweet*

ONAGRARIEAE—*continued.*

Jussieuia

Sprengeri, *Hort.*
suffruticosa, *Linn.*

Lopezia

coronata, *Andr.*
minima, *Lag.*
racemosa, *Cav.*

Oenothera

densiflora, *Lindl.*
glauca, *Michx.*
odorata, *Jacq.*
pumila, *Linn.*
riparia, *Nutt.*
Romanzowii, *Ledeb.*
rosea, *Ait.*
sinuata, *Linn.*
triloba, *Nutt.*

ORCHIDEAE.

Habenaria

conopsea, *Benth.*

Orchis

coriophora, *Linn.*
foliosa, *Soland.*
maculata, *Linn.*

Vanilla

planifolia, *Andr.*

OROBANCHACEAE.

Lathraea

Clandestina, *Linn.*

Orobanche

Hederae, *Duby*

PALMAE.

Astrocaryum

Ayri, *Mart.*
mexicanum, *Liebm.*

PALMAE—*continued.*

Chamaedorea

Sartorii, *Liebm.*

Geonoma

pumila, *H. Wendl.*

Livistona

humilis, *R. Br.*

Rhopalostylis

sapida, *H. Wendl. et Drude*

Sabal

Blackburniana, *Glazebr.*

Synechanthus

fibrosus, *H. Wendl.*

PAPAVERACEAE.

Bocconia

cordata, *Willd.*
microcarpa, *Maxim.*

Cathcartia

villosa, *Hook. f.*

Chelidonium

Franchetianum, *Prain*
majus, *Linn.*
— var. laciniatum

Eschscholzia

californica, *Cham.*
— var. alba

Glaucium

flavum, *Crantz*

Hunnemannia

fumariaefolia, *Sweet*

PAPAVERACEAE—*continued.*

Meconopsis

aculeata, *Royle*
brevistyla, *Prain*
cambrica, *Vig.*
eximia, *Prain*
grandis, *Prain*
integrifolia, *Franch.*
napaulensis, *DC.*
paniculata, *Prain*
Prattii, *Prain*
pseudo-integrifolia, *Prain*
racemosa, *Maxim.*
rigidiuscula, *Prain*
rudis, *Prain*
simplicifolia, *G. Don*
sinuata, *Prain*
Wallichii, *Hook.*

Papaver

aculeatum, *Thunb.*
anomalum, *Fedde*
dubium, *Linn.*
monanthum, *Trautv.*
nudicaule, *Linn.*
— var. radicatum, *DC.*
oreophilum, *Rupr.*
pavoninum, *Mey.*
Rhoeas, *Linn.*
— var. latifolium Schinzianum, *Fedde*
somniferum, *Linn.*
spicatum, *Boiss. et Bal.*
tauricolum, *Boiss.*

Platystemon

californicus, *Benth.*

PASSIFLOREAE.

Passiflora

Banksii, *Benth.*
caerulea, *Linn.*
edulis, *Sims*
elegans, *Mart.*
quadrangularis, *Linn.*
suberosa, *Linn.*

PASSIFLOREAE—*continued.*

Tacsonia

mollissima, *H. B. et K.*
Sutherlandii, *Hort.*
Van-Volxemii, *Hook.*

PEDALINEAE.

Martynia

proboscidea, *Glox.*

PHYTOLACCACEAE.

Petiveria

alliacea, *Linn.*

Phytolacca

clavigera, *W. W. Sm.*

Rivina

humilis, *Linn.*
tinctoria, *Buch.-Ham.*

PIPERACEAE.

Houttuynia

cordata, *Thunb.*

Peperomia

cordulata, *C. DC.*
galioides, *H. B. et K.*
rubella, *Hook.*
Sandersii, *C. DC.*
scandens, *Ruiz et Pav.*
velutina, *Linden et André*

PITTOSPOREAE.

Pittosporum

Ralphii, *T. Kirk*
viridiflorum, *Sims*

Sollya

Drummondi, *C. Morr.*
heterophylla, *Lindl.*

PLANTAGINEAE.

Plantago

alpina, *Linn.*
arborescens, *Poir.*
argentea, *Chaix*
brachystachys, *Kunze*
Brownii, *Rafin.*
Coronopus, *Linn.*
fuscescens, *Jord*
insularis, *Eastw.*
lanceolata, *Linn.*
— var. nitens
Loscosii, *Willk.*
major, *Linn.*
— var. monstrosa
maritima, *Linn.*
media, *Linn.*
mexicana, *Link*
nivalis, *Boiss.*
Psyllium, *Linn.*
Raoulii, *Decne.*
Rugelii, *Decne.*
subulata, *Linn.*

PLUMBAGINEAE.

Acantholimon

acerosum, *Boiss.*
glumaceum, *Boiss.*
venustum, *Boiss.*

Armeria

Adamovici, *Hort.*
alpina, *Willd.*
— var. alba
— var. nana
caespitosa, *Boiss.*
canescens, *Boiss.*
dianthifolia, *Hort.*
elongata, *Hoffm.*
fasciculata, *Willd.*
japonica, *Hort.*
juncea, *Girard*
latifolia, *Willd.*, var. bracteata
leucocephala, *Koch*
longearistata, *Boiss. et Reut.*
maritima, *Willd.*
— var. Laucheana

PLUMBAGINEAE—*continued.*

Armeria—*continued.*

olympica, *Hort.*
pinifolia, *Hoffmgg. et Link*
plantaginea, *Willd.*
sibirica, *Turcz.*
Welwitschii, *Boiss.*

Plumbago

scandens, *Linn.*

Statice

altaica, *Hort.*
auriculaefolia, *Vahl*
echioides, *Linn.*
Gougetiana, *Girard*
latifolia, *Sm.*
minuta, *Linn.*
occidentalis, *Lloyd*
remotispicula, *Lacaita*
Suworowi, *Regel*
tatarica, *Linn.*
Thouini, *Viv.*

POLEMONIACEAE.

Cantua

buxifolia, *Lam.*

Cobaea

scandens, *Cav.*
— var. variegata

Collomia

coccinea, *Lehm.*
linearis, *Nutt.*

Gilia

androsacea, *Steud.*
capitata, *Sims*
densiflora, *Benth.*, var. altissima
nivalis, *Hérincq*
squarrosa, *Hook. et Arn.*
tricolor, *Benth.*

Polemonium

boreale, *Adams*
caeruleum, *Linn.*

POLEMONIACEAE—*continued.*

Polemonium—*continued.*

caeruleum, var. album
— var. gracile (*Willd.*)
— var. himalayanum, *Baker*
carneum, *A. Gray*
filicinum, *Greene*
flavo-caeruleum ×, *Hort.*
flavum, *Greene*
— var. album
grandiflorum, *Benth.*
humile, *Willd.*
mexicanum, *Cerv.*
pauciflorum, *S. Wats.*
reptans, *Linn.*
viscosum, *Nutt.*

POLYGALACEAE.

Polygala

major, *Jacq.*
— var. alba
vulgaris, *Linn.*

POLYGONACEAE.

Atraphaxis

Billardieri, *Jaub. et Spach*
lanceolata, *Bunge*

Emex

spinosa, *Campd.*

Eriogonum

racemosum, *Nutt.*
umbellatum, *Torr.*
Wrightii, *Torr.*

Fagopyrum

esculentum, *Moench*

Muehlenbeckia

axillaris, *Walp.*
chilensis, *Meissn.*
complexa, *Meissn.*
ephedroides, *Hook. f.*

POLYGONACEAE—*continued.*

Oxyria

digyna, *Hill*

Polygonum

affine, *D. Don*
amplexicaule, *D. Don*
baldschuanicum, *Regel*
Bistorta, *Linn.*
— var. major
campanulatum, *Hook. f.*
cuspidatum, *Sieb. et Zucc.*
Emodi, *Meissn.*
lichiangense, *W. W. Sm.*
macrophyllum, *D. Don*
paniculatum, *Blume*
sibiricum, *Laxm.*
sinocapitatum, *Hort.*
sinosphaerocephalum, *Hort.*
viviparum, *Linn.*

Rheum

Alexandrae, *Batalin*
Collinianum, *Baill.*
Forrestii, *Diels*
officinale, *Baill.*
palmatum, *Linn.*
— var. rubrum
Rhaponticum, *Linn.*

Rumex

flexuosus, *Soland.*
mexicanus, *Meissn.*
obtusifolius, *Linn.*
occidentalis, *S. Wats.*
scutatus, *Linn.*

PORTULACEAE.

Anacampseros

arachnoides, *Sims*
filamentosa, *Sims*
lanceolata, *Sweet*

Calandrinia

columbiana, *Howell*
Cotyledon, *S. Wats.*
grandiflora, *Lindl.*
umbellata, *DC.*

PORTULACEAE—*continued.*

Pleuropetalum

costaricense, *Hemsl.*

Talinum

patens, *Willd.*

PRIMULACEAE.

Anagallis

arvensis, *Linn.*
— var. phoenicea,
linifolia, *Linn.*, var. Philipsii

Androsace

alpina, *Lam.*
Chumbyi ×, *Hort.*
ciliata, *DC.*
coccinea, *Franch.*
lanuginosa, *Wall.*
— var. Leichtlini
occidentalis, *Pursh*
sarmentosa, *Wall.*
tibetica, *Knuth*
villosa, *Linn.*

Cortusa

Matthioli, *Linn.*

Cyclamen

europaeum, *Linn.*
neapolitanum, *Tenore*
repandum, *Sibth. et Sm.*

Dodecatheon

Hendersonii, *A. Gray*
Meadia, *Linn.*, var. splendens

Glaux

maritima, *Linn.*

Hottonia

palustris, *Linn.*

Lysimachia

barystachys, *Bunge*
ciliata, *Linn.*

PRIMULACEAE—*continued.*

Lysimachia—*continued.*

Delavayi, *Franch.*
euxantha, *Hort.*
Leschenaultii, *Duby*
lichiangensis, *G. Forrest*
punctata, *Linn.*
verticillata, *Bieb.*

Primula

alsophila, *Balf. f. et Forrest*
anisodora, *Balf. f. et Forrest*
apennina, *Widm.*
Beesiana, *G. Forrest*
Bulleyana, *G. Forrest*
burmanica, *Balf. f. et Ward*
capitata, *Hook.*
chionantha, *Balf. f. et Forrest*
chungensis, *Balf. f. et Forrest*
Cockburniana, *Hemsl.*
congestifolia, *G. Forrest*
conspersa, *Balf. f. et Purdom*
crispata, *Balf. f. et W. W. Sm.*
cyanantha, *Balf. f. et Forrest*
deflexa, *Franch.*
denticulata, *Sm.*, var. cachemiriana
Edina ×, *Hort.*
Ellisiae, *Pollard et Cockerell*
erythrocarpa, *Craib*
fasciculata, *Balf. f. et Ward*
floribunda, *Wall.*
— var. Isabellae
florida, *Balf. f.*
Forbesii, *Franch.*
Forrestii, *Balf. f.*
Fortunei, *Vatke*
frondosa, *Janka*
gemmifera, *Batalin*
geraniifolia, *Hook. f.*
helodoxa, *Balf. f.*
Inverleith ×, *Hort.*
involucrata, *Wall.*
japonica, *A. Gray*
kewensis ×, *Hort.*
kichanensis, *Franch.*
Knuthiana, *Pax*
leucophylla, *Pax*
lichiangensis, *G. Forrest*
Littoniania, *G. Forrest*

PRIMULACEAE—*continued.*

Primula—*continued.*

longiflora, *All.*
luteola, *Ruprecht*
Maclareni, *Balf. f.*
macrocalyx, *Bunge*
malacoides, *Franch.*
malvacea, *Franch.*
marginata, *Curtis*
Menziesiana, *Balf. f. et W. W. Sm.*
Miyabeana, *Ito et Kawakama*
modesta, *Bisset et Moore*
mollis, *Nutt.*
Mooreana, *Balf. f. et W. W. Sm.*
muscarioides, *Hemsl.*
nutans, *Franch.*
oblanceolata, *Balf. f.*
obliqua, *W. W. Sm.*
Palinuri, *Petag.*
philoresia, *Balf. f. et Ward*
pinnatifida, *Franch.*
Poissonii, *Franch.*
Prattii, *Hemsl.*
pseudo-capitata, *F. K. Ward*
pulchella, *Franch.*
pulchelloides, *F. K. Ward*
pulverulenta, *Duthie*
redolens, *Balf. f. et Ward*
Reidii, *Duthie*
reticulata, *Wall.*
Rusbyi, *Greene*
saxatilis, *Komarov*
scapigera, *Craib*
scotica, *Hook.*
secundiflora, *Franch.*
septemloba, *Franch.*
Sieboldii, *E. Morr.*
— var. grandiflora
sikkimensis, *Hook. f.*
sinolisteri, *Balf. f.*
sinopurpurea, *Balf. f. et Forrest*
Smithiana, *Craib*
sphaerocephala, *Balf. f. et Forrest*
spicata, *Franch.*
stenocalyx, *Maxim.*
suffrutescens, *A. Gray*
tenella, *King*

PRIMULACEAE—*continued.*

Primula—*continued.*

Veitchii, *Duthie*
verticillata, *Forsk.*
vincaeflora, *Franch.*
viscosa, *All.*
vittata, *Franch.*
Wardii, *Balf. f.*
Watsoni, *Dunn*
werringtonensis, *Wallace*
Wilsoni, *Dunn*

Samolus

ebracteatus, *H. B. et K.*
littoralis, *Schrank*

PROTEACEAE.

Grevillea

Forsteri, *Hort.*
glabrata, *Meissn.*
occidentalis, *R. Br.*

Hakea

acicularis, *Knight*
cristata, *R. Br.*
microcarpa, *R. Br.*
Preissii, *Meissn.*
ulicina, *R. Br.*, var. carinata

Lomatia

tinctoria, *R. Br.*

Petrophila

pedunculata, *R. Br.*
sessilis, *Sieber*

Protea

cynaroides, *Linn.*

RANUNCULACEAE.

Aconitum

Anthora, *Linn.*
brevicalcaratum, *Diels*
ferox, *Wall.*
Fischeri, *Reichb.*

RANUNCULACEAE—*continued.*

Aconitum—*continued.*

Forrestii, *Stapf*
Kusnezoffii, *Reichb.*
Lycoctonum, *Linn.*
— var. album
— var. pyrenaicum
Napellus, *Linn.*
— var. album
paniculatum, *Lam.*
reclinatum, *A. Gray*
transsectum, *Diels*
variegatum, *Linn.*, var. longigaleatum
volubile, *Koelle*, var. latisectum
Wilsonii, *Hort. Veitch*

Actaea

alba, *Mill.*
eburnea, *Rydb.*
spicata, *Linn.*
— var. arguta

Adonis

aestivalis, *Linn.*

Anemone

alpina, *Linn.*
cylindrica, *A. Gray*
demissa, *Hook. f. et Thoms.*
dichotoma, *Linn.*
japonica, *Sieb. et Zucc.*
magellanica, *Jancz.*
multifida, *Poir.*
— var. Hudsoniana
narcissiflora, *Linn.*
rivularis, *Ham.*
rupicola, *Camb.*
sulphurea, *Linn.*
sylvestris, *Linn.*, var. major
vitifolia, *Buch.-Ham.*
— var. tomentosa

Aquilegia

Bertolonii, *Schott*
caerulea, *James*
formosa, *Fisch.*
olympica, *Boiss.*
Ottonis, *Orph.*

RANUNCULACEAE—*continued.*

Aquilegia—*continued.*

pubiflora, *Wall.*
Skinneri, *Hook.*
viridiflora, *Pall.*
viscosa, *Hort. Suend.*
vulgaris, *Linn.*, var. atrata
— var. Haenkeana

Caltha

leptosepala, *DC.*
scaposa, *Hook. f.*

Cimicifuga

americana, *Michx.*
cordifolia, *Pursh*
davurica, *Maxim.*
japonica, *Miq.*
racemosa, *Nutt.*

Clematis

alpina, *Mill.*
campaniflora, *Brot.*
eriostemon, *Decne.*
Flammula, *Linn.*, var. foliis purpureis
Gouriana, *Roxb.*
grewiaeflora, *DC.*
heracleaefolia, *DC.*
integrifolia, *Linn.*
intermedia, *Carr.*
koreana, *Kom.*
ligusticifolia, *Nutt.*
nutans, *Royle*
ochroleuca, *Ait.*
orientalis, *Linn.*
— var. obtusiuscula
— var. tangutica, *Maxim.*
recta, *Linn.*
— var. mandschurica (*Rupr.*)
— var. purpurea
songorica, *Bunge*
stans, *Sieb. et Zucc.*
uncinata, *Champ.*

Delphinium

altissimum, *Wall.*
azureum, *Michx.*
Brunonianum, *Royle*
Bulleyanum, *G. Forrest*

RANUNCULACEAE—*continued.*

Delphinium—*continued.*

cashmirianum, *Royle*
corymbosum, *Regel*
Delavayi, *Franch.*
dictyocarpum, *DC.*
Duhmbergii, *Huth*
elatum, *Linn.*
— var. alpinum
flexuosum, *Rafin.*
formosum, *Boiss. et Huet*
grandiflorum, *Linn.*
hybridum, *Steph.*
likiangense, *Franch.*
Maackianum, *Regel*
nudicaule, *Torr. et Gray*
occidentale, *S. Wats.*
pellucidum, *Busch.*
Potanini, *Huth*
Przewalskii, *Huth*
Pylzowi, *Maxim.*
Requienii, *DC.*
scopulorum, *A. Gray*, var. stachydeum
speciosum, *Bieb.*, var. glabratum
tatsienense, *Franch.*
— var. album
vestitum, *Wall.*
viscosum, *Hook. f. et Thoms.*
yunnanense, *Franch.*

Eranthis

cilicica, *Schott et Kotschy*

Helleborus

foetidus, *Linn.*

Paeonia

anomala, *Linn.*
corallina, *Retz.*
Delavayi, *Franch.*
lutea, *Delavay*
officinalis, *Linn.*, var. banatica (*Rochel*)
Veitchii, *Lynch*
Wittmanniana, *Hartwiss*
Woodwardii, *Hort.*

RANUNCULACEAE—*continued.*

Ranunculus

acris, *Linn.*
amplexicaulis, *Linn.*
californicus, *Benth.*, var. latilobus
Cymbalaria, *Pursh*
gramineus, *Linn.*
inamoenus, *Greene*
lobulatus, *Cockayne*
Munroi, *Hook. f.*
parviflorus, *Linn.*
Weyleri, *Marès*

Thalictrum

angustifolium, *Linn.*
aquilegiaefolium, *Linn.*
calabricum, *Spreng.*
Chelidonii, *DC.*
corynellum, *DC.*
dioicum, *Linn.*
elegans, *Wall.*
flavum, *Linn.*
glaucum, *Desf.*
isopyroides, *C. A. Mey.*
minus, *Linn.*
— var. adiantifolium
— var. saxatile
purpurascens, *Linn.*
simplex, *Linn.*

Trautvetteria

palmata, *Fisch. et Mey*

Trollius

abschasicus, *Hort.*
asiaticus, *Linn.*
caucasicus, *Stev.*
europaeus, *Linn.*
— var. napellifolius (*Roep.*)
Ledebourii, *Reichb.*
patulus, *Salisb.*
— var. pedunculatus
pumilus, *D. Don*
— var. yunnanensis

RESEDACEAE.

Reseda

alba, *Linn.*
complicata, *Bory*
glauca, *Linn.*
odorata, *Linn.*

RHAMNEAE.

Ceanothus

azureus, *Desf.*

Discaria

Toumatou, *Raoul*

Pomaderris

lanigera, *Sims*
phylicaefolia, *Lodd.*
prunifolia, *A. Cunn.*
subrepanda, *F. Muell.*

Rhamnus

alpina, *Linn.*
californica, *Eschsch.*
— var. tomentella (*Benth.*)
cathartica, *Linn.*
Frangula, *Linn.*
Purshiana, *DC.*
rupestris, *Scop.*
tinctoria, *Waldst. et Kit.*

Spyridium

globulosum, *Benth.*

ROSACEAE.

Acaena

cylindristachya, *Ruiz et Pav.*
glabra, *J. Buch.*
inermis, *Hook. f.*
laevigata, *Ait.*
microphylla, *Hook. f.*
— var. glauca
Novae-Zelandiae, *T. Kirk*
Sanguisorbae, *Vahl*
splendens, *Hook. et Arn.*

ROSACEAE—*continued.*

Agrimonia

agrimonioides, *Linn.*
Eupatoria, *Linn.*
odorata, *Mill.*

Alchemilla

alpina, *Linn.*
chirophylla, *Buser*
hirsuta, *H. B. et K.*
splendens, *Christ*
vulgaris, *Linn.*

Amelanchier

oligocarpa, *Roem.*
vulgaris, *Moench*, var. rotundifolia

Cotoneaster

acuminata, *Lindl.*
acutifolia, *Lindl.*
— var. villosula
adpressa, *Bois*
affinis, *Lindl.*
ambigua, *Rehder et Wilson*
apiculata, *Rehder et Wilson*
bacillaris, *Wall.*
bullata, *Bois*
— var. macrophylla
buxifolia, *Wall.*
congesta, *Baker*
Dammeri, *Schneider*
Dielsiana, *Pritzel*
— var. elegans
divaricata, *Rehder et Wilson*
Francheti, *Bois*
frigida, *Wall.*
horizontalis, *Decne.*
— var. perpusilla
moupinensis, *Franch.*
multiflora, *Bunge*, var. calocarpa
Nummularia, *Fisch. et Mey.*
— var. Meyeri
obscura, *Rehder et Wilson*
pannosa, *Franch.*
rugosa, *Pritzel*, var. Henryana, *C. K. Schneider*

ROSACEAE—*continued.*

Cotoneaster—*continued.*

salicifolia, *Franch.*
— var. floccosa
— var. rugosa, *Rehder et Wilson*
Simonsii, *Baker*
thymifolia, *Baker*

Crataegus

acutiloba, *Sargent*
Azarolus, *Linn.*
Blanchardi, *Sargent*
canadensis, *Sargent*
Carrierei, *Vauvel*
coccinea, *Linn.*
— var. flabellata, *Britton*
— var. indentata, *Hort.*
— var. rotundifolia
Crus-galli, *Linn.*
— var. splendens
Dippeliana, *Lange*
Douglasii, *Lindl.*
durobrivensis, *Sargent*
intricata, *Lange*
flammea, *Sargent*
Heldreichii, *Boiss.*
Jackii, *Sargent*
matura, *Sargent*
mollis, *Scheele*
nigra, *Waldst. et Kit.*
Oakesiana, *Eggleston*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— var. foliis luteis
— var. fuscata, *Hort.*
— var. monogyna, *Jacq.*
— var. pendula
— var. puniceo flore pleno
— var. semperflorens
— var. stricta
— var. variegata
pentagyna, *Kit.*
Pyracantha, *Pers.*
— var. Lalandi, *Hort.*
sinaica, *Boiss.*
Slavini, *Sargent*
submollis, *Sargent*
tomentosa, *Linn.*
uniflora, *Muench.*
virella, *Ashe*

ROSACEAE—*continued.*

Cydonia

japonica, *Thunb.*
— var. alba
— var. rosea
Maulei, *T. Moore*

Dryas

Drummondii, *Richards.*
octopetala, *Linn.*
Suendermannii, *Hort.*
tenella, *Pursh*

Fallugia

paradoxa, *Endl.*

Fragaria

californica, *Cham. et Schlecht.*
Freemontii, *Hort.*
indica, *Andr.*
vesca, *Linn.*, var. monophylla
— var. semperflorens

Geum

atrosanguineum, *Hort.*
Heldreichii, *Hort.*
intermedium ×, *Ehrh.*
macrophyllum, *Willd.*
montanum, *Linn.*
— var. corsicum
parviflorum, *Commers.*
pyrenaicum, *Mill.*
rhaeticum, *Bruegg.*
rivale, *Linn.*
Rossii, *Seringe*
tirolense, *Kern.*
triflorum, *Pursh*

Gillenia

stipulacea, *Nutt.*
trifoliata, *Moench*

Neillia

affinis, *Hemsl.*
opulifolia, *Benth. et Hook. f.*, var. lutea
thyrsiflora, *D. Don*

ROSACEAE—*continued.*

Osteomeles

anthyllidifolia, *Lindl.*

Peraphyllum

ramosissimum, *Nutt.*

Photinia

variabilis, *Hemsl.*

Potentilla

adscharica, *Somm. et Lev.*
albifolia, *Wall.*
alchemilloides, *Lapeyr.*
alpestris, *Hall. f.*
ambigua, *Cambess.*
apennina, *Tenore*
argentea, *Linn.*
argyrophylla, *Wall.*
— var. atrosanguinea
aurea, *Linn.*
bifurca, *Linn.*
brachypetala, *Fisch. et Mey.*
Breunia ×, *Huter*
Buccoana, *Clem.*
Convallaria, *Rydb.*
crinita, *A. Gray*
Degenii, *Sieg.*
Delavayi, *Franch.*
delphinensis, *Gren. et Godr.*
Detommasii, *Tenore*
dissecta, *Pursh*
Dombeyi, *Nestl.*
effusa, *Dougl.*
eriocarpa, *Wall.*
fruticosa, *Linn.*
— var. alba
— var. glabrata
— var. humilis
— var. mandschurica
— var. rigida
— var. Vilmoriniana
fulgens, *Wall.*
gracilis, *Dougl.*
grammopetala, *Moretti*
Griffithii, *Hook. f.*, var. concolor

ROSACEAE—*continued.*

Potentilla—*continued.*

Herbichii, *Blocki*
Hippiana, *Lehm.*
hirta, *Linn.*
— var. taurica
Kerneri ×, *Borb.*
kurdica, *Boiss. et Hohen.*
Leschenaultiana, *Ser.*
Macnabiana ×, *Lem.*
micrandra, *Koehne*
montenegrina, *Pantoč*
monticola, *Zimm.*
Mooniana, *Wight*
multifida, *Linn.*
nepalensis, *Hook.*
— var. Willmottiana
Nicicii, *Adamovic*
nitida, *Linn.*
— var. elongata
nivalis, *Lapeyr.*
nivea, *Linn.*
opaca, *Linn.*
palustris, *Scop.*
pennsylvanica, *Linn.*
persica, *Boiss. et Haussk.*
Purpusii, *Hort. Edin.*
recta, *Linn.*
— var. pedata
— var. sulphurea
rhomboidea, *Rydb.*
rupestris, *Linn.*
— var. pygmaea
Sibbaldi, *Hall. f.*
Sibthorpiana, *Hort.*
speciosa, *Willd.*
Tormentilla, *Neck.*
tridentata, *Soland.*
Valderia, *Linn.*
— var. glabra
villosa, *Pall.*
viscosa, *Donn*

Poterium

canadense, *A. Gray*
hakusanense, *Hort.*
obtusum, *Franch. et Sav.*
officinale, *A. Gray*
verrucosum, *Ehrenb.*

ROSACEAE—*continued.*

Prunus

acida, *Borkh.*, var. semperflorens
Amygdalus, *Stokes*
ilicifolia, *Walp.*
Mahaleb, *Linn.*, var. chrysocarpa
mollis, *Walp.*

Pyrus

alpina, *Willd.*, var. superaria
americana, *DC.*
Aria, *Ehrh.*, var. flabelliformis
— var. obtusata
— var. Theophrasta
Aucuparia, *Gaertn.*
— var. Dirkenii
— var. discolor
— var. Fifeana
— var. fructu luteo
— var. moravica
— var. pendula variegata
— var. rossica
— var. satureifolia, *Hort.*
baccata, *Linn.*
— var. cerasifera
— var. costata
canescens, *Spach*
communis, *Linn.*
— var. fascicularis
germanica, *Hook. f.*
Hostii ×, *Hort.*
hybrida, *Moench*
japonica, *Thunb.*
lanuginosa, *DC.*
melanocarpa, *K. Koch*
nivalis, *Jacq.*
orthocarpa, *Nichols.*
pekinensis, *Koehne*
prunifolia, *Willd.*
— var. Colvillei
— var. fructu dulci
— var. pendula
Ringo, *Wenzig*, var. fastigiata bifera, *Hort.*
rivularis, *Dougl.*, var. integrifolia
rotundifolia, *Bechst.*
salicifolia, *Pall.*

ROSACEAE—*continued.*

Pyrus—*continued.*

Sorbus, *Gaertn.*
spectabilis, *Ait.*
theifera, *Rehder*
Toringo, *Sieb.*, var. incisa
Torminalis, *DC.*
unguiculata (*Koehne*)
Vilmorini, *Schneider*
Zumi, *Matsum.*

Rhodotypos

kerrioides, *Sieb. et Zucc.*

Rosa

agrestis, *Savi*, var. belgradensis, *Nichols.*
alpina, *Linn.*
— var. pyrenaica
Banksiopsis, *Baker*
blanda, *Ait.*
— var. arkansana
— var. Sayi
californica, *Schlecht.*
calocarpa ×, *André*
cinnamomea, *Linn.*, var. davurica
damascena, *Mill.*
Davidi, *Crep.*
— var. elongata
Fendleri, *Crep.*
ferox, *Bieb.*
foetida, *Herrm.*, var. bicolor
Gallica, *Linn.*
glauca, *Vill.*
glutinosa, *Sibth. et Sm.*
Jundzilli, *Besser*
kamtchatica, *Vent.*
laevigata, *Michx.*, var. anemone
laxa, *Retz.*
macrophylla, *Lindl.*
— var. Prattii
Malyi, *Kern.*
moschata, *Herrm.*
Moyesii, *Hemsl. et Wilson*
— var. rosea
multiflora, *Thunb.*
Murielae, *Rehd. et Wils.*
nitida, *Willd.*

ROSACEAE—*continued.*

Rosa—*continued.*

pomifera, *Herrm.*
poteriifolia, *Hort.*
rugosa, *Thunb.*
— var. alba
— var. Regelliana
Seraphini, *Viv.*
setipoda, *Hemsl.*
spinosissima, *Linn.*
Szaboi, *Bord.*
tomentosa, *Sm.*
Webbiana, *Wall.*
— var. pimpinellifolia
Woodsii, *Lindl.*

Rubus

amabilis, *Focke*
Henryi, *Hemsl.*
laciniatus, *Willd.*
lasiostylus, *Focke*, var. dizygos, *Focke*
parvus, *J. Buch.*
reflexus, *Ker*
rosaefolius, *Sm.*
xanthocarpus, *Bur. et Franch.*

Sibiraea

tomentosa, *Diels*

Spenceria

ramalana, *Trimen*

Spiraea

Aitchisoni, *Hemsl.*
Aruncus, *Linn.*
bracteata, *Zabel*
caespitosa, *Nutt.*
— var. argentea
camtschatica, *Pall.*
canescens, *D. Don*
crenata, *Linn.*
discolor, *Pursh*
— var. dumosa
Douglasii, *Hook.*
Filipendula, *Linn.*
Foxii ×, *Hort.*
Henryi, *Hemsl.*

ROSACEAE—*continued.*

Spiraea—*continued.*

japonica, *Linn. f.*
— var. acuminata
— var. alba
— var. compacta coccinea
— var. Froebelii
— var. rubra
— var. variegata
laevigata, *Linn.*
Lindleyana, *Wall.*
lobata, *Jacq.*
media, *F. Schmidt*
Millefolium, *Torr.*
Miyabei, *Koidzumi*, var. glabrata
mollifolia, *Rehder*
myrtilloides, *Rehder*
Nobleana, *Hook.*
palmata, *Sternb.*
pectinata, *Torr. et Gray*
prunifolia, *Sieb. et Zucc.*
Rosthornii, *E. Pritz.*
salicifolia, *Linn.*
— var. paniculata
sorbifolia, *Linn.*
— var. gigantea
Ulmaria, *Linn.*
Veitchii, *Hemsl.*
Wilsoni, *Duthie*

Stephanandra

flexuosa, *Sieb. et Zucc.*

Stranvaesia

Davidiana, *Decne.*, var. undulata

RUBIACEAE.

Asperula

aristata, *Linn.*
azurea, *Jaub. et Spach*, var. setosa
ciliata, *Rochel*
cynanchica, *Linn.*
hexaphylla, *All.*
humifusa, *Bess.*
laevigata, *Linn.*
orientalis, *Boiss. et Hohen.*

RUBIACEAE—*continued.*

Coffea

arabica, *Linn.*

Galium

anisophyllon, *Vill.*
boreale, *Linn.*
erectum, *Huds.*
saccharatum, *All.*
verum, *Linn.*

Hamelia

patens, *Jacq.*

Ixora

alba, *Hort.*

Leptodermis

pilosa, (*Franch.*) *Diels*

Mitriostigma

axillare, *Hochst.*

Nertera

Balfouriana, *Cockayne*
ciliata, *T. Kirk*
depressa, *Banks*

Pentas

carnea, *Benth.*
— var. kermesina

Phuopsis

stylosa, *Benth. et Hook. f.*

Posoqueria

multiflora, *Lem.*

Richardsonia

pilosa, *H. B. et K.*

Rondeletia

odorata, *Jacq.*

Wendlandia

subalpina, *W. W. Sm.*

RUTACEAE.

Boenninghausenia

albiflora, *Reichb.*

Boronia

serrulata, *Sm.*

Citrus

Medica, *Linn.*, var. Limonum

Correa

speciosa, *Ait.*

Dictamnus

albus, *Linn.*
— var. tauricus

Erythrochiton

brasiliensis, *Nees*

Evodia

elegans, *Hort.*

Glycosmis

pentaphylla, *Correa*

Phellodendron

japonicum, *Maxim.*

Ptelea

Baldwinii, *Torr. et Gray*
trifoliata, *Linn.*

Ruta

chalepensis, *Linn.*
graveolens, *Linn.*
— var. variegata
macrophylla, *Soland.*

Skimmia

Fortunei, *Mast.*
Laureola, *Sieb. et Zucc.*, var. oblata.

Triphasia

Aurantiola, *Lour.*

Zanthoxylum

alatum, *Roxb.*

SAPINDACEAE.

Acer

campestre, *Linn.*
circinnatum, *Pursh*
Heldrichii, *Boiss. et Heldr.*
monspessulanum, *Linn.*
opulifolium, *Vill.*, var. obtusatum
pictum, *Thunb.*, var. rubrum
platanoides, *Linn.*
Pseudo-platanus, *Linn.*, var. albo variegatum
— var. euchlorum
— var. foliis cupreis
— var. metallicum
— var. purpureum
— var. tricolor
— var. Worlei

Dodonaea

triquetra, *Wendl.*

Melianthus

major, *Linn.*

Paullinia

thalictrifolia, *Juss.*

SAXIFRAGEAE.

Anopterus

glandulosus, *Labill.*

Astilbe

Davidii, *Henry*, var. rosea
japonica, *A. Gray*
simplicifolia, *Makino*
Thunbergii, *Miq.*

Bauera

rubioides, *Andr.*

Boykinia

major, *A. Gray*

Ceratopetalum

gummiferum, *Sm.*

SAXIFRAGEAE—*continued.*

Deinanthe

caerulea, *Stapf*

Deutzia

corymbosa, *R. Br.*
crenata, *Sieb. et Zucc.*
discolor, *Hemsl.*, var. fasciculata
— var. purpurascens
gracilis, *Sieb. et Zucc.*
Lemoinei, *Hort.*
longifolia, *Franch.*
Schneideriana, *Rehder*, var. laxiflora
Veitchii, *Hort.*

Dichroa

febrifuga, *Lour.*

Escallonia

edinensis ×, *Hort.*
exoniensis ×, *Hort.*
langleyensis, *Vilm. et Bois*
Philippiana, *Masters*
— var. alba
punctata, *DC.*
rubra, *Pers.*

Fendlera

rupicola, *A. Gray*

Francoa

appendiculata, *Cav.*
ramosa, *D. Don*
sonchifolia, *Cav.*

Heuchera

americana, *Linn.*
bracteata, *Ser.*
cylindrica, *Dougl.*
— var. glabella (*Torr. et Gray*)
Drummondii, *Hort.*
hispida, *Pursh*
micrantha, *Dougl.*
pilosa, *Hort.*
rubescens, *Torr.*
sanguinea, *Engelm.*

SAXIFRAGEAE—*continued.*

Hydrangea

anomala, *D. Don*
Hortensia, *Siebold*, var. stellata
petiolaris, *Sieb. et Zucc.*
Sargentiana, *Rehder*
vestita, *Wall.*
xanthoneura, *Diels*, var. glabrescens

Parnassia

mysorensis, *Heyne*

Philadelphus

colombianus, *Koehne*
coronarius, *Linn.*
— var. foliis aureis
— var. tomentosus
Delavayi, *Henry*
Gordonianus, *Lindl.*
grandiflorus, *Willd.*
— var. floribundus
incanus, *Koehne*
— var. Sargentianus
Lemoinei ×, *Hort.*
Lewisii, *Pursh*
Magdalenae, *Koehne*
Satsumi, *Siebold*, var. acuminatus
sericanthus, *Koehne*
— var. Rehderianus, *Koehne*
Wilsonii, *Koehne*

Ribes

Koehneanum ×, *Jancz.*
nigrum, *Linn.*, var. fructu luteo
rubrum, *Linn.*
— var. scandicum
sanguineum, *Pursh*, var. albidum
— var. atrosanguineum
speciosum, *Pursh*
vulgare ×, *Hort.*

Rodgersia

aesculifolia, *Batalin*
pinnata, *Franch.*

SAXIFRAGEAE—*continued.*

Rodgersia—*continued.*

podophylla, *A. Gray*
sambucifolia, *Hemsl.*
tabularis, *Kom.*

Saxifraga

adscendens, *Linn.*
aizoides, *Linn.*
Aizoon, *Jacq.*
— f. brevifolia
— f. cultrata
— f. La-graveana
— f. lutea
— f. minima
— f. rhaetica
— f. rosularis (*Haw.*)
— f. Sturmiana (*Schott, Nym. et Kotschy*)
Allionii ×, *Hort.*
ambigua ×, *DC.*
apiculata ×, *Engler*
aquatica, *Lapeyr.*
arguta ×, *Suend.*
Blavii, *G. Beck*
Brunoniana, *Wall.*
— var. majuscula
Bucklandi ×, *Hort.*
caesia, *Linn.*
caespitosa, *Linn.*
californica, *Greene*
cartilaginea, *Willd.*
Churchilli ×, *Hort.*
cochlearis, *Reichb.*
— var. minor
cordifolia, *Haw.*
corsica, *Gren. et Godr.*
cortusaefolia, *Sieb. et Zucc.*
Cotyledon, *Linn.*, var. montavoniensis
— var. pyramidalis
— var. pyrenaica
crassifolia, *Linn.*
cuneifolia, *Linn.*
— f. apennina (*Bertol.*)
— f. davurica
cuscutaeformis, *Lodd.*
decipiens, *Ehrh.*
— f. adscendens
— f. grandiflora
— f. hirta

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*

decipiens, f. platypetala
— f. pulchella
— f. Sternbergii (*Willd.*)
Delavayi, *Franch.*
diversifolia, *Wall.*, var. angustibracteata, *Engl. et Irmscher*
flagellaris, *Willd.*
Fortunei, *Hook.*
geranioides, *Linn.*
Geum, *Linn.*, f. crispa
— — minor
— f. dentata
— f. Donii
— f. ovalifolia
— f. reniformis
— f. rotundifolia
hederacea, *Linn.*
Hostii, *Tausch*, var. altissima
Huetiana, *Boiss.*
hypnoides, *Linn.*
incrustata, *Vest*
irrigua, *Bieb.*
juniperifolia, *Adams.*
laevis, *Bieb.*
leptophylla, *Hort.*
Lindsayana ×, *Hort.*
lingulata, *Bell.*
— var. catalaunica (*Boiss. et Reut.*)
longifolia, *Lapeyr.*
luteo-viridis, *Schott et Kotschy*
macrostigma, *Franch.*, var. longipes
Maweana, *Baker*
micrantha, *Edgew.*
— var. corymbiflora, *Engl. et Irmscher*
mutata, *Linn.*
nevadensis, *Boiss.*
nivalis, *Linn.*
obscura, *Gren. et Godr.*
oranensis, *Munby*
paniculata, *Cav.*
paradoxa ×, *Sternb.*
pedatifida, *Ehrh.*
pedemontana, *All.*, var. aromatica, *Niven*
— var. cervicornis (*Viv.*)

SAXIFRAGEAE—*continued.*

Saxifraga—*continued.*

pennsylvanica, *Linn.*
pentadactylis, *Lapeyr.*
Portae ×, *Engl.*
rosea-superba, *Hort.*
rotundifolia, *Linn.*, f. glandulosa (*Griseb.*)
— f. hirsuta
sancta, *Griseb.*
sarmentosa, *Linn.*
Schraderi, *Sternb.*
Sibthorpii, *Boiss.*
Stansfieldii ×, *Hort.*
stellaris, *Linn.*
tellimoides, *Maxim.*
trifurcata, *Schrad.*
umbrosa, *Linn.*
— f. acanthifolia
— f. primuloides
— f. variegata
Veitchiana, *Balf. f.*
vochinensis ×, *Gusm.*
Wallacei ×, *M'Nab*
yunnanensis, *Franch.*
Zelebori, *Schott*

Schizophragma

integrifolium, *Oliver*

Tellima

grandiflora, *R. Br.*

Tiarella

trifoliata, *Linn.*

SCITAMINEAE.

Alpinia

calcarata, *Rosc.*
malaccensis, *Rosc.*
mutica, *Roxb.*
Sanderae, *Hort. Sand.*

Canna

angustifolia, *Linn.*
indica, *Linn.*

Cautleya

lutea, *Royle*

SAXIFRAGEAE—*continued.*

Costus

discolor, *Rosc.*
igneus, *N. E. Br.*

Globba

strobilifera, *Zoll.* (bulbil)

Hedychium

carneum, *Carey*
Horsfieldii, *R. Br.*

Maranta

noctiflora, *Regel et Koernicke*

Roscoea

alpina, *Royle*
cautleoides, *Gagnep.*
intermedia, *Gagnep.*
purpurea, *Sm.*

SCROPHULARINEAE.

Alonsoa

acutifolia, *Ruiz et Pav.*
caulialata, *Ruiz et Pav.*
Warscewiczii, *Regel*

Antirrhinum

Asarina, *Linn.*
glutinosum, *Boiss.*
majus, *Linn.*
maurandioides, *A. Gray*
sempervirens, *Lapeyr.*

Calceolaria

Ballii ×, *Hort.*
Buchtienii, *Kraenzl.*
Burbidgei ×, *Hort.*
fuchsiaefolia, *Hort.*
hyssopifolia, *H. B. et K.*
integrifolia, *Murr.*
Kayii, *Hort.*
pinnata, *Linn.*
plantaginea, *Sm.*
scabiosifolia, *Sims*
Sinclairii, *Hook.*

SCROPHULARINEAE—*continued.*

Celsia

brevipedicellata, *Engl.*

Chaenostoma

fœtidum, *Benth.*

Collinsia

bicolor, *Benth.*

Dermatobotrys

Saundersii, *Bolus*

Digitalis

ambigua, *Murr.*
lutea, *Linn.*
obscura, *Linn.*
purpurea, *Linn.*

Erinus

alpinus, *Linn.*
— var. carmineus
— var. hirsutus

Hemiphragma

heterophyllum, *Wall.*

Isoplexis

canariensis, *Steud.*

Limosella

aquatica, *Linn.*
— var. tenuifolia

Linaria

alpina, *Mill.*
anticaria, *Boiss. et Reut.*
Broussonetii, *Chav.*
Cymbalaria, *Mill.*
italica, *Trevir.*
macedonica, *Griseb.*
pilosa, *DC.*
purpurea, *Linn.*
repens, *Mill.*
— var. atropurpurea
Ricardoi, *P. Cout.*
Rodriguezii, *Porta*
supina, *Desf.*

SCROPHULARINEAE—*continued.*

Linaria—*continued.*

triornithophora, *Willd.*
tristis, *Mill.*
yunnanensis, *W. W. Sm.*

Lindenbergia

urticaefolia, *Lehm.*

Maurandia

erubescens, *A. Gray*
Purpusii, *T. S. Brandegee*
scandens, *A. Gray*
— var. coccinea

Mazus

reptans, *N. E. Br.*

Mimulus

cardinalis, *Dougl.*
glutinosus, *Wendl.*, var. puniceus
Lewisii, *Pursh*
luteus, *Linn.*
ringens, *Linn.*

Ourisia

macrocarpa, *Hook. f.*
macrophylla, *Hook.*

Paederota

Churchillii, *Huter*

Pentstemon

arizonicus, *Heller*
barbatus, *Roth*
— var. albus
breviflorus, *Lindl.*
Bridgesii, *A. Gray*
campanulatus, *Willd.*
confertus, *Dougl.*
— var. coeruleo-purpureus
deustus, *Dougl.*
glaber, *Pursh*, var. alpinus
— var. cyananthus
glaucus, *R. Grah.*
— var. stenopetalus
gracilis, *Nutt.*
Hallii, *A. Gray*

SCROPHULARINEAE—*continued.*

Pentstemon—*continued.*

humilis, *Nutt.*
imberbis, *Trautv.*
isophyllus, *Robinson*
laevigatus, *Ait.*
Menziesii, *Hook.*, var. Douglasii
— var. Newberryi
— var. Scouleri
Palmeri, *A. Gray*
pubescens, *Soland.*
— var. roseus
Richardsonii, *Dougl.*
spectabilis, *Thunb.*

Phygelius

capensis, *E. Mey.*

Rhodochiton

volubile, *Zucc.*

Scrophularia

alata, *Gilib.*
alpestris, *J. Gay*
auriculata, *Linn.*
nodosa, *Linn.*
pyrenaica, *Benth.*
Scorodonia, *Linn.*
variegata, *Bieb.*

Sibthorpia

africana, *Linn.*
europaea, *Linn.*, var. variegata
pichinchensis, *H. B. et K.*

Tetranema

mexicanum, *Benth.*

Torenia

cordifolia, *Roxb.*
flava, *Buch.-Ham.*

Uroskinnera

spectabilis, *Lindl.*

SCROPHULARINEAE—*continued.*

Verbascum

Lychnitis, *Linn.*
phoeniceum, *Linn.*
— var. hybridum
pyramidatum, *Bieb.*
rigidum, *Boiss. et Heldr.*

Veronica

Allionii, *Vill.*
anomala, *Armstr.*
aphylla, *Linn.*
arborea, *J. Buch.*
austriaca, *Linn.*
— var. dentata
— var. multifida
— var. pinnatifida
— var. prenja
Bidwillii, *Hook.*
Biebersteiniana, *Hort.*
Buchanani, *Hook. f.*
buxifolia, *Benth.*
canescens, *T. Kirk*
carnea, *Armst.*
carnosula, *Hook. f.*
catarractae, *Forst. f.*, var. compacta
chathamica, *J. Buch.*
Colensoi, *Hook. f.*
— var. glauca
— var. minor
corymbosa, *Hort.*
crassifolia, *Zeyh.*, var. alba
cuneifolia, *D. Don*
cupressoides, *Hook. f.*, var. variabilis
decumbens, *Armstr.*
decussata, *Moench*
Dorrien-Smithii, *Cockayne*
Eastonii, *Hort.*
Fairfieldii ×, *Hort. Martin*
filifolia, *Lipsky*
Forrestii, *Diels*
gentianoides, *Vahl*
glaucophylla, *Cockayne*
grandis, *Fisch.*
Grievei, *Hort.*
Guthrieana ×, *Hort.*
Hookeriana, *Walp.*
Hulkeana, *F. Muell.*
ignobilis, *Less.*

SCROPHULARINEAE—*continued.*

Veronica—*continued.*

imperialis, *Hort.*
incana, *Linn.*
laevis, *Benth.*
latifolia, *Linn.*
Lavaudiana, *Raoul*
Lindsayi, *Hort.*
longifolia, *Linn.*
— var. alba
— var. subsessilis
Lyallii, *Hook. f.*
lycopodioides, *Hook. f.*
Matthewsii, *Cheeseman*
montana, *Linn.*
monticola, *Armstr.*
multifida, *Linn.*
nivalis, *Hort.*
obovata, *T. Kirk*
parviflora, *Vahl*
— var. angustifolia, *Hook. f.*
peduncularis, *Bieb.*
peregrina, *Linn.*
pimeleoides, *Hook. f.*
— var. glauco-caerulea
pinguifolia, *Hook. f.*
— var. decumbens
pinnata, *Linn.*
pirolaeformis, *Franch.*
plebeia, *R. Br.*
polifolia, *Benth.*
prostrata, *Linn.*, var. alba
pseudo-Traversii, *Cockayne*
rakaiensis, *Armstr.*
Raoulii, *Hook. f.*
salicifolia, *Forst. f.*
— var. augustifolia
saxatilis, *Scop.*
— var. alba
spicata, *Linn.*
— var. rosea
spuria, *Linn.*
Teucrium, *Linn.*
— var. dubia
Tournefortii, *C. C. Gmel.*
Traversii, *Hook. f.*
vernicosa, *Hook. f.*
— var. canterburiensis
virginica, *Linn.*
Wardiensis ×, *Hort.*
Wilcoxii ×, *Hort.*

SCROPHULARINEAE—*continued.*

Wulfenia

carinthiaca, *Jacq.*

SELAGINEAE.

Globularia

Alypum, *Linn.*
lindavica, *Hort.*
spinosa, *Linn.*
trichosantha, *Fisch. et Mey.*

Hebenstretia

comosa, *Hochst.*

Lagotis

brachystachya, *Maxim.*

Selago

corymbosa, *Linn.*

SIMARUBEAE.

Cneorum

tricoccon, *Linn.*

Picramnia

polyantha, *Planch.*

SOLANACEAE.

Atropa

Belladonna, *Linn.*

Browallia

Czerniakowskii, *Warsc.*

Capsicum

annuum, *Linn.*
microcarpum, *Cav.*

Cestrum

aurantiacum, *Lindl.*
Newellii, *Veitch*
Smithii, *Hort. Bull.*

SOLANACEAE—*continued.*

Cyphomandra

betacea, *Sendt.*

Datura

Leichhardtii, *F. Muell.*
Stramonium, *Linn.*

Hyoscyamus

niger, *Linn.*

Lycium

horridum, *Phil.*

Lycopersicum

esculentum, *Mill.*

Nicandra

physaloides, *Gaertn.*

Nicotiana

glauca, *R. Grah.*
plumbaginifolia, *Viv.*
Sanderae ×, *Hort.*
solanifolia, *Walp.*
Tabacum, *Linn.*

Physalis

Alkekengi, *Linn.*
minima, *Linn.*
peruviana, *Linn.*

Schizanthus

pinnatus, *Ruiz et Pav.*
— var. grandiflorus
retusus, *Hook.*
Wisetonensis, *Hort.*

Scopolia

lurida, *Dun.*

Solanum

aculeatissimum, *Jacq.*
auriculatum, *Ait.*
aviculare, *Forst. f.*
Capsicastrum, *Link*
crispum, *Ruiz et Pav.*

SOLANACEAE—*continued.*

Solanum—*continued.*

Dulcamara, *Linn.*
jasminoides, *Paxt.*
khasianum, *C. B. Clarke*
Seaforthianum, *Andr.*
Torreyi, *A. Gray*

STERCULIACEAE.

Buettneria

urticifolia, *K. Schum.*

Fremontia

californica, *Torr.*

Hermannia

candicans, *Ait.*
hyssopifolia, *Linn.*

Rulingia

hermanniaefolia, *Steetz*

Thomasia

solanacea, *Benth. et Hook.*

STYLIDIEAE.

Oreostylidium

subulatum, *Berggr.*

Stylidium

adnatum, *R. Br.*
articulatum, *R. Br.*

TACCACEAE.

Tacca

artocarpifolia, *Seem.*
cristata, *Jack*
integrifolia, *Ker-Gawl.*
viridis, *Hemsl.*

TAMARISCINEAE.

Myricaria

germanica, *Desv.*

TERNSTROEMIACEAE.

Camellia

cuspidata, *Hort. Veitch*

THYMELAEACEAE.

Daphne

Cneorum, *Linn.*
retusa, *Hemsl.*

Pimelea

ligustrina, *Labill.*
Traversii, *Hook. f.*

TILIACEAE.

Aristotelia

Macqui, *L'Hérit.*, var. variegata

Corchorus

pilolobus, *Link*

Elaeocarpus

cyaneus, *Sims*

TYPHACEAE.

Sparganium

ramosum, *Curt.*

Typha

angustifolia, *Linn.*
latifolia, *Linn.*
Laxmanni, *Lepech.*
Shuttleworthii, *Koch et Send.*

UMBELLIFERAE.

Aciphylla

squarrosa, *Forst.*

Aegopodium

Podagraria, *Linn.*

UMBELLIFERAE—*continued.*

Annesorhiza

elata, *Eckl. et Zeyh.*

Anthriscus

Cerefolium, *Hoffm.*

Astrantia

carniolica, *Wulf.*
helleborifolia, *Salisb.*
major, *Linn.*
— var. intermedia
pauciflora, *Bertol.*

Bupleurum

Candollii, *Wall.*
fruticosum, *Linn.*
longecaule, *Wall.*
ranunculoides, *Linn.*

Carum

alpinum, *Benth. et Hook. f.*
Bulbocastanum, *Koch*

Chaerophyllum

aromaticum, *Linn.*
hirsutum, *Linn.*

Cuminum

Cyminum, *Linn.*

Daucus

Carota, *Linn.*

Dorema

Aucheri, *Boiss.*

Eryngium

agavifolium, *Griseb.*
alpinum, *Linn.*
amethystinum, *Linn.*, var. multifidum
campestre, *Linn.*
dichotomum, *Desf.*
eburneum, *Decne.*
planum, *Linn.*
prostratum, *Nutt.*

UMBELLIFERAE—*continued.*

Eryngium—*continued.*
Serra, *Cham. et Schlecht.*
Spinalba, *Vill.*
Wrightii, *A. Gray*
yuccaefolium, *Michx.*

Falcaria
vulgaris, *Dernh.*

Ferula
glauca, *Linn.*
orientalis, *Linn.*

Foeniculum
giganteum, *Hort.*
vulgare, *Mill.*

Heracleum
asperum, *Bieb.*
lanatum, *Michx.*
sibiricum, *Linn.*, var. angustifolium
villosum, *Fisch.*

Hydrocotyle
asiatica, *Linn.*
moschata, *Forst.*

Laserpitium
gallicum, *Linn.*
Siler, *Linn.*

Lereschia
Flahaulti, *Woronow*

Levisticum
officinale, *Koch*

Ligusticum
acutilobum, *Sieb. et Zucc.*
aromaticum, *Banks et Soland.*
involucratum, *Franch.*
tenuifolium, *S. Wats.*

Lophosciadium
meifolium, *DC.*

UMBELLIFERAE—*continued.*

Meum
athamanticum, *Jacq.*

Molopospermum
cicutarium, *DC.*

Myrrhis
odorata, *Scop.*

Oenanthe
crocata, *Linn.*
Lachenalii, *C. C. Gmel.*
silaifolia, *Bieb.*

Petagnia
saniculaefolia, *Guss.*

Peucedanum
angustifolium, *Reichb. f.*
coriaceum, *Reichb.*
Ostruthium, *Koch*

Pimpinella
magna, *Linn.*, var. rosea
serbica, *Hort. Edin.*

Pleurospermum
Hookeri, *C. B. Clarke*

Sanicula
europaea, *Linn.*
marilandica, *Linn.*

Schizeilema
nitens, *Domin*

Selinum
pyrenaeum, *Gouan*
tenuifolium, *Wall.*
— var. album

Seseli
caespitosum, *Sibth. et Sm.*

Silaus
tenuifolius, *DC.*

UMBELLIFERAE—*continued.*

Siler

trilobum, *Crantz*

Thaspium

aureum, *Nutt.*

Trachydium

obtusiusculum, *Benth. et Hook. f.*

Xanthosia

rotundifolia, *DC.*

URTICACEAE.

Artocarpus

laciniata, *Hort.*

Boehmeria

biloba, *Miq.*
platyphylla, *D. Don*

Cannabis

sativa, *Linn.*

Debregeasia

velutina, *Gaudich.*

Dorstenia

Drakena, *Linn.*

Ficus

Carica, *Linn.*
diversifolia, *Blume*
pyriformis, *Hook. et Arn.*

Humulus

Lupulus, *Linn.*

Laportea

moroides, *Wedd.*

Parietaria

lusitanica, *Linn.*
officinalis, *Linn.*

URTICACEAE—*continued.*

Pilea

grandis, *Wedd.*
muscosa, *Lindl.*
Spruceana, *Wedd.*

Procris

frutescens, *Blume*

VACCINIACEAE.

Cavendishia

acuminata, *Benth.*

Gaylussacia

frondosa, *Torr. et Gray*

Vaccinium

Delavayi, *Franch.*
Mortinia, *Benth.*
Myrtillus, *Linn.*
padifolium, *Sm.*
pennsylvanicum, *Lam.*

VALERIANEAE.

Centranthus

macrosiphon, *Boiss.*
ruber, *DC.*
Sibthorpii, *Heldr. et Sart.*

Nardostachys

grandiflora, *DC.*
Jatamansi, *DC.*

Patrinia

palmata, *Maxim.*

Valeriana

alliariaefolia, *Vahl*
tripteris, *Linn.*

Valerianella

congesta, *Lindl.*
membranacea, *Loisel.*

VERBENACEAE.

Amasonia

calycina, *Hook. f.*

Callicarpa

purpurea, *Juss.*

Clerodendron

fallax, *Lindl.*
infortunatum, *Gaertn.*
splendens, *G. Don*
Thomsonae, *Balf.*
— var. variegatum

Diostea

juncea, *Miers*

Lantana

Camara, *Linn.*

Lippia

nodiflora, *Michx.*

Stachytarpheta

indica, *Vahl*

Verbena

erinoides, *Lam.*, var. Sabini

VIOLARIEAE.

Hymenanthera

crassifolia, *Hook. f.*
dentata, *R. Br.*, var. angustifolia

Viola

alpina, *Jacq.*
bosniaca, *Form.*
canina, *Linn.*
— var. alba
— var. rosea
cognata, *Greene*
cornuta, *Linn.*
— var. alba
elatior, *Fries*
glabella, *Nutt.*
gracilis, *Sibth. et Sm.*
— var. aurea
latisepala, *Wettst.*
lutea, *Huds.*
Patrinii, *Ging.*
stagnina, *Kit.*
sylvestris, *Lam.*
tricolor, *Linn.*

XYRIDEAE.

Xyris

capensis, *Thunb.*

Printed under the authority of His Majesty's Stationery Office
By NEILL & CO., LTD., Edinburgh.

Q2(B 41-3

FOR OFFICIAL USE.

NOTES

FROM THE

ROYAL BOTANIC GARDEN, EDINBURGH.

DECEMBER 1923.

CONTENTS.

PAGE

List of Seeds collected in the Royal Botanic Garden, Edinburgh, during the year 1923:—

Plants in the Open i

Plants under Glass lvi

EDINBURGH:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

SOLD AT THE GARDEN,
And to be purchased, either directly or through any Bookseller, from
H.M. STATIONERY OFFICE (SCOTTISH BRANCH),
120 GEORGE STREET, EDINBURGH.

[Price 2s. Net.]

[*Crown Copyright Reserved.*]

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1923.

THE following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1923. The quantity of seed obtained from some of the species is of limited amount, and in many cases has been entirely absorbed for sowing in the Garden. Of these, therefore, none can be distributed, otherwise the seeds are available for exchange, but they are not for sale :—

PLANTS IN THE OPEN.

Acaena

cylindristachya, *Ruiz et Pav.*
glabra, *J. Buch.*
inermis, *Hook. f.*
laevigata, *Ait.*
microphylla, *Hook. f.*
— var. glauca
myriophylla, *Lindl.*
Novae-Zelandiae, *T. Kirk*
Sanguisorbae, *Vahl*
splendens, *Hook. et Arn.*

Acantholimon

acerosum, *Boiss.*
glumaceum, *Boiss.*
venustum, *Boiss.*

Acanthopanax

leucorrhizus, *Harms,* var. fulvescens

Acanthus

lusitanicus, *Hort.*
mollis, *Linn.*
Perringi, *Siehe*
Schottii, *Hort.*

Acer

campestre, *Linn.*
circinnatum, *Pursh*
Heldreichii, *Boiss. et Heldr.*
japonicum, *Thunb.*
monspessulanum, *Linn.*
opulifolium, *Vill.,* var. obtusatum
platanoides, *Linn.*
Pseudo-platanus, *Linn.*
— var. erythrocarpum
— var. euchlorum
— var. flavo-marginatum
— var. foliis cupreis
— var. Nizetii
— var. opulifolium
— var. purpureum
— var. trilobatum
— var. Worlei

Achillea

ageratifolia, *Benth. et Hook. f.*
Ageratum, *Linn.*
Clavennae, *Linn.*
filipendulina, *Lam.*
formosa, *Sch. Bip.*

Achillea—*continued.*

Jaborneggi ×, *Halacsy*
Lereschei, *Sch. Bip.*
lingulata, *Waldst. et Kit.*
— var. buglossis
macedonica, *Rouy*
macrophylla, *Linn.*
nobilis, *Linn.*
pedemontana, *Vacc. et Wilcz.*
rupestris, *Huter*
Santolina, *Linn.*
serrata ×, *Retz.*
setacea, *Waldst. et Kit.*
spinulifolia, *Fenzl*
tomentosa, *Linn.*
umbellata, *Sibth. et Sm.*, var. major

Aconitum

brevicalcaratum, *Diels*
ferox, *Wall.*
Fischeri, *Reichb.*
Forrestii, *Stapf*
heterophyllum, *Wall.*
Kusnezoffii, *Reichb.*
luridum, *Hook. f. et Thoms.*
Lycoctonum, *Linn.*
— var. album
— var. rubicundum
Napellus, *Linn.*
— var. album
paniculatum, *Lam.*
reclinatum, *A. Gray*
transsectum, *Diels*
volubile, *Koelle*, var. latisectum
Wilsonii, *Stapf*

Actaea

alba, *Mill.*
eburnea, *Rydb.*
spicata, *Linn.*

Actinomeris

helianthoides, *Nutt.*

Adenocarpus

intermedius, *DC.*

Adenophora

Bulleyana, *Diels*
cuspidata, *Hort. Suend.*
diplodonta, *Diels*
latifolia, *Fisch.*
liliifolia, *Bess.*
stylosa, *Fisch.*
verticillata, *Fisch.*

Adenostyles

albida, *Cass.*
alpina, *Kern.*

Adonis

aestivalis, *Linn.*

Aegopodium

Podagraria, *Linn.*

Aethionema

coridifolium, *DC.*
creticum, *Boiss. et Heldr.*
flavum, *Sieht*
grandiflorum, *Boiss. et Hohen.*
Kotschyanum, *Hort. Suend.*
pulchellum, *Boiss. et Huet*
schistosum, *Boiss. et Kotschy*
stylosum, *DC.*

Aethusa

Cynapium, *Linn.*

Agrimonia

agrimonoides, *Linn.*
Eupatoria, *Linn.*
odorata, *Mill.*

Agrostis

vulgaris, *With.*

Ainsliaea

acerifolia, *Sch. Bip.*

Ajuga
reptans, *Linn.*, var. variegata

Alchemilla
alpina, *Linn.*
— var. conjuncta
chirophylla, *Buser*
glaberrima, *Schmidt*, var. flexicaulis
retinervis, *Buser*
speciosa, *Buser*
splendens, *Christ*
vulgaris, *Linn.*

Alisma
Plantago, *Linn.*

Allium
ascalonicum, *Linn.*
Aschersonianum, *Barbey*
Beesianum, *W. W. Smith*
cardiostemon, *Fisch. et Mey.*
cernuum, *Roth*
chrysanthum, *Regel*
cyaneum, *Regel*
fallax, *Schult. f.*
fistulosum, *Linn.*
hirtifolium, *Boiss.*
kansuense, *Regel*
karataviense, *Regel*
macranthum, *Baker*
Moly, *Linn.*
narcissiflorum, *Vill.*
neapolitanum, *Cyr.*
orientale, *Boiss.*
paradoxum, *G. Don*
Schuberti, *Zucc.*
sikkimense, *Baker*
urceolatum, *Regel*
Victorialis, *Linn.*
Wallichianum, *Steud.*
yunnanense, *Diels*

Alnus
alnobetula, *Hartig*
cordifolia, *Tenore*
glutinosa, *Medic.*

Alnus—*continued.*
— var. laciniata
— var. pyramidalis
— var. rubrinervia
incana, *Moench*
— var. emarginata
— var. glauca, *Regel*
— var. hirsuta
— var. orbicularis
— var. pendula nova
japonica, *Sieb. et Zucc.*
oregona, *Nutt.*
rhombifolia, *Nutt.*
sitchensis, *Sarg.*
tenuifolia, *Nutt.*
tinctoria, *Sarg.*
viridis, *DC.*

Alonsoa
caulialata, *Ruiz et Pav.*

Alstroemeria
aurantiaca, *D. Don*
Ligtu, *Linn.*, var. Hookeri
revoluta, *Ruiz et Pav.*

Althaea
Froloviana, *Fisch.*
officinalis, *Linn.*

Alyssum
alpestre, *Linn.*
argenteum, *Vitm.*
gemonense, *Linn.*
halimifolium, *Willd.*
hirsutum, *Bieb.*
leucadeum, *Guss.*
longicaule, *Boiss.*
maritimum, *Lam.*
Moellendorfianum, *Aschers.*
montanum, *Linn.*
podolicum, *Bess.*
saxatile, *Linn.*
— var. citrinum
— var. sulphureum
spinosum, *Linn.*
Wierzbeckii, *Heuff.*

Amelanchier
oligocarpa, *Roem.*

Ammobium
alatum, *R.Br.*

Anagallis
arvensis, *Linn.*
— var. phoenicea
linifolia, *Linn.*, var. Philipsii

Anaphalis
cinnomomea, *C. B. Clarke*
japonica, *Maxim.*
margaritacea, *Benth. et Hook. f.*
Royleana, *DC.*
triplinervis, *Sims*
yedoensis, *Maxim.*

Anchusa
capensis, *Thunb.*
italica, *Retz.*
officinalis, *Linn.*

Androsace
Chumbyi ×, *Hort.*
coccinea, *Franch.*
foliosa, *Klatt*
geraniifolia, *Watt*
lanuginosa, *Wall.*
— var. Leichtlini
sarmentosa, *Wall.*
villosa, *Linn.*

Andryala
ragusina, *Linn.*

Anemone
alpina, *Linn.*
cylindrica, *A. Gray*
decapetala, *Linn.*
demissa, *Hook. f. et Thoms.*
glaucifolia, *Franch.*
japonica, *Sieb. et Zucc.*
— var. alba
— var. hupehensis

Anemone—*continued.*
— var. tomentosa
magellanica, *Jancz.*
montana, *Hoppe*
multifida, *Poir.*
narcissiflora, *Linn.*
Pulsatilla, *Linn.*
rivularis, *Buch-Ham.*
rupicola, *Camb.*
sulphurea, *Linn.*
sylvestris, *Linn.*, var. major
vitifolia, *Buch.-Ham.*

Angelica
sylvestris, *Linn.*

Antennaria
alpina, *Gaertn.*, var. rosea
dioica, *Gaertn.*
— var. australis
— var. parvifolia
— var. tomentosa
imbricata, *E. Nels.*, var rosea

Anthemis
canescens, *Brot.*
cinerea, *Panc.*
macedonica, *Boiss.*

Anthericum
Liliago, *Linn.*

Anthoxanthum
odoratum, *Linn.*

Anthriscus
sylvestris, *Hoffm.*

Anthyllis
Jacquini, *A. Kern.*
montana, *Linn.*
— var. atrorubens

Antirrhinum
Asarina, *Linn.*
glutinosum, *Boiss.*
hispanicum, *Chav.*

Antirrhinum—*continued.*
majus, *Linn.*
Orontium, *Linn.*
sempervirens, *Lapeyr.*

Aphyllanthes
monspeliensis, *Linn.*

Aplopappus
croceus, *A. Gray*
suffruticosus, *A. Gray*

Aponogeton
distachyum, *Thumb.*

Aquilegia
Bertolonii, *Schott*
corymbosa, *Hort. Suend.*
discolor, *Levier et Leresche*
Einseleana, *Fr. Schultz*
flavescens, *S. Wats.*
formosa, *Fisch.*
glandulosa, *Fisch.*
Moorcroftiana, *Wall.*
olympica, *Boiss.*
Ottonis, *Orph.*
pubiflora, *Wall.*
Skinneri, *Hook.*
viridiflora, *Pall.*
vulgaris, *Linn.*
— var. atrata
— var. Haenkeana

Arabis
albida, *Stev.*
alpina, *Linn.*, var. crispata
arenosa, *Scop.*
brassicaeformis, *Wallr.*
Holboellii, *Hornem.*
muralis, *Bertol.*, var. rosea
rhaetica, *Bruegg.*

Aralia
californica, *S. Wats.*

Arbutus
Unedo, *Linn.*
— var. coccinea

Archangelica
officinalis, *Hoffm.*

Arctium
minus, *Bernh.*

Arctotis
stoechadifolia, *Berg.*

Arctostaphylos
media, *Greene*

Arenaria
austriaca, *Jacq.*
balearica, *Linn.*
banatica, *Heuff.*
Bertolonii, *Fiori et Paol.*
capillaris, *Poir.*
capitata, *Lam.*
ciliata, *Linn.*
— var. novegica (*Gunn*)
foliosa, *Royle*
frigida, *Rupr.*
gothica, *Fries*
gracilis, *Kit.*
graminifolia, *Schrad.*
grandiflora, *Linn.*
gypsophiloides, *Linn.*
juniperina, *Linn.*
Koriniana, *Fisch.*
laricifolia, *Linn.*
leptoclados, *Boiss.*
montana, *Linn.*, var. grandiflora
pinifolia, *Bieb.*
purpurascens, *Ramond*
saxatilis, *Linn.*
serpyllifolia, *Linn.*
setacea, *Thuill.*, var. erythrosepala
tmolea, *Boiss.*, var. Kotschyana
verna, *Linn.*, var. caespitosa
Villarsii, *Balb.*

Aristotelia
Macqui, *L'Herit.*
— var. variegata

Armeria
Adamovici, *Hort.*
alpina, *Willd.*
— var. nana
caespitosa, *Boiss.*
canescens, *Boiss.*
dianthifolia, *Hort.*
fasciculata, *Willd.*
japonica, *Hort.*
juncea, *Girard,* var. setacea
latifolia, *Willd.,* var. bracteata
leucocephala, *Koch*
longearistata, *Boiss. et Reut.*
maritima, *Willd.*
— var. alba
— var. Laucheana
olympica, *Hort.*
plantaginea, *Willd.*
sibirica, *Turcz.*

Arnebia
hispidissima, *DC.*

Arnica
alpina, *Olin et Ladau*
Chamissonis, *Less.*
montana, *Linn.*
sachalinensis, *A. Gray*

Arrhenatherum
avenaceum, *Beauv.*

Artemisia
canadensis, *Michx.*
hololeuca, *Bieb.*
Keiskeana, *Miq.*
lanata, *Willd.*
maritima, *Linn.*
nitida, *Bertol.*
sacrorum, *Ledeb.,* var. viridis
sericea, *Weber*
suffruticosa, *Hort.*
vulgaris, *Linn.*

Arum
italicum, *Mill.*
maculatum, *Linn.*

Asarum
canadense, *Linn.*
europaeum, *Linn.*

Asparagus
caspius, *Hort.*

Asperula
azurea, *Jaub. et Spach.,* var. setosa
ciliata, *Rochel*
humifusa, *Bess.*
odorata, *Linn.*

Asphodeline
liburnica, *Reichb.*

Asphodelus
albus, *Willd.*
— var. pyrenaicus

Aster
acris, *Linn.*
alpinus, *Linn.*
— var. albus
Amellus, *Linn.,* var. amelloides (*Hoffm.*)
amethystinus, *Nutt.*
Andersoni, *A. Gray*
Bigelovii, *A. Gray*
brachytrichus, *Franch.*
canus, *Waldst. et Kit.*
cordifolius, *Linn.,* var. elegans
corymbosus, *Ait.*
Curtisii, *Torr. et Gray*
dahuricus, *Benth.*
Delavayi, *Franch.*
diplostephioides, *Benth. et Hook. f.*
Douglasii, *Lindl.*
Farreri, *W. W. Sm.*
floribundus, *Nutt.*
foliaceus, *Lindl.*

Aster—*continued.*

fuscescens, *Bur. et Franch.*
Harrowianus, *Diels*
Hauptii, *Ledeb.*
himalaicus, *C. B. Clarke*
junceus, *Ait.*
laevis, *Linn.*
— var. decorus
longifolius, *Lam.*
macrophyllus, *Linn.*
molliusculus, *Wall.*
Novae-Angliae, *Linn.*
oreophilus, *Franch.*
paniculatus, *Lam.*
Porteri, *A. Gray*
prenanthoides, *Muhl.*
puniceus, *Linn.*
— var. lucidulus
pyrenaeus, *DC.*
ramulosus, *Hort.*
rivularis, *Cass.*
sibiricus, *Linn.*
sikkimensis, *Hook. f. et Thoms.*
staticifolius, *Franch.*
subcoeruleus, *S. Moore*
Thomsoni, *C. B. Clarke*
Tradescanti, *Linn.*
umbellatus, *Mill.*
Vahlii, *Hook. et Arn.*
Vilmorini, *Franch.*
yunnanensis, *Franch.*

Asterolinon

stellatum, *Hoffmgg. et Link*

Astilbe

Davidii, *Henry*, var. rosea
japonica, *A. Gray*
koreana, *Hort.*
rivularis, *Buch.-Ham.*
rubra, *Hook f. et Thoms.*
simplicifolia, *Makino*

Astragalus

alpinus, *Linn.*
aristatus, *L'Herit.*
asper, *Jacq.*
chlorostachys, *Lindl.*
Cooperi, *A. Gray*
danicus, *Retz.*, var. albus
depressus, *Linn.*
Echinus, *DC.*
exscapus, *Linn.*
frigidus, *A. Gray*
Glycyphyllos, *Linn.*
gummifer, *Labill.*
hypoglottis, *Linn.*
leontinus, *Wolfe*
Onobrychis, *Linn.*
penduliflorus, *Lam.*
pentaglottis, *Linn.*
podocarpus, *C. A. Mey.*
Poterium, *Vahl*
purpureus, *Lam.*
Robbinsii, *A. Gray*
Roemeri, *Simonkai*
sikkimensis, *Benth.*
sulcatus, *Linn.*
utriger, *Pall.*
verus, *Olivier*
vicioides, *R. Grah.*
Wulfeni, *Koch*

Astrantia

helleborifolia, *Salisb.*
major, *Linn.*
— var. intermedia
minor, *Linn.*
pauciflora, *Bertol.*

Atraphaxis

Billardieri, *Jaub. et Spach*

Atriplex

hortensis, *Linn.*, var. rubra

Atropa

Belladonna, *Linn.*

Aubrietia

Columnae, *Guss.*
croatica, *Schott, Nym. et Kotschy*

Aubrietia—*continued.*

deltoidea, *DC.*, var. Eyrei rosea
— var. lutea variegata
— var. magnifica
— var. Moerheimi
— var. Richardi
— var. Wallacei
erubescens, *Griseb.*
Pinardi, *Boiss.*

Aucuba

japonica, *Thunb.*

Avena

bromoides, *Gouan*
fatua, *Linn.*
pubescens, *Huds.*, var. transsilvanica
sativa, *Linn.*
sempervirens, *Vill.*
strigosa, *Schreb.*

Baccharis

patagonica, *Hook. et Arn.*

Ballota

nigra, *Linn.*
spinosa, *Link*

Baptisia

leucantha, *Torr. et Gray*

Barbarea

praecox, *R. Br.*
rupicola, *Moris*
vulgaris, *R. Br.*

Bellis

perrenis, *Linn.*, var. alpina

Bellium

bellidioides, *Linn.*

Berberis

aemulans, *Schneider*
aggregata, *Schneider*, var. Prattii
amurensis, *Rupr.*
angulosa, *Wall.*

Berberis—*continued.*

Aquifolium, *Pursh*
— var. fascicularis
— var. repens
aristata, *DC.*
brachypoda, *Maxim.*
brevipaniculata, *Schneider*
Coryi, *Hort.*
cretica, *Linn.*
Darwinii, *Hook.*
dictyophylla, *Franch.*
Gagnepaini, *Schneider*
Guimpellii, *C. Koch*
japonica, *R. Br.*
koreana, *Palibin*
mekongensis, *W. W. Sm.*
nepalensis, *Spreng.*
nervosa, *Pursh*
pruinosa, *Franch.*
purpurea, *Rafin.*, var. Egbertii
sinensis, *Desf.*, var. augustifolia
stenophylla, *Hance*
— var. erecta
— var. gracilis
— var. reflexa
subcaulialata, *Schneider*
virescens, *Hook. f.*
vulgaris, *Linn.*
Wilsonae, *Hemsl.*
yunnanensis, *Franch.*

Berkheya

purpurea, *Benth. et Hook. f.*

Beta

patellaris, *Mocq.*
vulgaris, *Linn.*

Betula

alba, *Linn.*
— var. pendula
— var. pubescens
Andrewsii, *A. Nelson*
Ermani, *Cham.*

Betula—*continued.*

humilis, *Schrank*
japonica, *Siebold*, var. mandshurica
— var. szechuanica
lenta, *Linn.*
lutea, *Michx.*
Medwediewi, *Regel*
nigra, *Linn.*
papyrifera, *Marsh.*
— var. excelsa
populifolia, *Marsh.*
tristis, *Wormsk.*
ulmifolia, *Sieb. et Zucc.*
utilis, *D. Don*
— var. Prattii
verrucosa, *Ehrh.*

Bidens

dahlioides, *S. Wats.*
ferulaefolia, *DC.*

Blumenbachia

insignis, *Schrad.*

Bocconia

cordata, *Willd.*
microcarpa, *Maxim.*

Borago

laxiflora, *Willd.*

Boykinia

occidentalis, *Torr. et Gray*

Brachycome

Sinclairii, *Hook. f.*

Brachypodium

distachyum, *Beauv.*
ramosum, *Roem. et Schult.*
sylvaticum, *Beauv.*

Brassica

alba, *Boiss.*
campestris, *Linn.*, var. chinensis (*Linn.*)

Brassica—*continued.*

hispida, *Boiss.*
oleracea, *Linn.*
— var. Caulo-Rapa
Schimperi, *Boiss.*

Briza

maxima, *Linn.*

Bruckenthalia

spiculifolia, *Reichb.*

Bryanthus

Breweri, *A. Gray*
empetriformis, *A. Gray*

Buddleia

albiflora, *Hemsl.*
alternifolia, *Maxim.*
Davidi, *Franch.*, var. superba
Forrestii, *Diels*
Hemsleyana, *Koehne*
stenostachya, *Rehd. et Wils.*
variabilis, *Hemsl.*
— var. Veitchiana

Bulbinella

Hookeri, *Benth. et Hook. f.*

Buphthalmum

salicifolium, *Linn.*
speciosum, *Schreb.*

Bupleurum

Candollii, *Wall.*
longicaule, *Wall.*

Butomus

umbellatus, *Linn.*

Buxus

sempervirens, *Linn.*

Calamintha

grandiflora, *Moench*
graveolens, *Benth.*
Nepeta, *Savi*

Calandrinia
grandiflora, *Lindl.*
umbellata, *DC.*

Calceolaria
biflora, *Lam.*
chelidonioides, *H. B. et K.*

Calendula
arvensis, *Linn.*

Callianthemum
rutaefolium, *C. A. Mey.*

Callirhoe
digitata, *Nutt.*

Calluna
vulgaris, *Salisb.*
— var. alba
— var. alba argentea
— var. alba minor
— var. alba pilosa
— var. alba pumila
— var. alba rigida
— var. Alporti
— var. aurea
— var. Hammondii
— var. hypnoides
— var. minima
— var. pygmaea
— var. pyrenaica
— var. Serlei
— var. tenuis

Caltha
leptosepala, *DC.*
palustris, *Linn.*
polypetala, *Hochst.*
scaposa, *Hook. f.*

Camassia
Cusickii, *S. Wats.*
esculenta, *Lindl.*

Campanula
alliariaefolia, *Willd.*
argyrotricha, *Wall.*

Campanula—*continued.*
bononiensis, *Linn.*
caespitosa, *Scop.*, var. Vensloi
carnica, *Schiede*
carpatica, *Jacq.*
— var. pelviformis
— var. turbinata
— var. turbinata alba
cervicaria, *Linn.*
colorata, *Wall.*
divaricata, *Michx.*
elegans, *Roem. et Schult.*
excisa, *Schleich.*
Fergusoni ×, *Ferguson*
filicaulis, *Dur.*
glomerata, *Linn.*, var. superba
Hendersoni ×, *Hort.*
incurva, *Auch.*
kolenatiana, *C. A. Mey.*
lactiflora, *Bieb.*
lanata, *Friwald.*
latifolia, *Linn.*, var. macrantha
— var. macrantha alba
— var. macrantha lilacina
linifolia, *Scop.*
macrorrhiza, *J. Gay*
Marchesettii, *Wit.*
Medium, *Linn.*, var. calycanthema
michauxioides, *Boiss.*
modesta, *Hook. f. et Thoms.*
Parryi, *A. Gray*
persicifolia, *Linn.*
pilosa, *Pall.*
pseudo-carnica, *Hort.*
pulcherrima, *Hort.*
pulloides, *Hort. Kew.*
pusilla, *Haenke*, var. alba
pyramidalis, *Linn.*
pyrenaica, *A. DC.*
Raddeana, *Trautv.*
Rainerii, *Perpent.*
Rapunculus, *Linn.*

Campanula—*continued.*

rapunculoides, *Linn.*
Reuteriana, *Boiss. et Bal.*
rhomboidalis, *Linn.*
rhomboidea, *Murr.*
rotundifolia, *Linn.*
— var. arcuata
— var. Baumgartenii
— var. grandiflora
— var. magnifica
— var. stenocodon
salicifolia, *Hort.*
Scheuchzeri, *Vill.*
spicata, *Linn.*
Teymonsii, *Hort.*
thyrsoides, *Linn.*
Trachelium, *Linn.*
versicolor, *Sibth. et Sm.*

Capsella

Bursa-pastoris, *Medic.*

Caragana

arborescens, *Linn.*, var. cuneifolia
— var. foliis variegatis
— var. pendula
Boisi, *Schneider*

Cardamine

asarifolia, *Linn.*
resedifolia, *Linn.*

Carduus

medius, *Gouan*

Carex

atrata, *Linn.*
binervis, *Sm.*
Buchanani, *Berggr.*
canescens, *Linn.*
capillaris, *Linn.*
digitata, *Linn.*
distans, *Linn.*
divulsa, *Good.*
flava, *Linn.*, var. viridula
frigida, *All.*
glauca, *Scop.*

Carex—*continued.*

Grayii, *Carey*
helvola, *Blytt*
Hornschuchiana, *Hoppe*
incurva, *Lightf.*
— var. erecta, *O. F. Lang*
japonica, *Thunb.*, var. variegata
laevigata, *Sm.*
lepidocarpa, *Tausch*
leporina, *Linn.*
lupulina, *Muhl.*
montana, *Linn.*
muricata, *Linn.*
ornithopoda, *Willd.*
paniculata, *Linn.*
paludosa, *Good.*
paradoxa, *Willd.*
Pseudo-cyperus, *Linn.*
punctata, *Gaud.*
remota, *Linn.*
rigida, *Good.*
ternaria, *Forst.*
vaginata, *Tausch*
vesicaria, *Linn.*, var. Grahami, *Boott*

Carmichaelia

Enysii, *T. Kirk*
flagelliformis, *Colenso*
Petriei, *T. Kirk*
robusta, *T. Kirk*

Carrichtera

Vella, *DC.*

Carum

Bulbocastanum, *Koch*

Cassinia

fulvida, *Hook. f.*
leptophylla, *R. Br.*
Vauvilliersii, *Hook. f.*

Cassiope

fastigiata, *G. Don*
Mertensiana, *G. Don*

Catananche
bicolor, *Hort.*
caerulea, *Linn.*

Cathcartia
villosa, *Hook. f.*

Cautleya
lutea, *Royle*

Ceanothus
Fendleri, *A. Gray*
integerrimus, *Hook. et Arn.*

Cedronella
cana, *Hook.*
triphylla, *Moench*

Celastrus
scandens, *Linn.*

Celmisia
coriacea, *Raoul*
densiflora, *Hook. f.*
holosericea, *Hook. f.*
Lindsayi, *Hook. f.*
longifolia, *Cass.*
Munroi, *Hook. f.*
petiolata, *Hook. f.*
spectabilis, *Hook. f.*
verbascifolia, *Hook. f.*
viscosa, *Hook. f.*

Centaurea
Cyanus, *Linn.*
— var. alba
cynaroides, *Link*
dealbata, *Willd.*
glastifolia, *Linn.*
Kerneriana, *Janka*
lutea, *Gueldenst.*
macrocephala, *Puschk.*
Montana, *Linn.*
— var. ochroleuca
Moschata, *Linn.*
nervosa, *Willd.*
nigra, *Linn.*

Centaurea—*continued*
phrygia, *Linn.*
Rhaponticum, *Linn.*
salmantica, *Linn.*
Scabiosa, *Linn.*
sordida, *Willd.*
uniflora, *Linn.*

Centranthus
ruber, *DC.*

Cephalaria
alpina, *Schrad.*
graeca, *Roem. et Schult.*
radiata, *Griseb. et Schenk*

Cerastium
alpinum, *Linn.*
arvense, *Linn.*
— var. Andrewsii
illyricum, *Ard.*

Cerinthe
major, *Linn.*

Chaerophyllum
aureum, *Linn.*

Charieis
heterophylla, *Cass.*

Cheiranthus
Cheiri, *Linn.*
Senoneri, *Heldr. et Sart.*

Chelidonium
Franchetianum, *Prain*
majus, *Linn.*
— var. laciniatum

Chelone
glabra, *Linn.*

Chenopodium
album, *Linn.*
Bonus-Henricus, *Linn.*
Vulvaria, *Linn.*

Chionodoxa
Luciliae, *Boiss.*

Chorispora
iberica, *DC.*

Chrysanthemum
arcticum, *Linn.*
densum, *Steud.*
Kotschyi, *Hort. Edin.*
lacustre, *Brot.*
Leucanthemum, *Linn.*
maximum, *Ramond*
Parthenium, *Bernh.*
Segetum, *Linn.*
Zawadskii, *Herbich*

Chrysogonum
virginianum, *Linn.*

Chrysopsis
camporum, *Greene*
villosa, *DC.*, var. Rutteri

Cichorium
Intybus, *Linn.*

Cimicifuga
cordifolia, *Pursh*
japonica, *Miq.*
racemosa, *Nutt.*

Circaeaster
agrestis, *Maxim.*

Cistus
laurifolius, *Linn.*

Cladothamnus
pyroliflorus, *Bong.*

Clarkia
elegans, *Dougl.*

Claytonia
perfoliata, *Donn*
virginica, *Linn.*

Clematis
heracleaefolia, *DC.*
integrifolia, *Linn.*

Clematis—*continued.*
— var. alba
ligusticifolia, *Nutt.*
ochroleuca, *Ait.*
orientalis, *Linn.*
— var. latifolia
recta, *Linn.*
— var. mandschurica Rupr.
— var. purpurea
songorica, *Bunge*

Clethra
alnifolia, *Linn.*, var. paniculata
canescens, *Reina.*
Delavayi, *Franch.*

Clintonia
alpina, *Kunth*
umbellata, *Torr.*

Cneorum
tricoccon, *Linn.*

Cnicus
acaulis, *Willd.*
Bertolonii, *Bertol.*
canus, *Roth*
eriophorus, *Roth*
Falconeri, *Hook. f.*
oleraceus, *Linn.*
pratensis, *Willd.*
tartaricus, *Willd.*

Cochlearia
glastifolia, *Linn.*

Codonopsis
meleagris, *Diels*
ovata, *Benth.*
silvestris, *Kom.*
subglobosa, *W. W. Sm.*
subsimplex, *Hook. f. et Thoms.*

Coix
Lacryma-Jobi, *Linn.*

Colchicum
arenarium, *Waldst. et Kit.*
neapolitanum, *Tenore*

Collinsia
bicolor, *Benth.*
grandiflora, *Dougl.*

Collomia
coccinea, *Lehm.*
linearis, *Nutt.*

Coluria
elegans, *Card.*

Colutea
brevialata, *Lange*
longialata, *Koehne*

Conium
maculatum, *Linn.*

Convallaria
majalis, *Linn.*

Convolvulus
cantabrica, *Linn.*
crenatifolius, *Ruiz et Pav.*, var. argenteus
mauritanicus, *Boiss.*

Corethrogyne
rigida, *A. A. Heller*

Coriaria
japonica, *A. Gray*
myrtifolia, *Linn.*
nepalensis, *Wall.*

Cornus
alba, *Linn.*, var. foliis tricoloribus
Baileyi, *Coult. et Evans*
glabrata, *Benth.*
pubescens, *Nutt.*
sanguinea, *Linn.*
— var. viridissima
stolonifera, *Michx.*
— var. flaviramea

Corokia
Cotoneaster, *Raoul*
— var. fructu-luteo

Coronilla
emeroides, *Boiss. et Sprun.*
viminalis, *Salisb.*

Cortia
Lindleyi, *DC.*

Corydalis
cheilanthifolia, *Hemsl.*
lutea, *DC.*
pallida, *Pers.*

Corynephorus
canescens, *Beauv.*

Cotoneaster
acutifolia, *Lindl.*
— var. villosula
adpressa, *Boiss.*
affinis, *Lindl.*
ambigua, *Rehder et Wilson*
amoena, *E. H. Wilson*
apiculata, *Rehder et Wilson*
bullata, *Bois*
— var. macrophylla
buxifolia, *Wall.*
Dammeri, *Schneider*
denticulata, *H. B. et K.*
Dielsiana, *Pritzel*
divaricata, *Rehder et Wilson*
foveolata, *Rehder et Wilson*
Francheti, *Bois*
frigida, *Wall.*
glaucophylla, *Franch.*
— var. vestita
Harroviana, *E. H. Wilson*
hebephylla, *Diels*, var. monopyrena
Henryana, *Rehder et Wilson*
horizontalis, *Decne.*
— var. perpusilla

Cotoneaster—*continued*

moupinensis, *Franch.*
multiflora, *Bunge*
— var. calocarpa
Nummularia, *Fisch. et Mey.*
— var. Meyeri
obscura, *Rehder et Wilson*
rugosa, *Pritzel,* var. Henryana, *C. K. Schneider*
rupestris, *Hort.*
salicifolia, *Franch.,* var. floccosa
Simonsii, *Baker*
thymifolia, *Baker*
tomentosa, *Lindl.*
Zabeli, *C. K. Schneider*

Crambe

cordifolia, *Stev.*
maritima, *Linn.*
palmatifida, *Regel et Schmalh.*

Craspedia

uniflora, *Forst. f.*

Crataegus

arkansana, *Sargent*
Azarolus, *Linn.*
beta, *Sargent*
Blanchardi, *Sargent*
caesa, *Ashe*
canadensis, *Sargent*
Carrierei, *Vauvel*
coccinea, *Linn.*
— var. flabellata, *Britton*
— var. indentata, *Hort.*
Crus-galli, *Linn.,* var. splendens
Douglasi, *Lindl.*
durobrivensis, *Sargent*
Ellwangeriana, *Sargent*
flammea, *Sargent*
formosa, *Sargent*
Heldreichii, *Boiss.*
irrasa, *Sargent*

Crataegus—*continued.*

intricata, *Lange*
Jackii, *Sargent*
macracantha, *Lodd.*
matura, *Sargent*
melanocarpa, *Bieb.*
mollis, *Scheele*
nigra, *Waldst. et Kit.*
orientalis, *Pall.*
Oxyacantha, *Linn.*
— var. flore puniceo
— var. fructu luteo
— var. fuscata, *Hort.*
— var. monogyna, *Jacq.*
— var. pendula
— var. pteridifolia
— var. punicea flore plena
— var. stricta
— var. variegata
pentagyna, *Kit.*
pulchra, *Sargent*
Pyracantha, *Pers.,* var. Lalandi, *Hort.*
rotundifolia, *Moench*
saligna, *Greene*
scabrida, *Sargent*
sorbifolia, *Desf.*
submollis, *Sargent*
uniflora, *Muench.*
Vailiae, *Britton*
virella, *Ashe*
Wilsoni, *Sargent*

Crepis

blattarioides, *Vill.*
grandiflora, *Tausch*
incana, *Sibth. et Sm.*
Jacquini, *Tausch*
pygmaea, *Linn.*
rubra, *Linn.*

Crocus

zonatus, *J. Gay*

Crucianella

angustifolia, *Linn.*

Cryptomeria
japonica, *D. Don*

Cuminum
Cyminum, *Linn.*

Cupressus
Benthami, *Endl.*
Goveniana, *Gord.*
Lawsoniana, *A. Murr.*
— var. albospica
— var. argentea
— var. versicolor
lusitanica, *Mill.*
Macnabiana, *Andr.*
nootkatensis, *Lamb.*
— var. glauca
sempervirens, *Linn.*
torulosa, *D. Don*

Cyananthus
lobatus, *Wall.*
macrocalyx, *Franch.*

Cyclamen
europaeum, *Linn.*
neapolitanum, *Tenore*

Cydonia
japonica, *Thunb.*
— var. alba
— var. columbia
Maulei, *T. Moore*

Cymopterus
anisatus, *A. Gray*

Cynoglossum
amabile, *Stapf et Drumm.*
denticulatum, *A. DC.*
nervosum, *Benth.*
officinale, *Linn.*
pictum, *Ait.*
Wallichii, *G. Don*

Cypripedium
acule, *Ait.*

Cytisus
albus, *Linn.*
Ardoini, *Fourn.*
austriacus, *Linn.*
decumbens, *Walp.*
eriocarpus, *Boiss.*
hirsutus, *Linn.*
monspessulanus, *Linn.*
nigricans, *Linn.*
purgans, *Boiss.*
purpureus, *Scop.*
— var. erectus
scoparius, *Link*
— var. Andreanus
— var. prostratus
sessilifolius, *Linn.*

Daboecia
polifolia, *D. Don*
— var. alba
— var. bicolor
— var. purpurea

Dactylis
glomerata, *Linn.*
— var. variegata

Dahlia
Merckii, *Lehm.*

Daphne
aurantiaca, *Hort.*
Mezereum, *Linn.*
— var. grandiflorum
oleoides, *Linn.*
retusa, *Hemsl.*
sericea, *Vahl*

Datisca
cannabina, *Linn.*

Datura
inermis, *Jacq.*
Stramonium, *Linn.*

Daucus
Carota, *Linn.*

Deinanthe
caerulea, *Stapf*

Delphinium
altissimum, *Wall.*
bicolor, *Nutt.*
Brunonianum, *Royle*
Bulleyanum, *G. Forrest*
cashmirianum, *Royle*
corymbosum, *Regel*
Delavayi, *Franch.*
dictyocarpum, *DC.*
Duhmbergii, *Huth*
elatum, *Linn.*
— var. alpinum
flexuosum, *Rafin.*
formosum, *Boiss. et Huet*
grandiflorum, *Linn.*
hybridum, *Steph.*
Maackianum, *Regel*
nudicaule, *Torr. et Gray*
occidentale, *S. Wats.*
pellucidum, *Busch*
Przewalskii, *Huth*
Pylzowi, *Maxim.*
Requienii, *DC.*
scopulorum, *A. Gray*, var. stachydeum
speciosum, *Bieb.*, var. glabratum
Staphisagria, *Linn.*
tatsienense, *Franch.*
— var. album
vestitum, *Wall.*

Deschampsia
flexuosa, *Trin.*

Desfontainea
spinosa, *Ruiz et Pav.*

Deutzia
corymbosa, *R. Br.*
corymbiflora, *Lemoine*
discolor, *Hemsl.*
— var. fasciculata
— var. purpuracens

Deutzia—*continued.*
glomeruliflora, *Franch.*
gracilis, *Sieb. et Zucc.*
— var. campanulata
— var. carminea
— var. rosea
Lemoinei, *Hort.*
longifolia, *Franch.*
parviflora, *Bunge*
scabra, *Thunb.*
Schneideriana, *Rehder*, var. laxiflora
Veitchii, *Hort.*

Dianthus
alpinus, *Linn.*
arenarius, *Linn.*
Armeria, *Linn.*
attenuatus, *Sm.*
banaticus, *Heuff.*
barbatus, *Linn.*
caesius, *Sm.*
— var. semiplenus
campestris, *Bieb.*
Carthusianorum, *Linn.*
chinensis, *Linn.*
cinnabarinus, *Sprun.*
crinitus, *Sm.*
delicatus, *Hort.*
deltoides, *Linn.*
— var. glaucus
— var. superbus
Falconeri, *Edgew. et Hook. f.*
fragrans, *Bieb.*
furcatus, *Balb.*
gallicus, *Pers.*
grandiflorus, *Poir.*
humilis, *Willd.*
Liboschitzianus, *Ser.*
monspessulanus, *Linn.*, var. alpestris
montanus, *Hort. Corr.*
neglectus, *Loisel.*
— var. Roysii
Noeanus, *Boiss.*

Dianthus—*continued.*
petraeus, *Waldst. et Kit.*, var. spiculifolius
plumarius, *Linn.*
pungens, *Linn.*
Requienii, *Gren. et Godr.*
rupicolus, *Bivona*
scardicus, *Wettst.*
squarrosus, *Bieb.*
Sternbergii, *Sibth.*
strumarius, *Hort*
subacaulis, *Vill.*
superbus, *Linn.*
sylvestris *Wulf.*
tener, *Balb.*
tymphresteus, *Heldr. et Sart.*
Velenowskyi, *Borb.*
virgineus, *Linn.*
viscidus, *Bory et Chaub.*
zonatus, *Fenzl*

Dicentra
eximea, *Torr.*
formosa, *Walp.*

Dictamnus
albus, *Linn.*
— var. tauricus

Diervilla
coraeënsis, *DC.*, var. grandiflora
florida, *Sieb. et Zucc.*
Lonicera, *Mill.*
Middendorfiana, *Car.*
sessilifolia, *Buckle*

Digitalis
ambigua, *Murr.*
lutea, *Linn.*
mariana, *Boiss.*
obscura, *Linn.*
purpurea, *Linn.*
— var. alba
— var. monstrosa

Dimorphotheca
pluvialis, *Moench*
sinuata, *DC.*

Dipelta
yunnanensis, *Franch.*

Diphylleia
cymosa, *Michx.*

Diplachne
fusca, *Beauv.*

Dipsacus
asper, *Wall.*
chinensis, *Batal.*
fullonum, *Linn.*
inermis, *Wall.*
pilosus, *Linn.*
sylvestris, *Mill.*

Discaria
Toumatou, *Raoul*

Dodecatheon
frigidum, *Cham. et Schlecht.*
Lemoinei, *Hort.*, var. excelsum
Meadia, *Linn.*, var. splendidum
pauciflorum, *Greene*

Doronicum
caucasicum, *Bieb.*

Dorycnium
rectum, *Ser.*
suffruticosum, *Vill.*

Draba
aizoides, *Linn.*
— var. Bertolonii
altaica, *Ledeb.*
arabisans, *Michx.*
athoa, *Boiss.*
bronchialis, *Hort.*
cornuta, *Hort.*

Draba—*continued.*

corsica, *Stein*
elata, *Hook. f. et Thoms.*
hirta, *Linn.*
— var. dovrensis, *Fries*
incana, *Linn.*
— var. Adamsii
laxa, *Lindblom*
Loiseleurii, *Boiss.*
nemorosa, *Linn.*
nivalis, *Lilj.*
oxycarpa, *Boiss. et Heldr.*
pycnosperma, *Fernald et Knowlton*
rupestris, *R. Br.*
siliquosa, *Bieb.*
surculosa, *Franch.*
verna, *Linn.*

Dracocephalum

botryoides, *Stev.*
Forrestii, *W. W. Sm.*
imberbe, *Bunge*
Isabellae, *G. Forrest*
nutans, *Linn.*
peregrinum, *Linn.*
Purdomii, *W. W. Sm.*
Ruprechti, *Regel*
Ruyschiana, *Linn.*
speciosum, *Benth.*
Wilsonii, *Dunn*

Dryas

Drummondii, *Richards.*
octopetala, *Linn.*
Suendermannii, *Hort.*

Echinops

exaltatus, *Schrad.*
niveus, *Wall.*
Ritro, *Linn.*
sphaerocephalus, *Linn.*

Echium

violaceum, *Linn.*

Edraianthus

dalmaticus, *DC.*

Edraianthus—*continued.*

graminifolius, *DC.*
tenuifolius, *DC.*

Elaeagnus

multiflora, *Thunb.*
umbellata, *Thunb.*

Elliottia

paniculata, *Benth. et Hook.*

Elymus

arenarius, *Linn.*

Empetrum

nigrum, *Linn.*
— var. scoticum

Enkianthus

latiflorus, *Craib*
Palibinii, *Craib*
pallidiflorus, *Craib*
pendulus, *Craib*
perulatus, *Schneider*
recurvus, *Craib*
sinohimalaicus, *Craib*
tectus, *Craib*

Epilobium

angustifolium, *Linn.*
— var. album
arcuatum, *Petrie*
Cockaynianum, *Petrie*
collinum, *C. C. Gmel.*
Dodonaei, *Vill.*
glabellum, *Forst.*
hirsutum, *Linn.*
— var. variegatum
luteum, *Pursh*
macropus, *Hook.*
microphyllum, *A. Rich.*
montanum, *Linn.*
prostratum, *Warb.*
reticulatum, *C. B. Clarke*
rosmarinifolium, *Haenke*
tetragonum, *Linn.*

Eranthis

cilicica, *Schott et Kotschy*

Eremurus

robustus, *Regel*, var. Elwesianus

Erica

australis, *Linn.*
ciliaris, *Linn.*
cinerea, *Linn.*
— var. alba minor
— var. atropurpurea
— var. atrosanguinea
— var. coccinea
— var. pallida
— var. rosea
Mackaii, *Hook.*
Praegeri ×
stricta, *Donn*
Tetralix, *Linn.*
— var. alba mollis
— var. Lawsoniana
— var. rubra
— var. Stuartii
vagans, *Linn.*, var. alba
— var. alba minor
— var. leucantha
— var. pallida
Watsoni ×, *Benth.*

Erigeron

Bloomeri, *A. Gray*
Coulteri, *Porter et Coulter*
flagellaris, *A. Gray*
glabellus, *Nutt.*
— var. mollis
grandiflorus, *Hook.*
hyssopifolius, *Michx.*
leiomerus, *A. Gray*
macranthus, *Nutt.*
montanensis, *Rydb.*
multiradiatus, *Benth. et Hook. f.*
— var. platyphyllus
oreganus, *A. Gray*
peregrinus, *Greene*, var. Dawsoni
philadelphicus, *Linn.*

Erigeron—*continued.*

Roylei, *DC.*
Rusbyi, *A. Gray*
salsuginosus, *A. Gray*
speciosus, *DC.*, var. major
— var. superbus
trifidus, *Hook.*, var. albescens

Erinacea

pungens, *Boiss.*

Erinus

alpinus, *Linn.*
— var. carmineus

Eriogonum

nudum, *Dougl. et Benth.*
umbellatum, *Torr.*

Eriophyllum

caespitosum, *Dougl.*

Erodium

carvifolium, *Boiss.*
corsicum, *Leman*
Kolbianum, *Hort.*
macradenum, *L'Hérit.*
petraeum, *Willd.*
trichomanefolium, *L'Hérit.*
Wilkommianum, *Hort. Suend.*

Eryngium

agavifolium, *Griseb.*
alpinum, *Linn.*
Bourgati, *Gouan*
dichotomum, *Desf.*
eburneum, *Decne.*
planum, *Linn.*, var. roseum
prostratum, *Nutt.*
Serra, *Cham. et Schlecht.*
Wrightii, *A. Gray*
yuccaefolium, *Michx.*

Erysimum
bracteatum, *W. W. Sm.*
capitatum, *Greene*
cheiranthoides, *Linn.*
linifolium, *J. Gay*
murale, *Desf.*
nanum, *Boiss. et Hohen.*
Perofskianum, *Fisch. et Mey.*
pumilum, *Nutt.*

Erythraea
conferta, *Pers.*

Escallonia
edinensis ×, *Hort.*
Philippiana, *Masters*
pterocladon, *Hook.*
punctata, *DC.*
rubra, *Pers.*

Eschscholzia
californica, *Cham.*

Euonymus
europaeus, *Linn.*
latifolius, *Mill.*
— var. planipes

Eupatorium
ageratoides, *Linn.*
cannabinum, *Linn.*
deltoideum, *Jacq.*
glechonophyllum, *Less.*
purpureum, *Linn.*
Rothrockii, *A. Gray*

Euphorbia
balsamifera, *Ait.*
portlandica, *Linn.*
spinosa, *Linn.*

Exochorda
Albertii, *Regel*

Fagopyrum
esculentum, *Moench*

Falcaria
vulgaris, *Dernh.*

Farsetia
clypeata, *R. Br.*

Fedia
Cornucopiae, *Gaertn.*

Felicia
petiolata, *N. E. Br.*

Ferula
glauca, *Linn.*

Festuca
amethystina, *Linn.*
ovina, *Linn.*
— var. glauca
— var. vivipara
rubra, *Linn.*
valesiaca, *Schleich.*

Foeniculum
giganteum, *Hort.*
vulgare, *Mill.*

Forsythia
suspensa, *Vahl*

Fragaria
californica, *Cham. et Schlecht.*
vesca, *Linn.*
— var. semperflorens

Fraxinus
excelsior, *Linn.*
floribunda, *Wall.*
Ornus, *Linn.*

Fritillaria
Meleagris, *Linn.*, var. alba
Pontica, *Wahlenb.*

Fuchsia
Riccartoni ×, *Hort.*

Fumaria
officinalis, *Linn.*

Funkia
Sieboldiana, *Hook.*

Gaillardia
aristata, *Pursh*

Galax
aphylla, *Linn.*

Galega
officinalis, *Linn.*
— var. rosea
patula, *Stev.*, var. Hartlandi

Galinsoga
parviflora, *Cav.*

Galium
erectum, *Huds.*
purpureum, *Linn.*
saccharatum, *All.*

Galtonia
candicans, *Decne.*

Garrya
elliptica, *Dougl.*

Gaultheria
antipoda, *Forst. f.*
— var. erecta
fragrantissima, *Wall.*
Griffithiana, *Wight*
hispida, *R. Br.*, var. fructu albo
nummularioides, *D. Don*
oppositifolia, *Hook. f.*
pyrolaefolia, *Hook. f.*
— var. cuneata
— var. fructu albo
Shallon, *Pursh*
trichophylla, *Royle*

Gaura
parviflora, *Dougl.*

Gazania
splendens ×, *Hort.*, var. variegata

Genista
aethnensis, *DC.*
anglica, *Linn.*
dalmatica, *Bartl. et Wendl. f.*
depressa, *Bieb.*
germanica, *Linn.*
hispanica, *Linn.*
pilosa, *Linn.*
sagittalis, *Linn.*
sylvestris, *Scop.*
tinctoria, *Linn.*
— var. anxantica
— var. apennina
— var. prostrata
virgata, *DC.*

Gentiana
alba, *Muhl.*
asclepiadea, *Linn.*
crassicaulis, *Duthie*
cruciata, *Linn.*, var. macrophylla
detonsa, *Rottb.*
Fetisowi, *Regel et Winkler*
Freyniana, *Bornm.*
lutea, *Linn.*
macrophylla, *Pall.*, var. cyanea
obtusifolia, *Willd.*
Olivieri, *Griseb.*
pannonica, *Scop.*
phlogifolia, *Schott et Kotschy*
pterocalyx, *Franch.*
Przewalskii, *Maxim.*
purpurea, *Linn.*
robusta, *King*
septemfida, *Pall.*
— var. cordifolia
— var. latifolia
— var. procumbens
tibetica, *King*
tubulosa, *Gilg*
verna, *Linn.*

Geranium
albiflorum, *Ledeb.*
anemonifolium, *L'Hérit.*
Bicknellii, *Britton*
dissectum, *Linn.*
Endressi, *J. Gray*
erianthum, *DC.*
grandiflorum, *Hort.*
Londesii, *Fisch.*
lucidum, *Linn.*
macrorrhizum, *Linn.*
molle, *Linn.*
platypetalum, *Franch.*
pratense, *Linn.*
— var. album
— var. bicolor
refractum, *Edgw. et Hook.f.*
Richardsonii, *Fisch. et Trautv.*, var. album
Robertianum, *Linn.*
roseum, *Hort.*
sanguineum, *Linn.*
— var. album
— var. lancastriense
— var. prostratum
sessiliflorum, *Cav.*
subcaulescens, *L'Hérit.*
sylvaticum, *Linn.*
— var. album
— var. platypetalum
— var. Wanneri
Traversii, *Hook. f.*
Wallichianum, *D. Don*
yedoense, *Franch. et Sav.*
yunnanense, *Franch.*

Gerbera
Kunzeana, *A. Br. et Aschers.*

Geum
albiflorum, *Cheesem.*
album, *J. F. Gmel.*
atrosanguineum, *Hort.*
Borisii ×, *Kellerer*
bulgaricum, *Panc.*
coccineum, *Sibth. et Sm.*

Geum—*continued.*
elatum, *Wall.*
Heldreichii, *Hort.*, var. superbum
inclinatum, *Schleich.*
intermedium ×, *Ehrh.*
Laxmanni, *Gaertn.*
macrophyllum, *Willd.*
montanum, *Linn.*, var. corsicum
parviflorum, *Commers.*
pyrenaicum, *Mill.*
rhaeticum, *Bruegg.*
rivale, *Linn.*
tirolense, *Kern.*
triflorum, *Pursh*
uniflorum, *J. Buch.*
urbanum, *Linn.*
vernum, *Torr. et Gray*

Gilia
androsacea, *Steud.*
capitata, *Sims*
nivalis, *Hérincq*
tricolor, *Benth.*

Gillenia
stipulacea, *Nutt.*

Glaucium
cappadocicum, *Boiss.*
corniculatum, *Curt.*

Globularia
orientalis, *Linn.*
spinosa, *Linn.*
trichosantha, *Fisch. et Mey.*
vulgaris, *Linn.*

Glyceria
aquatica, *Wahlenb.*

Gnaphalium
sylvaticum, *Linn.*, var. scoparium
trinerve, *Forst. f.*

Grindelia
integrifolia, *DC.*

Gueldenstaedtia
himalaica, *Baker*

Gunnera
chilensis, *Lam.*

Gypsophila
paniculata, *Linn.*
prostrata, *Linn.*
transsylvanica, *Spreng.*

Habenaria
conopsea, *Benth.*

Haberlea
Ferdinandi-Coburgii, *Urumoff*
rhodopensis, *Frivald.*
— var. virginalis

Hastingsia
alba, *S. Wats.*

Hebenstretia
comosa, *Hochst.*

Hedera
Helix, *Linn.*, var. arborea

Hedysarum
esculentum, *Ledeb.*
microcalyx, *Baker*
obscurum, *Linn.*
philoscia, *A. Nelson*
sibiricum, *Poir.*

Helenium
autumnale, *Linn.*, var. Hallerі
— var. pumilum
Hoopesii, *A. Gray*

Helianthemum
apenninum, *Lam. et DC.*
hirtum, *Mill.*
hymettium, *Boiss. et Heldr.*
pilosum, *Benth.*, var. purpureum
polifolium, *DC.*
Tuberaria, *Mill.*
umbellatum, *Mill.*
vulgare, *Gaertn.*
— var. cruentum
— var. roseum
— var. variegatum

Helianthus
annuus, *Linn.*
pumilus, *Nutt.*
strumosus, *Linn.*

Helichrysum
antennarium, *F. Muell.*
bellidioides, *Willd.*
callichrysum, *DC.*
diosmaefolium, *Sweet*
frigidum, *Willd.*
lanatum, *DC.*
plicatum, *DC.*
rutidolepis, *DC.*

Heliophila
amplexicaulis, *Linn. f.*
crithmifolia, *Willd.*

Heliopsis
scabra, *Dun.*, var. Pitcheriana

Helipterum
Manglesii, *F. Muell.*
— var. roseum

Helonias
bullata, *Linn.*

Helleborus
lividus, *Ait.*
viridis, *Linn.*

Hemerocallis
fulva, *Linn.*
— var. angustifolia

Heracleum
asperum, *Bieb.*
sibiricum, *Linn.*, var. angustifolium
Sphondylium, *Linn.*
villosum, *Fisch.*

Herniaria
glabra, *Linn.*

Hesperis
matronalis, *Linn.*

Heuchera
americana, *Linn.*
cylindrica, *Dougl.*
— var. glabella (*Torr. et Gray*)
Drummondii, *Hort.*
glabra, *Willd.*
hispida, *Pursh*
pilosella, *Rydb.*
pilosissima, *Fisch. et Mey*

Hieracium
alpinum, *Linn.*
Auricula, *Linn.*
aurantiacum, *Linn.*
Bornmuelleri, *Freyn*
brevifolium, *Hort.*
callistophyllum, *Hanbury*
curvatum, *Elfstr.*
glabrum, *Kit.*, var. album
Gouani, *Hegetschw.*
gymnocephalum, *Griseb.*
Heldreichii, *Boiss.*
incanum, *Bieb.*
incisum, *Hoppe*
lanatum, *Waldst. et Kit.*
nigrescens, *Willd.*
pallidum, *Biv.*
Pilosella, *Linn.*
sinuans, *Hanbury*
Sommerfeltii, *Lindeb.*
villosum, *Jacq.*

Hippocrepis
comosa, *Linn.*

Hippophae
rhamnoides, *Linn.*
salicifolia, *D. Don*

Holcus
mollis, *Linn.*, var. variegatus

Homogyne
alpina, *Cass.*

Hordeum
vulgare, *Linn*

Horminum
pyrenaicum, *Linn.*
— var. pallidum
— var. purpureum
— var. roseum

Hosackia
oblongifolia, *Benth.*
Torreyi, *A. Gray*

Hunnemannia
fumariaefolia, *Sweet*

Hutchinsia
petraea, *R. Br.*

Hyacinthus
amethystinus, *Linn.*
azureus, *Baker*

Hydrangea
petiolaris, *Sieb. et Zucc.*
Sargentiana, *Rehder*
vestita, *Wall.*
xanthoneura, *Diels*, var. glabrescens
— var. setchuenensis,
— var. Wilsonii.

Hydrocotyle
moschata, *Forst.*

Hymenanthera
crassifolia, *Hook. f.*

Hyoscyamus
niger, *Linn.*

Hyoseris
radiata, *Linn*

Hypecoum
leptocarpum, *Hook. f. et Thoms.*

Hypericum
Androsaemum, *Linn.*
balearicum, *Linn.*
Coris, *Linn.*
elatum, *Ait.*
floribundum, *Dryand.*
fragile, *Heldr. et Sart.*
Hookerianum, *Wight et Arn.*
inodorum, *Mill.*
intermedium, *Steud.*
Kotschyanum, *Boiss.*
lysimachioides, *Wall.*
nanum, *Poir.*
olympicum, *Linn.*
orientale, *Linn.*
patulum, *Thunb.*
— var. Henryi
perforatum, *Linn.*
polyphyllum, *Boiss.*
Przewalskii, *Maxim.*
pulchrum, *Linn.*
repens, *Linn.*
reptans, *Hook. f. et Thoms.*
Webbii, *Steud.*

Hyssopus
officinalis, *Linn.*
— var. grandiflorus

Iberis
Bernardiana, *Gren. et Godr.*
Lagascana, *DC.*
Pruiti, *Tineo*
semperflorens, *Linn.*
sempervirens, *Linn.*, var. superba

Ilex
Aquifolium, *Linn.*
— var. argentea
— var. argentea medio-picta
— var. argentea pendula
— var. aurantiaca margin-ata
— var. aurea angustifolia
— var. aurea marginata
— var. aurea medio-picta
— var. balearica
— var. camelliaefolia
— var. flavescens
— var. Graecian
— var. handsworthensis
— var. Hodginsii
— var. intermedia
— var. lurida variegata
— var. maderensis
— var. magnifica
— var. pendula
— var. platyphylla
dipyrena, *Wall.*
integra, *Thunb.*
Pernyi, *Franch.*

Impatiens
Roylei, *Walp.*

Incarvillea
grandiflora, *Bur. et Franch.*, var. brevipes
variabilis, *Batalin*
— var. Przewalskii

Inula
auriculata, *Boiss. et Bal.*
ensifolia, *Linn.*
glandulosa, *Puschk.*
Helenium, *Linn.*
macrophylla, *Sch. Bip.*
montana, *Linn.*
racemosa, *Hook. f.*
Royleana, *DC.*
salicina, *Linn.*, var. sub-hirsuta
squarrosa, *Linn.*

Iris

angustifolia, *Hort.*
aphylla, *Linn.*
Bulleyana, *Dykes*
chrysographis, *Dykes*
Clarkei, *Baker*
Delavayi, *Micheli*
Douglasiana, *Herb.*
— var. Watsoniana (*Purdy*)
falcifolia, *Bunge*
foetidissima, *Linn.*
Forrestii, *Dykes*
Guldenstaedtiana, *Lepech.*, var. caerulea
juncea, *Poir.*, var. lusitanica
laevigata, *Fisch.*
Milesii, *Baker*
missouriensis, *Nutt.*
neglecta, *Hornem.*
Pseudacorus, *Linn.*
— var. acoroides
sibirica, *Linn.*
— var. alba
— var. coreana
— var. orientalis
setosa, *Pall.*, var. Hookeri
Sintenisii, *Janka*
tectorum, *Maxim.*
— var. lilacina
tridentata, *Pursh*
versicolor, *Linn.*
— var. pulchella
virescens, *Delav.*
Wilsoni, *C. H. Wright*
xiphioides, *Ehrh.*
Xiphium, *Linn.*

Isatis

alpina, *All.*
tinctoria, *Linn.*

Isopyrum

fumarioides, *Linn.*

Isotrema

chrysops, *Stapf*

Jasione

montana, *Linn.*
perennis, *Lam.*

Jasminum

affine, *Blume*
Beesianum, *G. Forrest et Diels*
humile, *Linn.*
— var. officinale, *Linn.*
polyanthum, *Franch.*

Juncus

alpinus, *Vill.*
arcticus, *Willd.*
chrysocarpus, *Buchen.*
effusus, *Linn.*
— var. luteus
ensifolius, *Wikstr.*
glaucus, *Sibth.*
Novae-Zelandiae, *Hook. f.*
squarrosus, *Linn.*

Juniperus

rigida, *Sieb. et Zucc.*

Jurinea

glycacantha, *DC.*

Kitaibelia

vitifolia, *Willd.*

Kniphofia

alooides, *Moench*

Kochia

trichophylla, *Hort.*

Koeleria

setacea, *DC.*

Laburnum

alpinum, *J. S. Presl*
— var. autumnalis
— var. fragrans
— var. Parksii
vulgare, *J. S. Presl*
— var. Alschingeri, *Briq.*
— var. involutum, *Hort.*
— var. quercifolium, *Hort.*

Lactuca
Bourgaei, *Hort.*
Dubvaea, *C. B. Clarke*
graciliflora, *DC.*
longifolia *DC.*
macrophylla, *A. Gray*
macrorrhiza, *Hook. f.*
Plumieri, *Gren. et Godr.*
virosa, *Linn.*

Lagenophora
pinnatifida, *Hook. f.*, var. hirsutissima

Lagotis
brachystachya, *Maxim.*

Lagurus
ovatus, *Linn.*

Lamium
album, *Linn.*
maculatum, *Linn.*
Orvala, *Linn.*

Lapsana
communis, *Linn.*

Laserpitium
Siler, *Linn.*

Lasthenia
glabrata, *Lindl.*

Lathraea
Clandestina, *Linn.*

Lathyrus
annuus, *Linn.*
Cicera, *Linn.*
Clymenum, *Linn.*
Gorgoni, *Parl.*
grandiflorus, *Sibth. et Sm.*
latifolius, *Linn.*
— var. albus
luteus, *Baker*
— var. aureus
macrorrhizus, *Wimm.*
maritimus, *Bigel.*

Lathyrus—*continued.*
montanus, *Bernh.*
niger, *Bernh.*
Nissolia, *Linn.*
Ochrus, *DC.*
odoratus, *Linn.*
pannonicus, *Garcke*, var. varius
sativus, *Linn.*
setifolius, *Linn.*, var. azureus
sphaericus, *Retz.*
tingitanus, *Linn.*
undulatus, *Boiss.*
venosus, *Muhl.*
vernus, *Bernh.*
— — var. azureus

Lavandula
vera, *DC.*
— var. nana
— var. prostrata

Lavatera
arborea, *Linn.*
— var. variegata
cretica, *Linn.*
trimestris, *Linn.*

Ledum
palustre, *Linn.*
— var. latifolium, *Michx.*

Leontodon
hispidus, *Linn.*

Leontopodium
alpinum, *Cass.*
— var. himalaicum
— var. transsylvanicum
hybridum, *Hort. Suend.*
japonicum, *Miq.*
leontopodiodes, *Beauverd*
lindavicum, *Hort. Suend*
sibiricum, *Cass.*

Leonurus
Cardiaca, *Linn.*

Lepidium
Draba, *Linn.*
pubicarpum, *A. Nelson*
sativum, *Linn.*
spinescens, *DC.*

Leptosyne
Douglasii, *DC.*

Lereschia
Flahaultii, *Woronow*

Leucojum
trichophyllum, *Schousb.*

Leucopogon
Fraseri, *A. Cunn.*

Leuzea
conifera, *DC.*

Levisticum
officinale, *Koch*

Leycesteria
formosa, *Wall.*

Liatris
spicata, *Willd.*

Libertia
formosa, *R. Grah.*
grandiflora, *Sweet*
pulchella, *Spreng.*

Ligustrum
Ibota, *Sieb.*
— var. Regelianum, *Hort.*
ionandrum, *Diels*
ovalifolium, *Hassk.*
Prattii, *Koehne*
vulgare, *Linn.*
— var. italicum
— var. pendulum

Lilium
Duchartrei, *Franch.*, var. Farreri
elegans, *Thunb.*, var. Thunbergianum alutaceum
giganteum, *Wall.*
Martagon, *Linn.*
— var. album punctatum
— var. dalmaticum (*Vis.*)
medeoloides, *A. Gray*
regale, *Wilson*
Willmottiae, *Wilson*

Limnanthes
Douglasii, *R. Br.*

Linaria
alpina, *Mill.*
anticaria, *Boiss. et Reut.*
bipartita, *Willd.*
— var. elegans
Broussonnetii, *Chaix.*
Cymbalaria, *Mill.*
genistifolia, *Mill.*
italica, *Trevir.*
macedonica, *Griseb.*
pallida, *Tenore*, var. alba
purpurea, *Linn.*
repens, *Mill.*
Rodriguezii, *Porta*
supina, *Desf.*
triornithophora, *Willd.*
vulgaris, *Mill.*
yunnanensis, *W. W. Sm.*

Lindelofia
spectabilis, *Lehm.*
— var. afghanica

Linum
alpinum, *Linn.*
arboreum, *Linn.*
campanulatum, *Linn.*
grandiflorum, *Desf.*
— var. rubrum
monogynum, *Forst.*
Muelleri, *Moris*
perenne, *Linn.*
salsoloides, *Lam.*
usitatissimum, *Linn.*

Lithospermum

prostratum, *Loisel.*, var. caerulescens

Lobelia

erecta, *Hook. f. et Thoms.*

Lonicera

alpigena, *Linn.*
angustifolia, *Wall.*
bella, *Zabel*, var. rosea
Charlottei, *Hort.*
deflexicalyx, *Batalin*
Ferdinandii, *Franch.*
flava, *Sims*
flavescens, *Dippel*
Giraldii, *Rehder*
Henryi, *Hemsl.*
— var. subcoriacea
involucrata, *Banks*, var. serotina
Maximowiczii, *Maxim.*
Morrowii, *A. Gray*
parvifolia, *Edgew.*
— var. Myrtillus
Periclymenum, *Linn.*
pyrenaica, *Linn.*
quinquelocularis, *Hardw.*
rupicola, *Hook. f. et Thoms.*
salicifolia, *Zabel*
Sullivantii, *A. Gray*
thibetica, *Bur. et Franch.*
tomentella, *Hook. f. et Thoms.*
translucens, *Carr.*

Lophosciadium

meifolium, *DC.*

Lotus

corniculatus, *Linn.*

Lunaria

annua, *Linn.*

Lupinus

albus, *Linn.*
arboreus, *Sims*

Lupinus—*continued.*

— var. violaceus
Cruckshanksii, *Hook.*
Douglasii, *Agardh*
micranthus, *Dougl.*
nootkatensis, *Donn*
polyphyllus, *Lindl.*, var. albus
— var. Foxii
— var. Moerheimi
— var. violaceus

Luzula

campestris, *DC.*, var. pyrenaica
parviflora, *Desv.*
vernalis, *DC.*

Lychnis

alpina, *Linn.*
— var. lapponica
Arkwrightii ×, *Hort.*
bhutanica, *W. W. Sm.*
chalcedonica, *Linn.*
Coeli-rosa, *Desr.*
coronaria, *Desr.*
— var. alba
corsica, *Loisel.*
dioica, *Linn.*
— var. alba
Flos-cuculi, *Linn.*
— var. alba
fulgens, *Fisch.*
Githago, *Scop.*
nutans, *Benth.*
Viscaria, *Linn.*
— var. alba

Lyonia

paniculata, *Nutt.*

Lysichitum

camtschatcense, *Schott*

Lysimachia

Delavayi, *Franch.*
Leschenaultii, *Duby*
lichiangensis, *G. Forrest*

Lythrum
Salicaria, *Linn.*
— var. cinereum
— var. roseum

Malcomia
africana, *R. Br.*
graeca, *Boiss. et Sprun.*
maritima, *R. Br.*

Malva
Alcea, *Linn.*, var. fastigiata (*Ca.*)
moschata, *Linn.*
parviflora, *Linn.*, var. cristata
sylvestris, *Linn.*
Tournefortiana, *Linn.*

Malvastrum
campanulatum, *Nichols.*
limense, *Ball*

Marrubium
Kotschyi, *Boiss.*
supinum, *Linn.*
vulgare, *Linn.*

Matricaria
Tchihatchewii, *Hand.-Mazz.*

Matthiola
bicornis, *DC.*
fenestralis, *R. Br.*
parviflora, *R. Br.*
tricuspidata, *R. Br.*

Meconopsis
aculeata, *Royle*
cambrica, *Vig.*
grandis, *Prain*
horridula, *Hook. f. et Thoms.*
integrifolia, *Franch.*, var. brevistyla
latifolia, *Prain*
napaulensis, *DC.*
paniculata, *Prain*
Prattii, *Prain*
— var. alba
racemosa, *Maxim.*
rudis, *Prain*
simplicifolia, *G. Don*
Wallichii, *Hook.*

Medicago
arborea, *Linn.*
Aschersoniana, *Urban*
carstiensis, *Wulf.*
denticulata, *Willd.*
falcata, *Linn.*
sativa, *Linn.*
suffruticosa, *Ram.*

Melica
nutans, *Linn.*

Melilotus
alba, *Desr.*

Melissa
officinalis, *Linn.*, var. variegata

Mentha
viridis, *Linn.*, var. crispa

Mentzelia
oligosperma, *Nutt.*

Menyanthes
Crista-galli, *Menzies*
trifoliata, *Linn.*

Menziesia
globularis, *Salisb.*

Mertensia
elongata, *Benth.*
maritima, *S. F. Gray*
oblongifolia, *G. Don*
sibirica, *G. Don*
tibetica, *C. B. Clarke*

Meum
athamanticum, *Jacq.*

Microglossa
albescens, *C. B. Clarke*

Microlaena
polynoda, *Hook. f.*

Mimulus
alsinoides, *Dougl.*
Bartoniana ×, *Hort.*
cardinalis, *Dougl.*
Langsdorfii, *Donn*
Lewisii, *Pursh*
luteus, *Linn.*
— var. guttatus
moschatus, *Dougl.*

Mitella
pentandra, *Hook.*

Moltkia
petraea, *Boiss.*

Morina
Delavayi, *Franch.*
longifolia, *Wall.*

Muehlenbeckia
axillaris, *Walp.*
ephedroides, *Hook. f.*

Muscari
alpinum, *J. Gay*
Argaei, *Hort. Siehe*
armeniacum, *Baker*
botryoides, *Mill.*
comosum, *Mill.*
— var. monstrosum
conicum, *Baker*
elegans, *Hort.*
Maweanum, *Baker*
moschatum, *Willd.*
neglectum, *Guss.*
paradoxum, *C. Koch*
polyanthum, *Boiss.*

Myosotis
azorica, *H. C. Wats.*
capitata, *Hook. f.*

Myosotis—*continued*.
— var. albiflora
macrantha, *Hook. f.*
palustris, *Lam.*
semperflorens, *Hort.*
Traversii, *Hook. f.*

Myosurus
minimus, *Linn.*

Myricaria
germanica, *Desv.*

Myrrhis
odorata, *Scop.*

Narcissus
triandrus, *Linn.*, var. calathinus

Narthecium
ossifragum, *Huds.*

Nasturtium
officinale, *R. Br.*

Neillia
opulifolia, *Benth. et Hook. f.*
— var. lutea
thyrsiflora, *D. Don*
Torreyi, *Watson*

Nemophila
insignis, *Dougl.*
— var. alba
— var. grandiflora
integrifolia, *Abrams*
Menziesii, *Hook. et Arn.*,, var. discoidalis

Nepeta
amethystina, *Desf.*
cyanea, *Stev.*
distans, *Royle*
kokanica, *Regel*
longiflora, *Vent.*
macrantha, *Fisch.*

Nepeta—*continued.*
nuda, *Linn.*
racemosa, *Lam.*, var. crassifolia
Stewartiana, *Diels*
tuberosa, *Linn.*
ucranica, *Linn.*
Wilsoni, *Duthie*

Nigella
damascena, *Linn.*

Noccaea
Auerswaldii, *Willk.*

Nolana
prostrata, *Linn.*

Nomocharis
pardanthina, *Franch.*

Nuttallia
cerasiformis, *Torr. et Gray*

Odontospermum
maritimum, *Sch. Bip.*

Oenanthe
crocata, *Linn.*
Lachenalii, *C. C. Gmel.*

Oenothera
pumila, *Linn.*
Romanzowii, *Ledeb.*
rosea, *Ait.*
— var. platylopha
triloba, *Nutt.*

Olearia
Haastii, *Hook. f.*
ilicifolia, *Hook. f.*
macrodonta, *Baker*
myrsinoides, *F. Muell.*
nummularifolia, *Hook. f.*
stellulata, *DC.*

Omphalodes
cornifolia, *Lehm.*
Forrestii, *Diels*

Omphalodes—*continued.*
linifolia, *Moench*
Luciliae, *Boiss.*
nitida, *Hoffmgg. et Link*

Onobrychis
supina, *DC.*
viciaefolia, *Scop.*

Ononis
antiquorum, *Linn.*
aragonensis, *Asso*
— var. microphylla
arvensis, *Linn.*
fruticosa, *Linn.*
hircina, *Jacq.*
rotundifolia, *Linn.*
sicula, *Guss.*

Onopordon
Acanthium, *Linn.*

Onosma
albo-roseum, *Fisch. et Mey.*

Ophiopogon
Jaburan, *Lodd.*

Orchis
incarnata, *Linn.*
latifolia, *Linn.*

Origanum
vulgare, *Linn.*

Ornithogalum
narbonense, *Linn.*, var. pyramidale
oligophyllum, *Clarke*
pyrenaicum, *Linn.*

Oryzopsis
miliacea, *Benth. et Hook. f.*

Oxalis
corniculata, *Linn.*
— var. tropaeoloides
oregana, *Nutt.*, var. superba
valdiviensis, *Barn.*

Oxyria
digyna, *Hill*

Oxytropis
foetida, *DC.*
pilosa, *DC.*
sulphurea, *Fisch.*
uralensis, *DC.*

Paeonia
Delavayi, *Franch.*
lutea, *Delavay*
officinalis, *Linn.*
— var. banatica
Veitchii, *Lynch*
Woodwardii, *Hort.*

Papaver
anomalum, *Fedde*
Argemone, *Linn.*
californicum, *A. Gray*
dubium, *Linn.*
glaucum, *Boiss. et Hausskn.*
Mairei, *Battandier*
monanthum, *Trautv.*
nudicaule, *Linn.*, var. radicatum, *DC.*
oreophilum, *Rupr.*
orientale, *Linn.*
— var. bracteatum
pilosum, *Sibth. et Sm.*, var. hybridum
Rhoeas, *Linn.*
— var. umbrosum
Schinzianum, *Fedde*
somniferum, *Linn.*
spicatum, *Boiss. et Bal.*
tauricolum, *Boiss.*

Paradisea
Liliastrum, *Bertol.*
lusitanica, *Linn.*

Parietaria
officinalis, *Linn.*

Paris
polyphylla, *Sm.*

Parnassia
palustris, *Linn.*

Paronychia
Kapela, *A. Kern.*
serpyllifolia, *DC.*

Peganum
Harmala, *Linn.*

Pentstemon
arizonicus, *Heller*
barbatus, *Roth*
breviflorus, *Lindl.*
Bridgesii, *A. Gray*
confertus, *Dougl.*
— var. coeruleo-purpureus
cristatus, *Fras.*
deustus, *Dougl.*
diffusus, *Dougl.*
glaber, *Pursh*, var. alpinus
— var. cyananthus
glaucus, *R. Grah.*, var. stenopetalus
gracilis, *Nutt.*
Hallii, *A. Gray*
humilis, *Nutt.*
imberbis, *Trautv.*
isophyllus, *Robinson*
laevigatus, *Ait.*
Menziesii, *Hook.*
— var. Newberryi
ovatus, *Dougl.*
pubescens, *Soland.*, var. roseus
Richardsonii, *Dougl.*
spectabilis, *Thunb.*
virgatus, *A. Gray*

Perezia
multiflora, *Less.*

Pernettya
mucronata, *Gaudich.*
nigra, *Hort.*

Pertya
phylicoides, *J. F. Jeffrey*

Peucedanum
Ostruthium, *Koch*
sativum, *Benth. et Hook. f.*

Phacelia
pimpinelloides, *A. Gray*
tanacetifolia, *Benth.*
Whitlavia, *A. Gray*

Phaseolus
multiflorus, *Willd.*

Phellodendron
japonicum, *Maxim.*

Philadelphus
colombianus, *Koehne*
coronarius, *Linn.*
— var. foliis aureis
— var. tomentosus
Delavayi, *Henry*
Gordonianus, *Lindl.*
— var. cordatus
grandiflorus, *Willd.*
— var. floribundus
incanus, *Koehne*
— var. Sargentianus
Lemoinei ×, *Hort.*
— var. erectus
Lewisii, *Pursh*
Magdalenae, *Koehne*
microphyllus, *A. Gray*
Satsumi, *Siebold,* var. acuminatus
sericanthus, *Koehne*
— var. Rehderianus, *Koehne*
Wilsonii, *Koehne*

Phillyrea
decora, *Boiss. et Ball*

Phlomis
alpina, *Pall.*
fruticosa, *Linn.*
macrophylla, *Wall.*
samia, *Linn.*
umbrosa, *Turcz.*, var. australis

Phormium
tenax, *Forst.*

Photinia
variabilis, *Hemsl.*

Phuopsis
stylosa, *Benth. et Hook. f.*

Phygelius
capensis, *E. Mey.*

Physalis
Alkekengi, *Linn.*

Phyteuma
campanuloides, *Bieb.*
canescens, *Waldst. et Kit.*
comosum, *Linn.*
Michelii, *All.*, var. betonicaefolia
nigrum, *Schmidt*
orbiculare, *Linn.*
Scheuchzeri, *All.*
— var. Charmelii, *Vill.*
Sieberi, *Spreng.*
Vagneri, *A. Kern.*

Phytolacca
acinosa, *Roxb.*
clavigera, *W. W. Sm.*

Picridium
tingitanum, *Desf.*

Pimpinella
magna, *Linn.*, var. rosea
sikkimensis, *C. B. Clarke*

Pinguicula
vulgaris, *Linn.*
— var. grandiflora

Pisum

arvense, *Linn.*
formosum, *Alef.*
sativum, *Linn.*

Plagianthus

Lyallii, *Hook. f.*

Plantago

alpina, *Linn.*
arborescens, *Poir.*
argentea, *Chaix*
carinata, *Schrad.*
Coronopus, *Linn.*
fuscescens, *Jord.*
lanceolata, *Linn.*
— var. variegata
— var. nitens
limensis, *Pers.*
Loscosii, *Willk.*
major, *Linn.*
— var. monstrosa
— var. rubra
maritima, *Linn.*
media, *Linn.*
nevadensis, *Hort.*
nivalis, *Boiss.*
Raoulii, *Decne.*
Rugelii, *Decne.*

Platycodon

grandiflorum, *A. DC.*

Platystemon

californicus, *Benth.*

Poa

caespitosa, *Forst. f.*
Colensoi, *Hook. f.*
— var. intermedia
ligulata, *Boiss.*
Maniototo, *Petrie*

Podophyllum

Emodi, *Wall.*
— var. Leichtlinii

Polemonium

boreale, *Adams*
caeruleum, *Linn.*
— var. album
— var. gracile (*Willd.*
filicinum, *Greene*
flavo-caeruleum ×, *Hort.*
grandiflorum, *Benth.*
mexicanum, *Cerv.*
pauciflorum, *S. Wats.*

Polycarpon

alsinefolium, *DC.*

Polygala

major, *Jacq.*, var. alba

Polygonatum

latifolium, *Desf.*, var. commutatum
verticillatum, *All.*

Polygonum

affine, *D. Don*
Bistorta, *Linn.*
— var. major
Emodi, *Meissn.*
Griffithii, *Hook. f.*
macrophyllum, *D. Don*
maritimum, *Linn.*
sibiricum, *Laxm.*
sinosphaerocephalum, *Hort.*

Potentilla

adscharica, *Somm. et Lev.*
albifolia, *Wall.*
alchemilloides, *Lapeyr.*
alpestris, *Hall. f.*
ambigens, *Greene*
ambigua, *Cambess.*
apennina, *Tenore*
argyrophylla, *Wall.*
— var. atrosanguinea
aurea, *Linn.*
bifurca, *Linn.*
Breunia, ×, *Huter*
Buccoana, *Clem.*

Potentilla—*continued.*

Convallaria, *Rydb.*
crinita, *A. Gray*
Delavayi, *Franch.*
delphinensis, *Grem. et Godr.*
dissecta, *Pursh*
Dombeyi, *Nestl.*
effusa, *Dougl.*
fragiformis, *Willd.*
Frohmulleri ×, *Suend.*
fruticosa, *Linn.*
— var. glabrata
fulgens, *Wall.*
glandulosa, *Lindl.*
gracilis, *Dougl.*
Herbichii, *Blocki*
Hippiana, *Lehm.*
Kerneri ×, *Borb.*
kurdica, *Boiss. et Hohen.*
Leschenaultiana, *Ser.*
litoralis, *Rydb.*
Macnabiana ×, *Lem.*
micrandra, *Koehne*
montenegrina, *Pantoc*
monticola, *Zimm.*
Mooniana, *Wight*
nepalensis, *Hook.*
— var. Willmottiana
Nicicii, *Adamovic*
nitida, *Linn.*
— var. alba
— var. atrorubens
niponica, *Th. Wolf*
nivea, *Linn.*
palustris, *Scop.*
pennsylvanica, *Linn.*
Purpusii, *Hort. Edin.*
pyrenaica, *Ram.*
recta, *Linn.*
— var. pedata
— var. sulphurea
rhomboidea, *Rydb.*
rupestris, *Linn.*, var. pygmaea
Sanguisorba, *Willd.*

Potentilla—*continued.*

sericea, *Linn.*
Sibbaldi, *Hall. f.*
Sibthorpiana, *Hort.*
taurica, *Willd.*, var. lanuginosa
Valderia, *Linn.*
— var. glabra
Veitchii, *E. H. Wilson*
viscosa, *Donn*

Poterium

canadense, *A. Gray*
diandrum, *Hook. f.*
hakusanense, *Hort.*
officinale, *A. Gray*

Pratia

angulata, *Hook. f.*
arenaria, *Hook. f.*
repens, *Gaudich.*

Prenanthes

purpurea, *Linn.*

Primula

anisodora, *Balf. f. et Forrest*
Auricula, *Linn.*
Beesiana, *G. Forrest*
bella, *Franch.*
brevifolia, *G. Forrest*
Bulleyana, *G. Forrest*
burmanica, *Balf. f. et Ward*
chionantha, *Balf. f. et Forrest*
chungensis, *Balf. f. et Forrest*
capitata, *Hook.*
Cockburniana, *Hemsl.*
conica, *Balf. f. et Forrest*
crispa, *Balf. f. et W. W. Sm.*
crispata, *Balf. f. et W. W Sm.*
cyanantha, *Balf. f. et Forrest*

Primula—*continued.*

darialica, *Rupr.*
Edina ×, *Hort.*
elatior, *Hill*
erythrocarpa, *Craib*
flexilipes, *Balf. f. et Forrest*
frondosa, *Janka*
geraniifolia, *Hook. f.*
Giraldiana, *Pax*
glaucescens, *Moretti*
glycosma, *Petitm.*
hapala, *Balf. f.*
helodoxa, *Balf. f.*
Inverleith ×, *Hort.*
involucrata, *Wall.*
japonica, *A. Gray*
leucophylla, *Pax*
lichiangensis, *G. Forrest*
Littoniana, *G. Forrest*
macrocalyx, *Bunge*
magellanica, *Lehm.*
Miyabeana, *Ito et Kawakama*
Mooreana, *Balf. f. et W. W. Sm.*
muscarioides, *Hemsl.*
— var. alba
oblanceolata, *Balf. f.*
pinnatifida, *Franch.*
Poissonii, *Franch.*
pseudo-capitata, *F. K. Ward*
pseudo-sikkimensis, *G. Forrest*
pulverulenta, *Duthie*
saxatilis, *Komarov*
seclusa, *Balf. f. et Forrest*
secundiflora, *Franch.*
septemloba, *Franch.*
serratifolia, *Franch.*
Sieboldii, *E. Morr.*
sikkimensis, *Hook. f.*
Smithiana, *Craib*
sphaerocephala, *Balf. f. et Forrest*
suffrutescens, *A. Gray*

Primula—*continued.*

tsarongensis, *Balf. f. et Forrest*
Veitchii, *Duthie*
viscosa, *All.*
— var. cynoglossifolia
vittata, *Franch.*
Wardii, *Balf. f.*
Wilsoni, *Dunn*
yunnanensis, *Franch.*

Prismatocarpus

strictus, *A. DC.*

Prosartes

oregana, *S. Wats.*

Prunella

grandiflora, *Jacq.*
— var. pinnatifida
— var. rosea
hyssopifolia, *Linn.*
laciniata, *Linn.*
vulgaris, *Linn.*

Prunus

acida, *Borkh.*, var. semperflorens
Amygdalus, *Stokes*
Avium, *Linn.*
— var. decumana
— var. pendula
— var. pulverulenta tricolor
— var. pyramidalis
Cerasus, *Linn.*, var. foliis pulverulentis
Laurocerasus, *Linn.*
Mahaleb, *Linn.*
— var. chrysocarpa
— var. globosa
mollis, *Walp.*
pennsylvanica, *Linn.*
Persica, *Stokes*, var. pyramidalis

Psoralea

Jeffreyi, *Hort.*

Ptelea

Baldwinii, *Torr. et Gray*
trifoliata, *Linn.*

Pterostegia

drymarioides, *Fisch. et Mey.*

Pterotheca

nemausensis, *Cass.*

Pulicaria

dysenterica, *Gaertn.*
vulgaris, *Gaertn.*

Pyrola

rotundifolia, *Linn.*

Pyrus

alnifolia, *Franch. et Sav.*
alpina, *Willd.*, var. superaria
americana, *DC.*
Aria, *Ehrh.*
— var. chrysophylla
— var. flabelliformis
— var. Mougeoti
— var. obtusata
— var. salicifolia
— var. Theophrasta
Aucuparia, *Gaertn.*
— var. Dirkenii aurea
— var. discolor
— var. Fifeana
— var. integerrima
— var. moravica
— var. pendula variegata
— var. rossica
— var. rossica major
— var. satureifolia, *Hort.*
baccata, *Linn.*
— var. cerasifera
— var. costata
— var. fructu maximo
— var. genuina
— var. microcarpa praecox
— var. oblonga
— var. purpurea
Chamaemespilus, *Ehrh.*

Pyrus—*continued.*

communis, *Linn.*
— var. fascicularis
coronaria, *Linn.*
floribunda, *Nichols.*
germanica, *Hook. f.*
Hostii ×, *Hort.*
hybrida, *Moench*
longipes, *Coss. et Durieu*
Malus, *Linn.*, var. Prattii, *Hemsl.*
nivalis, *Jacq.*
orthocarpa, *Nichols.*
pekinensis, *Koehne*
pinnatifida, *Ehrh.*
prunifolia, *Willd.*, var. Collvillei
— var. fructu coccineo
Ringo, *Wenzig*, var. fastigiata bifera, *Hort.*
rivularis, *Dougl.*
rotundifolia, *Bechst.*
sikkimensis, *Hook. f.*
spectabilis, *Ait.*
— var. Riversii
— var. rosea
theifera, *Rehder*
Toringo, *Sieb.*, var. incisa
Torminalis, *DC.*
transitoria, *Batalin*, var. toringoides
Vilmorini, *Schneider*
Wilsoniana, *C. K. Schneider*
Zumi, *Matsum.*

Quercus

Cerris, *Linn.*

Ramondia

pyrenaica, *Rich.*
— var. rosea

Ranunculus

acris, *Linn.*
affinis, *R. Br.*
amplexicaulis, *Linn.*
bulbosus, *Linn.*

Ranunculus—*continued.*

californicus, *Benth.*, var. latilobus
carpetanus, *Boiss. et Reut.*
gramineus, *Linn.*
inamoenus, *Greene*
Kerneri, *Freyn*
Munroi, *Hook. f.*
— var. dentatus
muricatus, *Linn.*
sardous, *Crantz*, var. inermis

Raoulia

australis, *Hook. f.*
glabra, *Hook. f.*
subsericea, *Hook. f.*

Raphanus

sativus, *Linn.*

Reseda

alba, *Linn.*
complicata, *Bory*
glauca, *Linn.*
Luteola, *Linn.*
odorata, *Linn.*
Phyteuma, *Linn.*

Rhamnus

alpina, *Linn.*, var. grandiflora
californica, *Eschsch.*
— var. tomentella
davurica, *Pall.*
Frangula, *Linn.*
rupestris, *Scop.*
tinctoria, *Waldst. et Kit.*

Rheum

acuminatum, *Hook. f. et Thoms.*
Forrestii, *Diels*
Moorcroftianum, *Royle*
officinale, *Baill.*
palmatum, *Linn.*
— var. rubrum
Rhaponticum, *Linn.*

Rhododendron

adenogynum, *Diels*
ambiguum, *Hemsl.*
Anthopogon, *D. Don*
arborescens, *Torr.*
arboreum, *Sm.*, var. Campbelliae
argenteum, *Hook. f.*
Augustinii, *Hemsl.*
barbatum, *G. Don*
Benthamianum, *Hemsl.*
brachycarpum, *D. Don*
californicum, *Hook.*
campanulatum, *D. Don*
— var. Wallichii
campylocarpum, *Hook. f.*
campylogynum, *Franch.*
canescens, *G. Don*
catawbiense, *Michx.*
caucasicum, *Pall.*
charianthum, *Hutchinson*
chartophyllum, *Franch.*
cheilanthum, *Balf. f. et Forrest*
ciliatum, *Hook. f.*
concinnum, *Hemsl.*
crassum, *Franch.*
cuneatum, *W. W. Sm.*
Dalhousiae, *Hook. f.*, var. Victorianum
Davidsonianum, *Rehd. et Wils.*
decorum, *Franch.*
fastigiatum, *Franch.*
ferrugineum, *Linn.*
— var. album
— var. atrococcineum
— var. majus
flavum, *G. Don*
Fortunei, *Lindl.*
— var. magnificum
glaucum, *Hook. f.*
Grievei ×
Hanceanum, *Hemsl.*
hedyosmum, *Balf. f.*
heliolepis, *Franch.*

Rhododendron—*continued.*

hippophaeoides, *Balf. f. et W. W. Sm.*
hirsutum, *Linn.*
— var. lacinatum album
Hodgsonii, *Hook. f.*
impeditum, *Balf. f. et W. W. Sm.*
intermedium ×, *Tausch*
irroratum, *Franch.*
Kaempferi, *Planch.*
kamtchaticum, *Pall.*
Kotschyi, *Simonkai*
latifolium, *Hoffmgg.*
ledoides, *Balf. f. et W. W. Sm.*
leptothrium, *Balf. f. et Forrest*
lochmium, *Balf. f.*
longistylum, *Rehd. et Wils.*
manipurense, *Balf. f. et Watt*
Metternichii, *Sieb. et Zucc.*
micranthum, *Turcz.*
mucronulatum, *Turcz.*
multiflorum ×
neriiflorum, *Franch.*
obovatum, *Hook. f.*
obtusum, *Planch.*, var. japonicum, *Wilson*
oleifolium, *Franch.*
oreotrephes, *W. W. Sm.*
pentamerum, (*Maxim.*)
pholidotum, *Balf. f. et W. W. Sm.*
polylepis, *Franch.*
ponticum, *Linn.*
primulinum, *Hemsl.*
pseudo-yanthinum, *Balf. f.*
racemosum, *Franch.*
radinum, *Balf. f. et W. W. Sm.*
rubiginosum, *Franch.*
salignum, *Hook. f.*
Sargentianum, *Rehd. et Wils.*

Rhododendron—*continued.*

scabrifolium, *Franch.*
Schlippenbachii, *Maxim.*
Searsiae, *Rehd. et Wils.*
serpyllifolium, *Miq.*
Smirnowi, *Trautv.*
Soulei, *Franch.*
strigillosum, *Franch.*
supranubium, *Hutchinson*
Thomsoni, *Hook. f.*
trifiorum, *Hook. f.*
Tschonoskii, *Maxim.*
Vaseyi, *A. Gray*
vernicosum, *Franch.*
verruculosum, *Rehd. et Wils.*
villosum, *Hemsl. et Wils.*
virgatum, *Hook. f.*
yanthinum, *Bur. et Franch.*
yunnanense, *Franch.*
— var. praecox
zaleucum, *Balf. f. et W. W. Sm.*

Rhodotypos

kerrioides, *Sieb. et Zucc.*

Rhus

typhina, *Linn.*, var. filicina
— var. laciniata

Ribes

alpinum, *Linn.*
— var. microphyllum
— var. pumilum
— var. pumilum foliis aureis
Bethmontii, *Jancz.*
cruentum, *Greene*
Diacantha, *Pall.*
divaricatum, *Dougl.*
— var. montanum
fasciculatum, *Sieb. et Zucc.*
Gouduinii ×, *Jancz.*
Grossularia, *Linn.*
holosericeum ×, *Hort.*

Ribes—*continued.*

Koehneanum ×, *Jancz.*
Lobbii, *A. Gray*
Meyeri, *Maxim.*
multiflorum, *Kit.*
nigrum, *Linn.*, var. fructu luteo
Oxycanthoides, *Linn.*
pallidum ×, *Otto et Dietr.*
petraeum, *Wulf,* var. Biebersteinii
rubrum, *Linn.*
— var. macrocarpum
— var. pubescens
— var. scandicum
sanguineum, *Pursh*
— var. albidum
— var. atrosanguineum
— var. splendens
Spaethianum, *Koehne*
— var. majus
vulgare ×
— var. domesticum
Warszewiczii, *Jancz.*

Rodgersia

aesculifolia, *Batalin*
pinnata, *Franch.*
podophylla, *A. Gray*
sambucifolia, *Hemsl.*

Romanzoffia

sitchensis, *Bong.*
unalaschcensis, *Cham.*

Rosa

acicularis, *Lindl.*
alba, *Linn.*, var. pyrocarpa
— var. suaveolens
Alberti, *Regel*
alpina, *Linn.*
— var. pyrenaica
Banksiopsis, *Baker*
blanda, *Ait.*, var. arkansana

Rosa—*continued.*

— var. Sayi
calocarpa ×, *André*
canina, *Linn.*
caudata, *Baker*
cinnamomea, *Linn.*
— var. davurica
damascena, *Mill.*
Davidi, *Crep.*
— var. elongata
Fedtschenkoana, *Regel*
Fendleri, *Crep.*
ferox, *Bieb.*
foliolosa, *Nutt.*
Gallica, *Linn.*
glauca, *Vill.*
— var. brevipes
glutinosa, *Sibth. et Sm.*
Jundzilli, *Besser*
kamtchatica, *Vent.*
laxa, *Retz.*
macrophylla, *Lindl.*
Malyi, *Kern.*
moschata, *Herrm.*
Moyesii, *Hemsl. et Wils.*
— var. rosea
multibracteata, *Hemsl.*
nitida, *Willd.*
oxyodon, *Boiss.*, var. haematodes
pimpinellifolia, *Linn.*
pisocarpa, *A. Gray*
poteriifolia, *Hort.*
Prattii, *Hemsl.*
rugosa, *Thunb.*
— var. alba
— var. Regelliana
Seraphini, *Viv.*
sericea, *Lindl.*
setipoda, *Hemsl.*
spinosissima, *Linn.*
— var. altaica
Szaboi, *Bord.*
tomentosa, *Sm.*
Webbiana, *Wall.*
— var. pimpinellifolia

Roscoea
alpina, *Royle*
cautleoides, *Gagnep.*

Rosmarinus
officinalis, *Linn.*

Rosularia
pallida, *Stapf*

Rubia
tinctorum, *Linn.*

Rubus
biflorus, *Buchan.*, var. quinqueflorus
deliciosus, *Torr.*
ellipticus, *Sm.*
fruticosus, *Linn.*
— var. inermis
Idaeus, *Linn.*
— var. Leesii
laciniatus, *Willd.*
lasiostylus, *Focke*, var. dizygos, *Focke*
macropetalus, *P. F. Muell. et Lefev.*
morifolius, *Siebold*
nutkanus, *Moc.*
occidentalis, *Linn.*
odoratus, *Linn.*
parvus, *J. Buch.*
phoenicolasius, *Maxim.*
rosaefolius, *Sm.*
saxatilis, *Linn.*
spectabilis, *Pursh*
Thomsoni, *Focke*
trifidus, *Thunb.*
ursinus, *Cham. et Schlecht.*
vicarius, *Focke*
xanthocarpus, *Bur. et Franch.*

Rudbeckia
laciniata, *Linn.*
triloba, *Linn.*

Rumex
Acetosa, *Linn.*
chrysocarpos, *Moris*
flexuosus, *Soland.*
obtusifolius, *Linn.*
occidentalis, *S. Wats.*
paucifolius, *Nutt.*
scutatus, *Linn.*

Ruscus
aculeatus, *Linn.*

Ruta
chalepensis, *Linn.*
graveolens, *Linn.*

Sagina
glabra, *Fenzl*, var. pilifera
subulata, *Presl*

Salvia
acetabulosa, *Linn.*
azurea, *Lam.*
Beckeri, *Trautv.*
bicolor, *Lam.*
bracteata, *Russ.*
campanulata, *Lam.*
cleistogama, *De Bary et Paul*
flava, *G. Forrest*, var. megalantha, *Diels*
glutinosa, *Linn.*
grandiflora, *Etling.*
hians, *Royle*
Horminum, *Linn.*
Leonia, *Benth.*
officinalis, *Linn.*
pratensis, *Linn.*
— var. alba
Przewalskii, *Maxim.*
Regeliana, *Trautv.*
rhombifolia, *Ruiz et Pav.*
Sclarea, *Linn.*
— var. alba
sylvestris, *Linn.*
Verbenaca, *Linn.*
verbascifolia, *Bieb.*

Sambucus
canadensis, *Linn.*
glauca, *Nutt.*
— var. fontenayensis
nigra, *Linn.*
racemosa, *Linn.*
— var. laciniata
— var. serratifolia foliis aureis

Samolus
Valerandi, *Linn.*

Sanicula
europaea, *Linn.*

Santolina
Chamaecyparissus, *Linn.*
pinnata, *Viv.*

Saponaria
ocymoides, *Linn.*
pulchella, *Hort.*
Wiemanni ×, *Fritsch*

Satureia
cuneifolia, *Tenore*
montana, *Linn.*, var. amoena
— var. pygmaea

Saussurea
denticulata, *Ledeb.*
hypoleuca, *Spreng.*
salicifolia, *DC.*
uniflora, *Wall.*

Saxifraga
Aizoon, *Jacq.*
— f. brevifolia
— f. cultrata
— f. flavescens
— f. hirsuta
— f. lutea
— f. minima
— f. minor
— f. rosea

Saxifraga—*continued.*
— f. stabiana (*Tenore*)
Albertii, *Regel et Schmalh.*
Allionii ×, *Hort.*
apiculata ×, *Engler*
aquatica, *Lepeyr.*
bronchialis, *Linn.*
Bucklandi ×, *Hort.*
caesia, *Linn.*
californica, *Greene*
canaliculata, *Boiss. et Reut.*
carniolica, *Huter*
cartilaginea, *Willd.*
Churchilli *Hort.*
circuenta, *Hort.*
cochlearis, *Reichb.*
— var. minor
corsica, *Gren. et Godr.*
Cotyledon, *Linn.*
— var. islandica
— var. montavoniensis
— var. pyrenaica
crassifolia, *Linn.*
crustata, *Vest*
— var. compacta
cuneifolia, *Linn.*
— f. apennina (*Bertol.*)
— f. davurica
— f. infundibuliformis
decipiens, *Ehrh.*
— f. gemmifera
— f. grandiflora
— f. hirta
— f. pulchella
Delavayi, *Franch.*
diversifolia, *Wall.*, var. alpina, *Engl. et Irmscher*
exarata, *Vill.*
flagellaris, *Willd.*
florariensis, *Hort. Corr.*
geranioides, *Linn.*
Geum, *Linn.*
— f. bulgarica
— f. crenulata
— f. crispa
— — minor

Saxifraga—*continued*.

— f. dentata
— f. Donii
— f. ovalifolia
— f. polita
— f. reniformis
— f. rotundifolia
— f. rotundifolia repanda
gibraltarica, *Boiss. et Reut.*
hederacea, *Linn.*
Hostii, *Tausch.*, var. altissima
— var. rhaetica
Huetiana, *Boiss.*
hypnoides, *Linn.*
— var. variegata
intacta, *Willd.*, var. farinosa
irrigua, *Bieb.*
juniperifolia, *Adams.*
lactea, *Turcz.*
lanceolata, *Haw.*
leptophylla, *Hort.*
Lindsayana, *Hort.*
linguiformis, *Hort.*
lingulata, *Bell.*, var. australis
— var. cochlearis
— var. lantoscana
longifolia, *Lepeyr.*
Lyallii, *Engl.*
Macnabiana ×, *Hort.*
Maweana, *Baker*
micrantha, *Edgew.*
Milesii, *Leichtl.*
muscoides, *Wulf*, var. atropurpurea
— var. moschata compacta
nervosa, *Miégev.*
obscura, *Gren. et Godr.*
oranensis, *Munby*
pallida, *Wall.*
paniculata, *Cav.*
paradoxa ×, *Sternb.*
pedatifida, *Ehrh.*

Saxifraga—*continued*.

pedemontana, *All.*, var. cervicornis (*Viv.*)
pentadactylis, *Lapeyr.*
perdurans, *Kit.*
porophylla, *Bertol.*
Portae ×, *Engl.*
Probynii, *Correvon*
pseudo-sancta, *Janka*
racemiflora ×, *Hort. Suend.*
rigescens ×, *Hort.*
Rocheliana, *Sternb.*, var. coriophylla
rotundifolia, *Linn.*
— f. glandulosa
— f. hirsuta
sancta, *Griseb.*
splendens, *Gusm.*
sponhemica, *C. C. Gmel.*, var. hirta
Stansfieldii ×
stellaris, *Linn.*
Stuartii ×, *Suend.*, var. rosea
trifurcata, *Schrad.*
umbrosa, *Linn.*
— f. acanthifolia
— f. Colvillei
— f. gracilis
— f. Ogilvieana
— f. primuloides
— f. punctata
— f. serratifolia
— f. variegata
Vayredana, *Luizet*, var. major
vochinensis ×, *Gusm.*
Wallacei ×, *M'Nab*

Scabiosa

arvensis, *Linn.*
caucasica, *Bieb.*
Columbaria, *Linn.*
macedonica, *Vis.*
ochroleuca, *Linn.*, var. Webbiana, *D. Don*

Scabiosa—*continued.*

Pterocephala, *Linn.*
Succisa, *Linn.*, var. alba
tomentosa, *Cav.*

Schizocodon

soldanelloides, *Sieb. et Zucc.*

Schizostylis

coccinea, *Backh. et Harv.*

Scilla

festalis, *Salisb.*
— var. alba
hispanica, *Mill.*
verna, *Huds.*

Scirpus

Holoshoenus, *Linn.*
lacustris, *Linn.*, var. Tabernaemontani

Scleranthus

biflorus, *Hook. f.*

Scolymus

grandiflorus, *Desf.*

Scopolia

lurida, *Dun.*

Scopiurus

subvillosa, *Linn.*

Scorzonera

hispanica, *Linn.*

Scrophularia

alpestris, *J. Gay*
nodosa, *Linn.*
passiflora, *Benth.*
Scorodonia, *Linn.*
vernalis, *Linn.*

Scutellaria

alpina, *Linn.*
altissima, *Linn.*
balearica, *Barc.*

Scutellaria—*continued.*

discolor, *Colebr.*
galericulata, *Linn.*
— var. alba
indica, *Linn.*, var. japonica
minor, *Huds.*
orientalis, *Linn.*
peregrina, *Linn.*
splendens, *Link, Klotzsch et Otto*
tuberosa, *Benth.*

Sedum

acre, *Linn.*
album, *Linn.*
altissimum, *Poir.*
Anacamperos, *Linn.*
anopetalum, *DC.*
asiaticum, *Spreng.*
bhutanense, *Praeger*
bupleuroides, *Wall.*
crassipes, *Wall.*, var. cholaense
Ellacombianum, *Praeger*
elongatum, *Wall.*
Ewersii, *Ledeb.*
gracile, *C. A. Mey.*
hybridum, *Linn.*
kamtschaticum, *Fisch. et Mey.*
maximum, *Suter*
— var. purpureum
Nevii, *A. Gray*, var. beyrichianum, *Praeger*
pilosum, *Bieb.*
populifolium, *Pall.*
Praegerianum, *W. W. Sm.*
pseudospectabile, *Praeger*
pruinatum, *Brot.*, var. Forsterianum
reflexum, *Linn.*
retusum, *Hemsl.*
roseum, *Scop.*
— var. Scopoli
rupestre, *Linn.*
Semenovii, *Mast.*

Sedum—*continued.*

sempervivoides, *Fisch.*
spathulifolium, *Hook.*
— var. purpureum
spurium, *Bieb.*, var. splendens
Stephani, *Cham.*
Stribrnyi, *Velen.*
Telephium, *Linn.*, var. Borderi
tibeticum, *Hook. f. et Thoms.*
trifidum, *Wall.*
Winkleri, *Wolley-Dod*
yunnanense, *Franch.*, var. valerianoides, *Hamet*

Selinum

pyrenaeum, *Gouan*
tenuifolium, *Wall.*
— var. album

Sempervivum

arachnoideum, *Linn.*
— var. Hookeri
— var. rubra
arenarium, *Koch*
arvernense, *Lecoq et Lamotte*
barbatum, *C. Sm.*
Bourgeanum, *Hort. Corr.*
Boutignyanum, *Billot et Gren.*
Braunii, *Funk*
brevifolium, *Hort.*
chrysanthum, *Hochst.*
convolutum, *Hort.*
Fontanae ×, *Bruegg.*
Funckii, *F. Braun*
minutum, *Bourg.*
Pomelii, *Lamotte*
ponticum, *Hort.*
rubellum, *Timb.*
sanguineum, *Jeanb.*
Schnittspahni, *Lagg.*

Sempervivum—*continued.*

Schottii, *Baker*, var. acuminatum
tectorum, *Linn.*
— var. densum
— var. glaucum
— var. pulchrum
— var. robustum
Thomayeri ×, *Corr.*
triste, *Hort.*, var. sanguineum
Verloti ×, *Lamotte*

Senebiera

Coronopus, *Poir.*

Senecio

abrotanifolius, *Linn.*
— var. grandiflorus
acuminatus, *Wall.*
alatus, *Wall.*
amplexicaulis, *H. B. et K.*
bellidioides, *Hook. f.*
Bigelovii, *A. Gray*
Boissieri, *DC.*
cacaliaefolius, *Sch. Bip.*
clivorum, *Maxim.*
— var. subcrenatus
compactus, *T. Kirk*
Correvonianus, *Hort.*
Doria, *Linn.*
Doronicum, *Linn.*
fibrillosus, *Dunn*
Fuchsii, *C. C. Gmel.*
Greyii, *Hook. f.*
japonicus, *Sch. Bip.*
Lagotis, *W. W. Sm.*
laxifolius, *J. Buch.*
Ligularia, *Hook. f.*
macrophyllus, *Bieb.*
Munroi, *Hook. f.*
nemorensis, *Linn.*
plantaginifolius, *Franch.*
sarracenicus, *Linn.*
Smithii, *DC.*
stenocephalus, *Maxim.*
— var. comosus

Senecio—*continued.*

suaveolens, *Ell.*
tuberivagus, *W. W. Sm.*
Veitchianus, *Hemsl.*
vellereus, *Franch.*
viscosus, *Linn.*
vulgaris, *Linn.*

Serratula

coronata, *Linn.*
Gmelini, *Ledeb.*
nudicaulis, *DC.*
tinctoria, *Linn.*
— var. monticola

Seseli

caespitosum, *Sibth. et Sm.*

Setaria

glauca, *Beauv.*
italica, *Beauv.*

Sibiraea

tomentosa, *Diels*

Sidalcea

campestris, *Greene*
candida, *A. Gray*
malvaeflora, *A. Gray*
— var. atropurpurea
— var. rubra
mariana, *Hort.*
neo-mexicana, *A. Gray*
spicata, *Greene*

Sideritis

hyssopifolia, *Linn.*
scordioides, *Linn.*

Silaus

tenuifolius, *DC.*

Silene

adenantha, *Franch.*
alpestris, *Jacq.*
ambigua, *Hort.*
apetala, *Willd.*
Armeria, *Linn.*

Silene—*continued.*

caucasica, *Boiss.*
chloraefolia, *Sm.*
conoidea, *Linn.*
conica, *Linn.*
Cucubalus, *Wibel*
Drummondii, *Hook.*
echinata, *Otth.*
Elizabethae, *Janka*
Fabaria, *Sibth. et Sm.*
fruticosa, *Linn.*
fruticulosa, *Sieber*
gallica, *Linn.*
gigantea, *Linn.*
glauca, *Pourr.*
Keiskei, *Miq.*
Lerchenfeldiana, *Baumg.*
linicola, *C. C. Gmel.*
maritima, *With.*
monachorum, *Vis.*
multicaulis, *Guss.*
pauciflora, *Kit.*
pendula, *Linn.*, var. bonnettii
pharnaceifolia, *Fenzl*
quadridentata, *Pers.*
— var. pusilla
Saxifraga, *Linn.*
scaposa, *S. Wats.*
Schafta, *Gmel.*
Schweinfurthii, *Rohrb.*
Sendtneri, *Boiss.*
sino-Watsonii, *W. W. Sm.*
Thorei, *Duf.*
turgida, *Bieb.*
vallesia, *Linn.*
velutina, *Pourr.*
Zawadzkii, *Herbich*

Silybum

eburneum, *Coss. et Dur.*
Marianum, *Gaertn.*

Sisymbrium

Alliaria, *Scop.*
Irio, *Linn.*
Lagascae, *Amo*

Sisymbrium—*continued.*
myriophyllum, *H. B. et K.*
orientale, *Linn.*
strictissimum, *Linn.*

Sisyrinchium
angustifolium, *Mill.*
— var. anceps, *Cav.*
— var. bellum, (*S. Wats.*)
— var. mucronatum
chilense, *Hook.*
filifolium, *Gaudich.*
pachyrhizum, *Baker*
striatum, *Sm.*

Skimmia
Fortunei, *Mast.*
japonica, *Thunb.*
— var. Foremanii
Laureola, *Sieb. et Zucc.*,
var. oblata

Smilacina
stellata, *Desf.*

Smyrnium
apiifolium, *Willd.*

Solanum
crispum, *Ruiz et Pav.*
Dulcamara, *Linn.*
nigrum, *Linn.*

Solenanthus
apenninus, *Hohen.*

Solidago
caesia, *Linn.*
canadensis, *Linn.*
glomerata, *Michx.*
multiradiata, *Ait.*
odora, *Ait.*
ohioensis, *Riddell*
Purshii, *Porter,* var. nana
rigidiuscula, *Porter*
rugosa, *Mill.*
sempervirens, *Linn.*
Virgaurea, *Linn.*

Sonchus
arvensis, *Linn.*
asper, *Hill*
oleraceus, *Linn.*

Sorbaria
arborea, *C. K. Schneider,*
var. subtomentosa

Sparganium
ramosum, *Curt.*

Spartium
junceum, *Linn.*

Specularia
biflora, *Fisch. et Mey.*
Speculum, *A. DC.*

Spergula
arvensis, *Linn.*
vernalis, *Willd.*

Spergularia
campestris, *Willk.*

Spinacia
oleracea, *Linn.*

Spiraea
Aitchisoni, *Hemsl.*
Aruncus, *Linn.*
assurgens, *Hort.*
astilboides, *T. Moore*
bella, *Sims*
bracteata, *Zabel*
caespitosa, *Nutt.*
— var. argentea
camtschatica, *Pall.*
— var. rosea
discolor, *Pursh*
Douglasii, *Hook.*
Filipendula, *Linn.*
Foxii ×, *Hort.*
Henryi, *Hemsl.*
japonica, *Linn. f.*, var.
acuminata
— var. alba

Spiraea—*continued.*
— var. Froebelii
— var. variegata
laevigata, *Linn.*
Lindleyana, *Wall.*
lobata, *Jacq.*
media, *F. Schmidt*
Millefolium, *Torr.*
Miyabei, *Koidzumi,* var. glabrata
mollifolia, *Rehder*
mongolica, *Maxim.*
myrtilloides, *Rehder*
Nobleana, *Hook.*
palmata, *Sternb.*
pectinata, *Torr. et Gray*
prunifolia, *Sieb. et Zucc.*
salicifolia, *Linn.*
— var. paniculata
sorbifolia, *Linn.*
trilobata, *Linn.*
Ulmaria, *Linn.*
Veitchii, *Hemsl.*
Wilsoni, *Duthie*

Stachys
alopecuros, *Benth.*
Betonica, *Benth.*
— var. alba
discolor, *Benth.*
germanica, *Linn.*
grandiflora, *Benth.*
— var. robusta,
heraclea, *All.*
lanata, *Jacq.*
recta, *Linn.*
repens, *Mart. et Gal.*
setifera, *C. A. Mey.*

Statice
altaica, *Hort.*
Gougetiana, *Girard*
minuta, *Linn.*
spathulata, *Desf.*
Suworowi, *Regel*

Stellaria
Holostea, *Linn.*

Stenanthium
angustifolium, *Kunth*
occidentale, *A. Gray*
robustum, *S. Wats.*

Stevia
purpurea, *Pers.*

Stipa
formicarum, *Delile*
pennata, *Linn.*

Stranvaesia
Davidiana, *Decne.*

Styrax
japonicum, *Sieb. et Zucc.*, var. Fargesii

Swertia
alpestris, *Baumg.*
connata, *Schrenk*
Kingii, *Hook. f.*

Symphoricarpus
Heyeri, *Dipp.*
occidentalis, *Hook.*
orbiculatus, *Moench*
racemosus, *Michx.*
— var. ovatus.

Symphyandra
Hofmanni, *Pant.*

Symphytum
officinale, *Linn.*, var. album
orientale, *Linn.*

Synthyris
reniformis, *Benth.*

Syrenia
siliculosa, *Andrz.*

Syringa
Adamiana, *Balf. f. et W. W. Sm.*

Syringa—*continued.*
Emodi, *Wall.*
— var. variegata
Josikaea, *Jacq.*
reflexa, *C. K. Schneider*
villosa, *Vahl*
— var. Lutece
vulgaris, *Linn.*
— var. nigricans
yunnanense, *Franch.*

Tagetes
lucida, *Cav.*
signata, *Bartl.*, var. pumila

Tanacetum
argenteum, *Willd.*
nubigenum, *Wall.*
vulgare, *Linn.*
— var. crispum

Taraxacum
officinale, *Weber*
— var. erythrospermum
palustre, *DC.*

Taxus
baccata, *Linn.*
— var. adpressa
— var. Dovastoni
— var. fastigiata
— var. Washingtonii
cuspidata, *Sieb. et Zucc.*

Teesdalia
nudicaulis, *R. Br.*

Telephium
Imperati, *Linn.*

Tellima
grandiflora, *R. Br.*
parviflora, *Hook.*

Tetragonia
echinata, *Ait.*

Teucrium
Chamaedrys, *Linn.*
fruticans, *Linn.*
lanceolatum, *Rafin.*
lancifolium, *Boiss.*
lucidum, *Linn.*
montanum, *Linn.*
palmatum, *Benth.*
Polium, *Linn.*
Scorodonia, *Linn.*
— var. crispum

Thalictrum
angustifolium, *Linn.*
aquilegiaefolium, *Linn.*
calabricum, *Spreng.*
Chelidonii, *DC.*
Cornuti, *Linn.*
corynellum, *DC.*
dioicum, *Linn.*
elegans, *Wall.*
glaucum, *Desf.*
isopyroides, *C. A. Mey.*
minus, *Linn.*
— var. adiantifolium
— var. affine
— var. saxatile
purpurascens, *Linn.*

Thaspium
aureum, *Nutt.*

Thermopsis
angustata, *Greene*
lanceolata, *R. Br.*
rhombifolia, *Richards.*

Thlaspi
alpestre, *Linn.*
arvense, *Linn.*
violascens, *Schott et Kotschy*

Thuya
plicata, *D. Don*

Thymus
Chamaedrys, *Fries,* var. nummularius

Thymus—*continued.*
nitidus, *Guss.*
Serpyllum, *Linn.*
— var. coccineus
— var. comosus (*Heuff.*)
— var. grandiflorus
— var. Marschallianus (*Willd.*)
— var. micans (*Lowe*)
— var. pannonicus
vulgaris, *Linn.*, var. argenteus

Tiarella
polyphylla, *D. Don*
trifoliata, *Linn.*

Tofieldia
calyculata, *Wahlenb.*
palustris, *Huds.*

Tolpis
barbata, *Gaertn.*

Tragopogon
porrifolius, *Linn.*
pratensis, *Linn.*

Trautvetteria
palmata, *Fisch. et Mey.*

Trifolium
alpinum, *Linn.*
pratense, *Linn.*, var. quinquefolium
subterraneum, *Linn.*

Trigonella
Foenum-graecum, *Linn.*

Trillium
grandiflorum, *Salisb.*
ovatum, *Pursh*
stylosum, *Nutt.*

Trinia
vulgaris, *DC.*

Triplostegia
glandulifera, *Wall.*

Trisetum
canescens, *Buckley*
flavescens, *Beauv.*

Tritonia
rosea, *Klatt*

Trochodendron
aralioides, *Sieb. et Zucc.*

Trollius
abschasicus, *Hort.*
altaicus, *C. A. Mey.*
americanus, *Muhl.*
— var. albiflorus
asiaticus, *Linn.*
caucasicus, *Stev.*
europaeus, *Linn.*
— var. napellifolius (*Roep.*)
Ledebourii, *Reichb.*
patulus, *Salisb.*
— var. yunnanensis
pumilus, *D. Don*

Tropaeolum
speciosum, *Poepp. et Endl.*

Tunica
Saxifraga, *Scop.*

Tussilago
Farfara, *Linn.*

Typha
angustifolia, *Linn.*
latifolia, *Linn.*
Laxmanni, *Lepech.*
Shuttleworthii, *Koch et Send.*

Ulex
europaeus, *Linn.*

Ullucus
tuberosus, *Caldas* (tuber)

Uncinia
compacta, *R. Br.*

Urtica
dioica, *Linn.*

Uvularia
perfoliata, *Linn.*
sessilifolia, *Linn.*

Vaccinium
caespitosum, *Michx.*
corymbosum, *Linn.*
Delavayi, *Franch.*
glauco-album, *Hook. f.*
hirsutum, *Buckle*
Mortinia, *Benth.*
Myrtillus, *Linn.*
Nummularia, *Hook. f. et Thoms.*
ovatum, *Pursh*
padifolium, *Sm.*
pennsylvanicum, *Lam.*
Vitis-Idaea, *Linn.*

Valeriana
alliariaefolia, *Vahl*
officinalis, *Linn.*
oligantha, *Boiss. et Heldr.*
sambucifolia, *Mikan f.*
Wallichii, *DC.*

Valerianella
congesta, *Lindl.*
dentata, *Poll.*

Veratrum
album, *Linn.*

Verbascum
Blattaria, *Linn.*, var. albo-magnificum
longifolium, *Tenore*
Lychnitis, *Linn.*
phoeniceum, *Linn.*
— var. hybridum
pulverulentum, *Vill.*
pyramidatum, *Bieb.*

Verbesina
Purpusii, *Brandegee*

Veronica
alpina, *Linn.*
anomala, *Armstr.*
arborea, *J. Buch.*
austriaca, *Linn.*
— var. multifida
— var. pinnatifida
Beccabunga, *Linn.*
Bidwillii, *Hook.*
Biebersteiniana, *Hort.*
buxifolia, *Benth.*
candida, *Lodd.*
carnea, *Armstr.*
carnosula, *Hook. f.*
catarractae, *Forst. f.*, var. compacta
Colensoi, *Hook. f.*
— var. glauca
— var. viridis
corymbosa, *Hort.*
crassifolia, *Zeyh.*, var. alba
decumbens, *Armstr.*
decussata, *Moench*
Dorrien-Smithii, *Cockayne*
epacridea, *Hook. f.*
Fairfieldii ×, *Hort. Martin*
filifolia, *Lipsky*
Forrestii, *Diels*
gentianoides, *Vahl*
— var. variegata
Gibbsii, *T. Kirk*
glaucophylla, *Cockayne*
Godefroyana, *Carr.*
grandis, *Fisch.*
Grievei, *Hort.*
Guthrieana ×, *Hort.*
Hectori, *Hook. f.*
hederaefolia, *Linn.*
Hookeriana, *Walp.*
Hulkeana, *F. Muell.*
incana, *Linn.*
laevis, *Benth.*
Lavaudiana, *Raoul*

Veronica—*continued.*
linifolia, *Hook. f.*
longifolia, *Linn.*
— var. alba
— var. subsessilis
Lyallii, *Hook. f.*
lycopodioides, *Hook. f.*
Matthewsii, *Cheeseman*
monticola, *Armstr.*
nivalis, *Hort.*
obovata, *T. Kirk*
parviflora, *Vahl*
— var. augustifolia, *Hook. f.*
peduncularis, *Bieb.*
peregrina, *Linn.*
pinguifolia, *Hook. f.*
— var. decumbens
pinnata, *Linn.*
pirolaeformis, *Franch.*
pseudo-Traversii, *Cockayne*
rakaiensis, *Armstr.*
Raoulii, *Hook. f.*
rupicola, *Cheeseman*
salicifolia, *Forst. f.*, var. augustifolia
saxatilis, *Scop.*
— var. alba
spicata, *Linn.*
— var. rosea
spuria, *Linn.*
subalpina, *Cockayne*
Teucrium, *Linn.*, var. dubia
Traversii, *Hook. f.*
urticaefolia, *Jacq.*, var. trifoliata
vernicosa, *Hook. f.*
— var. canterburiensis
virginica, *Linn.*
Wardiensis ×
Willcoxii, *Petrie*

Vesicaria
graeca, *Reut.*

Viburnum
burejaeticum, *Regel et Herd.*
cassinoides, *Linn.*
foetidum, *Wall.*
hupehense, *Rehder*
Lantana, *Linn.*, var. foliis lanceolatis
Opulus, *Linn.*
— var. aureum
— var. fructu-luteo
prunifolium, *Linn.*
rhytidophyllum, *Hemsl.*
Tinus, *Linn.*
tomentosum, *Thunb.*

Vicia
Cracca, *Linn.*
Faba, *Linn.*
ochroleuca, *Tenore*
onobrychioides, *Linn.*
oroboides, *Wulf.*
pyrenaica, *Pourr.*
sativa, *Linn.*, var. torulosa
sylvatica, *Linn.*
unijuga, *A. Braun*

Vincetoxicum
officinale, *Moench*
nigrum, *Moench*

Viola
biflora, *Linn.*
canina, *Linn.*
— var. alba
cenisia, *Linn.*
cornuta, *Linn.*
— var. alba
cucullata, *Ait.*
declinata, *Waldst. et Kit.*
gracilis, *Sibth. et Sm.*, var. lutea
Patrinii, *Ging.*
sylvestris, *Lam.*
— var. alba
tricolor, *Linn.*

Wahlenbergia
saxicola, *A. DC.*
serpyllifolia, *G. Beck*, var.
dinarica

Wulfenia
Amherstiana, *Benth.*
carinthiaca, *Jacq.*

Xerophyllum
asphodeloides, *Nutt.*

Zacintha
verrucosa, *Gaertn.*

Zaluzianskya
selaginoides, *Walp.*

Zanthoxylum
alatum, *Roxb.*

Zenobia
speciosa, *D. Don*
— var. pulverulenta

Zygadenus
elegans, *Pursh*

PLANTS UNDER GLASS.

Abrus
precatorius, *Linn.*

Abutilon
megapotamicum, *St. Hil. et Naud.*, var. variegatum

Acacia
armata, *R. Br.*
brachybotrya, *Benth.*
Dietrichiana, *F. Muell.*
extensa, *Lindl.*
implexa, *Benth.*
longifolia, *Willd.*
neriifolia, *A. Cunn.*
rostellifera, *Benth.*
spadicigera, *Cham. et Schlecht.*
stricta, *Willd.*
suaveolens, *Willd.*
undulaefolia, *A. Cunn.*
Whanii, *F. Muell.*

Acalypha
godseffiana, *Masters*
hispida, *Burm.*
macrostachya, *Jacq.*
sidaefolia, *A. Rich.*
Wilkesiana, *Muell. Arg.*

Acanthopanax
setchuenensis, *Harms*

Achyranthes
aspera, *Linn.*
borbonica, *Willd.*

Aechmea
coelestis, *E. Morr.*
conspicuiarmata, *Baker*
fulgens, *Brongn.*
glomerata, *Hook. f.*

Aeschynanthus
bracteata, *Wall.*
Lamponga, *Miq.*
Lobbiana, *Hook.*

Agapanthus
umbellatus, *L'Hérit.*

Agapetes
variegata, *D. Don*

Agathaea
coelestis, *Cass.*

Agave
maculata, *Regel*

Aglaonema
commutatum, *Schott*
costatum, *N.E. Br.*

Albizzia
lophantha, *Benth.*

Albuca
Nelsoni, *N. E. Br.*

Allamanda
cathartica, *Linn.*

Alonsoa
linearis, *Ruiz et Pav.*, var. gracilis

Alpinia
calcarata, *Rosc.*
malaccensis, *Rosc.*

Altamiranoa
elongata, *Rose*
Goldmani, *Rose*

Amaranthus
aureus, *F. G. Dietr.*

Amasonia
calycina, *Hook. f.*

Amorphophallus
bulbifer, *Blume*

Amphicome
arguta, *Royle*

Anacampseros
arachnoides, *Sims*
filamentosa, *Sims*

Anigozanthos
flavida, *DC.*
rufa, *Labill.*

Anisotes
diversifolius, *Balf. f.*

Antholyza
aethiopica, *Linn.*
revoluta, *Burm. f.*

Anthurium
Andreanum, *Linden*
hybridum, *Hort.*

Anthyllis
cytisoides, *Linn.*

Antirrhinum
maurandioides, *A. Gray*

Aotus
gracillima, *Meissn.*

Aphelandra
aurantiaca, *Lindl.*, var. Roezlii
nitens, *Hook. f.*
pumila, *Nichols.*
velutina, *Hort.*

Arachis
hypogaea, *Linn.*

Ardisia
crenata, *Roxb.*

Ardisa—*contd.*
involucrata, *Kurz*
mamillata, *Hance*
polycephala, *Wall.*
sanguinolenta, *Wall.*
umbellata, *Baker*

Argyreia
speciosa, *Sweet*

Arisaema
consanguineum, *Schott*
tortuosum, *Steud.*

Aristea
Eckloni, *Baker*

Aristolochia
brasiliensis, *Mart. et Zucc.*
elegans, *Mast.*

Aristotelia
Colensoi, *Hook. f.*

Arthropodium
cirrhatum, *R. Br.*

Arundinella
brasiliensis, *Raddi*

Asclepias
curassavica, *Linn.*
linifolia, *H. B. et K.*

Asparagus
gonocladus, *Baker*
madagascariensis, *Baker*
plumosus, *Baker*
racemosus, *Willd.*
scandens, *Thunb.*
Sprengeri, *Regel*

Astrocaryum
Ayri, *Mart.*
mexicanum, *Liebm.*

Asystasia
bella, *Harv.*
scandens, *Hook.*

Babiana
stricta, *Ker - Gawl.*, var. rubro-cyanea

Baeckea
camphorata, *R. Br.*
linifolia, *Rudge*

Baphia
racemosa, *Hochst.*

Barleria
cristata, *Linn.*

Bauera
rubioides, *Andr.*

Begonia
carminata ×, *Hort.*
erfordia, *Hort.*
Evansiana, *Andr.*
fuchsioides, *Hook.*
inflata, *C. B. Clarke*
luxurians, *Scheidw.*
malabarica, *Lam.*
natalensis, *Hook.*
Poggei, *Warb.*
semperflorens, *Link et Otto*
Socotrana, *Hook. f.*
ulmifolia, *Willd.*

Belamcanda
punctata, *Moench*

Bertolonia
maculata, *DC.*

Beschorneria
tubiflora, *Kunth*

Billardiera
scandens, *Sm.*

Biophytum
sensitivum, *DC.*

Bobartia
indica, *Linn.*

Boenninghausenia
albiflora, *Reichb.*

Bomarea
Caldasiana, *Herb.*
Carderi, *Mast.*

Boronia
serrulata, *Sm.*

Bowkeria
Gerrardiana, *Harv.*

Brachychilum
Horsfieldii, *Petersen*

Brachysema
subcordatum, *Benth.*

Briggsia
muscicola, *Craib*

Brillantaisia
Emini, *Lindau*

Brodiaea
hyacinthina, *Baker*, var. lactea

Browallia
Czerniakowskii, *Warsc.*
speciosa, *Hook.*, var. major

Brownea
grandiceps, *Jacq.*

Bryonopsis
laciniosa, *Naud.*

Bryophyllum
crenatum, *Baker*

Burbidgea
nitida, *Hook. f.*
schizocheila, *Hort.*

Calceolaria
Allardii ×
deflexa, *Ruiz et Pav.*
hyssopifolia, *H.B. et K.*

Calceolaria—*continued*.
integrifolia, *Murr.*
Kayii, *Hort.*
Sinclairii, *Hook.*
virgata, *Ruiz et Pav.*

Callicarpa
purpurea, *Juss.*

Callistemon
lanceolatus, *Sweet*
phoeniceus, *Lindl.*
pinifolius, *Sweet*

Callitris
oblonga, *Rich.*

Calothamnus
chrysanthereus, *F. Muell.*

Calvoa
sessiliflora, *Cogn.*

Camoensia
maxima, *Welw.*

Campanula
Vidalii, *H. C. Wats.*

Canavalia
ensiformis, *DC.*

Canna
indica, *Linn.*

Cantua
buxifolia, *Lam.*

Capsicum
microcarpum, *Cav.*

Cardiospermum
Halicacabum, *Linn.*

Carex
japonica, *Thunb.*, var. variegata

Carissa
acuminata, *A. DC.*
Arduina, *Lam.*

Carludovica
Gardneri, *Hook.*
Wendlandii, *Hort.*

Carmichaelia
australis, *R. Br.*
subulata, *T. Kirk*

Casuarina
distyla, *Vent.*

Celastrus
Cunninghamii, *F. Muell.*

Celsia
Arcturus, *Jacq.*

Centradenia
floribunda, *Planch.*

Ceratopetalum
gummiferum, *Sm.*

Ceropegia
debilis, *N. E. Br.* (bulbil)
Woodii, *Schlechter* (bulbil)

Cestrum
aurantiacum, *Lindl.*
elegans, *Schlecht.*
Newellii, *Veitch*
Smithii, *Hort. Bull.*

Chaenostoma
foetidum, *Benth.*

Chamaeranthemum
Beyrichii, *Nees*, var. variegata

Chirita
barbata, *Sprague*
hamosa, *R. Br.*
Trailliana, *G. Forrest et W. W. Sm.*
tubulosa, *Craib*

Chlorophytum
elatum, *R. Br.*
— var. variegatum
Orchidastrum, *Lindl.*

Cissus
adenopodus, *Sprague*

Citrullus
vulgaris, *Schrad.*

Citrus
Aurantium, *Linn.*
Medica, *Linn.*, var. Limonum
nobilis, *Lour.*, var. major

Clematis
grewiaeflora, *DC.*
uncinata, *Champ.*

Clerodendron
Campbellii, *Hort.*
fallax, *Lindl.*
infortunatum, *Gaertn.*
splendens, *G. Don*
Thomsonae, *Balf.*

Clethra
arborea, *Ait.*

Clianthus
puniceus, *Banks et Sol.*
— var. albus

Clivia
miniata, *Regel*
nobilis, *Lindl.*

Cobaea
scandens, *Cav.*
— var. variegata

Coffea
bengalensis, *Hort.*

Coleus
Mahonii, *Baker*
Penzigii, *Schweinf.*
shirensis, *Guerke*

Columnea
Banksii ×
flava, *Mart. et Gal.*

Columnea—*continued*.
gloriosa, *Sprague*, var. superba
Oerstediana, *Klotzsch*
Schiedeana, *Schlecht.*
vedrariensis, *Vilm.*

Combretum
coccineum, *Lam.*

Commelina
pallida, *Willd.*

Conandron
ramondioides, *Sieb. et Zucc.*

Coris
monspeliensis, *Linn.*

Corydalis
thalictrifolia, *Jameson*
tomentosa, *N. E. Br.*
Wilsoni, *N. E. Br.*

Costus
igneus, *N. E. Br.*
speciosus, *Sm.*

Cotyledon
atropurpurea, *Baker*
edulis, *Brewer*
orbiculata, *Linn.*
roseata, *Baker*

Crambe
strigosa, *L'Hérit.*

Crassula
ericoides, *Haw.*
imbricata, *Burm. f.*
impressa, *N. E. Br.*
nudicaulis, *Linn.*
perfoliata, *Linn.*
rosularis, *Haw.*
sarcocaulis, *Eckl. et Zeyh.*

Crinum
Macowani, *Baker*

Crinum—*continued.*
Moorei, *Hook. f.*, var. variegatum
variabile, *Herb.*

Crossandra
undulaefolia, *Salisb.*

Croton
lucidus, *Linn.*

Cuphea
cyanea, *Moc. et Sesse*
ignea, *A. DC.*
Llavea, *Lex.*

Cyanotis
somaliensis, *C. B. Clarke*

Cyclanthera
explodens, *Naud.*

Cyperus
alternifolius, *Linn.*
— var. variegatus
fertilis, *Boeck.*
Luzulae, *Rottl.*
nutans, *Vahl*
Papyrus, *Linn.*

Cyphomandra
betacea, *Sendt.*

Cytisus
canariensis, *Steud.*
candicans, *Lam.*
Dallimorei ×, *Hort.*
Fontanesii, *Spach*
fragrans, *Lam.*
— var. elegans
Hillebrandtii, *Briq.*

Dalechampia
Roezliana, *Muell. Arg.*
scandens, *Linn.*

Debregeasia
velutina, *Gaudich.*

Desmodium
Cephalotes, *Wall.*
gyrans, *DC.*
incanum, *DC.*
viridiflorum, *Beck*

Diandrolyra
bicolor, *Stapf*

Dianella
caerulea, *Sims*
intermedia, *Endl.*

Dianthera
serpens, *Lindau*

Dicentra
scandens, *Walp.*

Dichroa
febrifuga, *Lour.*

Diodia
scandens, *Sw.*

Dionaea
muscipula, *Ellis*

Dioscorea
macroura, *Harms* (tuber)
sativa, *Linn.* (tuber)

Dizygotheca
Reginae, *Hemsl.*

Dodonaea
multijuga, *G. Don*
triquetra, *Wendl.*

Dolichos
Lablab, *Linn.*

Dorstenia
Contrajerva, *Linn.*
urceolata, *Schott*
yambuyaensis, *De Wild.*

Dracaena
Godseffiana, *Baker*
umbraculifera, *Jacq.*

Drimys
Winteri, *Forst.*

Drosera
binata, *Labill.*
— var. dichotoma
capensis, *Linn.*
hilaris, *Cham. et Schlecht.*
rotundifolia, *Linn.*
spathulata, *Labill.*

Drosophyllum
lusitanicum, *Link*

Dyckia
brevifolia, *Hort.*
rariflora, *Schult. f.*
sulphurea, *C. Koch*

Eccremocarpus
scaber, *Ruiz et Pav.*

Echeveria
alpina, *Rose*
amoena, *L. de Smet.*
multicaulis, *Rose*
nodulosa, *Otto*
ovata ×, *Deleuil*

Echinocactus
Sellowii, *Link et Otto*

Echinopogon
ovatus, *Beauv.*

Elaeodendron
australe, *Vent.*

Elatostema
sessile, *Forst.*

Elisena
longipetala, *Lindl.*

Eragrostis
falcata, *Gaudich.*
interrupta, *Beauv.*

Eranthemum
albiflorum, *Hook.*
leuconeurum, *Hort.*

Erlangea
tomentosa, *S. Moore*

Erythrochiton
brasiliensis, *Nees*

Eucomis
punctata, *L'Hérit.*
— var. striata

Eugenia
apiculata, *DC.*
myrtifolia, *Sims*
uniflora, *Linn.*

Euonymus
pendulus, *Wall.*

Eupatorium
ianthinum, *Hemsl.*
Purpusi, *Brandegee*
riparium, *Regel*
trapezoideum, *Kunth*
Weinmannianum, *Regel et Koern.*

Euphorbia
globosa, *Sims*

Eustrephus
latifolius, *R. Br.*, var. augustifolius

Evodia
elegans, *Hort.*

Exacum
affine, *Balf. f.*

Ficus
diversifolia, *Blume*

Francoa
appendiculata, *Cav.*
ramosa, *D. Don*
sonchifolia, *Cav.*

Fuchsia
corymbiflora, *Ruiz et Pav.*
integrifolia, *Cambess.*
macrostemma, *Ruiz et Pav.*, var. globosa
microphylla, *H. B. et K.*
parviflora, *Lindl.*
procumbens, *R. Cunn.*

Furcraea
tuberosa, *Ait.* (bulbils)

Garcinia
Xanthochymus, *Hook. f.*

Gasteria
acinacifolia, *Haw.*
maculata, *Haw.*

Gaultheria
antipoda, *Forst. f.*, var. erecta
fragrantissima, *Wall.*
nummularioides, *D. Don*

Geitonoplesium
cymosum, *A. Cunn.*

Genista
umbellata, *Poir.*

Geranium
nepalense, *Sw.*

Gesneria
tuberosa, *Mart.*

Gladiolus
blandus, *Soland.*, var. pallidus

Globba
strobilifera, *Zoll.* (bulbil)

Gloriosa
superba, *Linn.*

Glycosmis
pentaphylla, *Correa*

Gomphia
olivaeformis, *St. Hil.*
reticulata, *Beauv.*

Gonospermum
revolutum, *Sch. Bip.*

Goodenia
ovata, *Sm.*

Goodia
lotifolia, *Salisb.*

Grevillea
glabrata, *Meissn.*

Gurania
malacophylla, *Barb. Rodr.*

Hakea
gibbosa, *Cav.*
microcarpa, *R. Br.*
Preissii, *Meissn.*
ulicina, *R. Br.*, var. carinata

Haloragis
alata, *Jacq.*
micrantha, *R. Br.*

Hamelia
patens, *Jacq.*

Hedychium
carneum, *Carey*
spicatum, *Buch. Ham.*, var. acuminatum

Heeria
elegans, *Schlecht.*

Helichrysum
crassifolium, *D. Don*

Heliotropium
anchusaefolium, *Poir.*
peruvianum, *Linn.*

Helxine
Soleirolii, *Req.*

Hemigraphis
drymophila, *Diels*

Hemiphragma
heterophyllum, *Wall.*

Hermannia
hyssopifolia, *Linn.*

Hibbertia
dentata, *R. Br.*

Hibiscus
Abelmoschus, *Linn.*
Denisoni, *Hort.*
Hamabo, *Sieb. et Zucc.*
Trionum, *Linn.*

Homalanthus
Leschenaultianus, *A. Juss.*

Homeria
collina, *Vent.*

Howittia
trilocularis, *F. Muell.*

Humea
elegans, *Sm.*

Hydrangea
Hortensia, *Siebold,* var. stellata
— var. variegata

Hydrocotyle
asiatica, *Linn.*

Hydrolea
spinosa, *Linn.*

Hymenanthera
dentata, *R. Br.*, var. angustifolia

Hymenocallis
Amancaes, *Nichols.*

Hymenopogon
parasiticus, *Wall.*

Hypericum
nepaulense, *Choisy*

Hypolytrum
latifolium, *Rich.*

Hypoxis
Krebsii, *Fisch.*
villosa, *Linn.*

Impatiens
Balfourii, *Hook. f.*
platypetala, *Lindl.*
sultani, *Hook. f.*
urticifolia, *Wall.*

Indigofera
atro-purpurea, *Buch.-Ham.*
australis, *Willd.*
pulchella, *Roxb.*

Ipomœa
Bona-Nox, *Linn.*
cissoides, *Griseb.*
coccinea, *Linn.*
hederacea, *Jacq.*
Horsfalliae, *Hook.*, var. Rheedii

Isachne
albens, *Trin.*

Isoplexis
canariensis, *Steud.*

Isotoma
axillaris, *Lindl.*, var. subpinnatifida
longiflora, *Presl*

Ixiolirion
Pallasii, *Fisch. et Mey.*

Ixora
amabilis, *Hort.*
spectabilis, *Wall.*

Jasminum
lineare, *R. Br.*

Justicia
calycotricha, *Link*

Kalanchoe
Kirkii, *N. E. Br.*

Karatas
Innocentii, *Antoine*

Kennedya
prostrata, *R. Br.*
— var. glabrata
— var. Marryattae
rubicunda, *Vent.*

Klugia
Notoniana, *A. DC.*

Kunzea
corifolia, *Reichb.*

Kyllinga
nepalensis, *C. B. Clarke*

Lantana
Camara, *Linn.*

Lapageria
rosea, *Ruiz et Pav.*, var. albiflora, *Hook.*

Lapeyrousia
cruenta, *Benth.*

Laportea
moroides, *Wedd.*

Lathyrus
pubescens, *Hook. et Arn.*
splendens, *Kellogg*

Leea
aspera, *Edgew.*
coccinea, *Planch.*
sambucina, *Willd.*

Leptodermis
pilosa (*Franch.*) *Diels*

Leptospermum
arachnoideum, *Sm.*
attenuatum, *Sm.*
ericoides, *A. Rich.*, var. lineatum
firmum, *Benth.*
flavesces, *Sm.*
Liversidgei, *R. T. Baker et H. G. Smith*
pubescens, *Lam.*
scoparium, *Forst.*
— var. Nicholli
stellatum, *Cav.*

Leucophae
dasygnaphala, *Webb et Berth.*

Leucothoe
Keiskei, *Miq.*

Leucopogon
fasciculatus, *A. Rich.*

Lhotskya
ericoides, *Schau.*

Lilaea
subulata, *Humb. et Bonpl.*

Lilium
auratum, *Lindl.*, var. macranthum
Delavayi, *Franch.* (Bulbils)
philippinense, *Baker*, var. formosanum
sulphureum, *Baker* (Bulbils)

Limnophila
polyantha, *Kurz*

Limosella
aquatica, *Linn.*
— var. tenuifolia

Lindenbergia
urticaefolia, *Lehm.*

Lindheimera
texana, *A. Gray*

Littonia
modesta, *Hook.*

Livistona
humilis, *R. Br.*

Lobelia
Cliffortiana, *Linn.*
linnaeoides, *Petrie*
tenuior, *R. Br.*
triquetra, *Linn.*
Tupa, *Linn.*

Lomatia
longifolia, *R. Br.*
tinctoria, *R. Br.*

Lonicera
sempervirens, *Linn.*
— var. minor

Lopezia
racemosa, *Cav.*

Lotus
Tetragonolobus, *Linn.*

Luffa
ægyptiaca, *Mill.*
cylindrica, *Roem.*

Mallotus
japonicus, *Muell. Arg.*

Malvastrum
capense, *Garcke*
densiflorum, *S. Wats.*
hypomadarum, *Sprague*
lateritium, *Nichols.*

Mammillaria
multiceps, *Salm-Dyck*
pusilla, *DC.*

Maranta
noctiflora, *Regel et Koernicke*

Margyricarpus
alatus, *Gill.*

Marica
Northiana, *Ker-Gawl.*

Mariscus
umbilensis, *C. B. Clarke*

Martynia
fragrans, *Lindl.*
proboscidea, *Glox.*

Maurandia
Purpusii, *Brandegee*
scandens, *A. Gray*
semperflorens, *Jacq.*

Maytenus
ilicifolia, *Mart.*

Melaleuca
nesophila, *F. Muell.*

Melasphaerula
graminea, *Ker-Gawl.*

Mesembryanthemum
blandum, *Haw.*
Brownii, *Hook. f.*
calamiforme, *Linn.*
Cooperi, *Hook. f.*
cordifolium, *Linn.*
crassulinum, *DC.*
curviflorum, *Haw.*
falciforme, *Haw.*
formosum, *Haw.*
glomeratum, *Linn.*
Haworthii, *Donn*
lunatum, *Willd.*
quadrifidum, *Haw.*
rhomboideum, *Salm-Dyck*
roseum, *Willd.*
spectabile, *Haw.*
tumidulum, *Haw.*
uncatum, *Salm-Dyck*

Metrosideros
robusta, *A. Cunn.*

Micromeria
Douglasii, *Benth.*
filiformis, *Benth.*

Mimosa
pudica, *Linn.*

Mimulus
glutinosus, *Wendl.*, var. puniceus

Mirabilis
Jalapa, *Linn.*

Mitraria
coccinea, *Cav.*

Mitriostigma
axillare, *Hochst.*

Momordica
Charantia, *Linn.*
— var. abbreviata

Monanthes
agriostaphys, *Christ*
atlantica, *Ball*

Monochaetum
alpestre, *Naud.*

Monolena
primulaeflora, *Hook. f.*

Moraea
iridioides, *Linn.*
tricuspis, *Ker-Gawl.*

Muehlenbeckia
complexa, *Meissn.*

Musschia
Wollastoni, *Lowe*

Mutisia
decurrens, *Cav.*
ilicifolia, *Cav.*

Myoporum
oppositifolium, *R. Br.*

Myrica
aethiopica, *Linn.*

Myrtus
capensis, *Burm. f.*
communis, *Linn.*
— var. variegata
nummularia, *Poir.*
pedunculata, *Hook. f.*
Ugni, *Mol.*

Nephthytis
liberica, *N. E. Br.*

Nerine
Bowdeni, *W. Watson*
candida, *Hort.*

Nertera
Balfouriana, *Cockayne*
ciliata, *T. Kirk*
depressa, *Banks*

Nesaea
syphilitica, *Steud.*

Nicandra
physaloides, *Gaertn.*
— var. albiflora

Nicotiana
alata, *Link et Otto*
glauca, *R. Grah.*
rustica, *Linn.*

Ochna
atropurpurea, *DC.*
mossambicensis, *Klotzsch*

Ocimum
sanctum, *Linn.*
viride, *Willd.*

Oliveranthus
elegans, *Rose*

Oreostylidium
subulatum, *Berggr.*

Ornithogalum
Ecklonii, *Fisch. et Mey.*
Saundersiae, *Baker*

Oryza
sativa, *Linn.*

Osteomeles
Schwerinae, *C. K. Schneider*

Ourisia
macrocarpa, *Hook. f.*
macrophylla, *Hook.*

Oxalis
bupleurifolia, *A. St. Hil.*
Griffithii, *Edgew. et Hook. f.*
Hirthii, *Phil.*

Oxera
pulchella, *Labill.*

Oxylobium
Callistachys, *Benth.*
cuneatum, *Benth.*

Palisota
Barteri, *Hook. f.*
Maclaudii, *Cornu*
Pynaertii, *Wildem.*

Pancratium
fragrans, *Salisb.*

Panicum
plicatum, *Lam.*

Paronchyia
arabica, *DC.*

Passiflora
caerulea, *Linn.*
elegans, *Mart.*
Herbertiana, *Ker-Gawl.*
racemosa, *Brot.*
suberosa, *Linn.*

Paullinia
thalictrifolia, *Juss.*

Pavonia
spinifex, *Cav.*

Pelargonium
echinatum, *Curt.*
scandens, *Ehrh.*

Pentapterygium
sikkimense, *W. W. Sm.*

Pentas
carnea, *Benth.*

Peperomia
argyreia, *E. Morr.*
cordulata, *C. DC.*
incana, *A. Dietr.*
obtusifolia, *A. Dietr.*
pulchella, *A. Dietr.*
rubella, *Hook.*
Sandersii, *C. DC.*
scandens, *Ruiz et Pav.*

Petiveria
alliacea, *Linn.*

Petrophila
linearis, *R. Br.*
pedunculata, *R. Br.*
sessilis, *Sieber*

Phoenix
dactylifera, *Linn.*

Phyllanthus
montanus, *Sw.*
reticulatus, *Poir.*

Physalis
peruviana, *Linn.*

Pieris
formosa, *D. Don*

Pilea
grandis, *Wedd.*
muscosa, *Lindl.*
Spruceana, *Wedd.*

Pimelea
ligustrina, *Labill.*
longifolia, ***Banks et Soland.***
Traversii, *Hook. f.*

Pitcairnia
Andreana, *Linden*
integrifolia, *Ker-Gawl.*
maidifolia, *Decne.*
punicea, *Beer*
undulata, *Shiedw.*

Pittosporum
crassifolium, *Soland.*
Ralphii, *T. Kirk*
rigidum, *Hook. f.*
viridiflorum, *Sims*

Plectranthus
purpuratus, *Harv.*

Pleuropetalum
costaricense, *Hemsl.*

Plumbago
scandens, *Linn.*

Podalyria
argentea, *Salisb.*

Podocarpus
alpina, *R. Br.*

Polyalthia
suberosa, *Benth. et Hook. f.*

Polycarpaea
divaricata *Balf. f.*
Teneriffae, *Lam.*

Pomaderris
elliptica, *Labill.*
lanigera, *Sims*
phylicaefolia, *Lodd.*
racemosa, *Hook.*
subrepanda, *F. Muell.*

Prasium
majus, *Linn.*

Primula
cernua, *Franch.*
floribunda, *Wall.*, var. isabellina
florida, *Balf. f. et Forrest*
Forbesii, *Franch.*
Forrestii, *Balf. f.*
Fortunei, *Vatke*
Kewensis ×, *Hort.*
— var. farinosa
malacoides, *Franch.*
Menziesiana, *Balf. f. et W. W. Sm.*
mollis, *Nutt.*
obconica, *Hance*
pulchella, *Franch.*
pulchelloides, *F. K. Ward*
redolens, *Balf. f. et Ward*
rupicola, *Balf. f. et Forrest*
sinolisteri, *Balf. f.*
verticillata, *Forsk.*
werringtonensis, *Wallace*

Procris
frutescens, *Blume*

Prostanthera
lasianthos, *Labill.*
linearis, *R. Br.*
nivea, *A. Cunn.*

Pseuderanthemum
seticalyx, *Stapf*

Psidium
montanum, *Sw.*

Psychotria
capensis, *Vatke*

Ptilotrichum
Reverchonii, *Degen et Hervier*

Remusatia
vivipara, *Schott*

Rhabdothamnus
Solandri, *A. Cunn.*

Rhaphitamnus
cyanocarpus, *Miers*

Rhipsalis
madagascariensis, *A. Weber*
mesembryanthoides, *Haw.*
sarmentacea, *Otto et Dietr.*

Rhodochiton
volubile, *Zucc.*

Rhododendron
arboreum, *Sm.*
— var. album
Aucklandii, *Hook. f.*
— var. roseum
Boothii, *Nutt.*
brachyanthum, *Franch.*
camelliaeflorum, *Hook. f.*
floribundum, *Franch.*
formosum, *Wall.*
Keysii, *Nutt.*
Maddeni, *Hook. f.*
— var. calophyllum
— var Jenkinsii
Nuttallii, *Booth*
spinuliferum, *Franch.*

Rhoeo
discolor, *Hance*

Rhopalostylis
sapida, *H. Wendl. et Drude*

Rhytidophyllum
tomentosum, *Mart.*

Richardia
africana, *Kunth*, var. ungeriensis

Ricinus
communis, *Linn.*
sanguineus, *Hort.*

Rivina
tinctoria, *Buch.-Ham.*

Roettlera
Forrestii, *Diels*

Romanzoffia
Suksdorfii, *Greene*

Romulea
Columnae, *Seb. et Mauri*

Rondeletia
odorata, *Jacq.*

Rubus
lineatus, *Reinw.*

Ruellia
Portellae, *Hook. f.*
rubicaulis, *Cav.*
tuberosa, *Linn.*

Rulingia
hermanniaefolia, *Steetz*

Sabal
Blackburniana, *Glazebr.*

Salvia
aurea, *Linn.*
Lemmoni, *A. Gray*
spinosa, *Linn.*

Samolus
littoralis, *Schrank*
repens, *Pers.*

Sandersonia
aurantiaca, *Hook.*

Sarracenia
flava, *Linn.*

Saxifraga
Brunoniana, *Wall.*
cortusaefolia, *Sieb. et Zucc.*
sarmentosa, *Linn.*
Veitchiana, *Balf. f.*

Schefflera
digitata, *Forst.*

Schismatoglottis
Roebelina, *Hort.*

Schizanthus
pinnatus, *Ruiz et Pav.*
— var. grandiflorus
retusus, *Hook.*

Schizocapsa
plantaginea, *Hance*
Wisetonensis, *Hort.*

Scutellaria
discolor, *Coleb.*
Mociniana, *Benth.*

Sedum
Bourgaei, *Hemsl.*
Chaneti, *Léveillé*
Chauveaudi, *Hamet*
compressum, *Rose*
dasyphyllum, *Linn.*
indicum, *Hamet,* var. yunnanense
Liebmannianum, *Hemsl.*
multicaule, *Wall.*
oxypetalum, *H. B. et K.*
Palmeri, *S. Wats.*
pilosum, *Bieb.*
Sieboldii, *Hort.,* var. variegatum
Stahlii, *Solms*

Selago
corymbosa, *Linn.*

Selliera
radicans, *Cav.*

Sempervivum
annuum, *C. Sm.*
Boissieri, *Hort.*
Castello-Paivae, *Christ*
Mauriquerorum, *Christ*
montanum, *Linn.*
striolatum, *Berger*
tabulaeforme, *Haw.*
viscatum, *Berger*

Senecio
echinatus, *DC.*
grandiflorus, *Berg.*
grandifolius, *Less.*
Moorei ×
Petasitis, *DC.*
populifolius, *DC.*
scandens, *Buch.-Ham.*

Sibthorpia
africana, *Linn.*
pichinchensis, *H. B. et K.*

Sida
acuta, *Burm.*

Siphocampylus
lanceolatus, *Regel*

Sisyrinchium
californicum, *Dryand.*

Solanum
auriculatum, *Ait.*
jasminoides, *Paxt.*
khasianum, *C. B. Clarke*
marginatum, *Linn. f.*
pyracanthum, *Jacq.*
Seaforthianum, *Andr.*

Sollya
Drummondi, *C. Morr.*

Sophora
flavescens, *Ait.*

Spathiphyllum
cochlearispathum, *Engl.*

Sphacele
campanulata, *Benth.*

Sphaerolobium
alatum, *Benth.*
vimineum, *Sm.*

Spyridium
globulosum, *Benth.*

Stachytarpheta
indica, *Vahl*

Statice
echioides, *Linn.*

Streptocarpus
Galpini, *Hook. f.*
Haygarthii, *N.E. Br.*
Holstii, *Engl.*
polyanthus, *Hook.*
Rexii, *Lindl.*

Streptosolen
Jamesonii, *Miers*

Strobilanthes
divaricatus, *T. Anders.*

Stylidium
adnatum, *R. Br.*
articulatum, *R. Br.*

Sutherlandia
frutescens, *R. Br.*

Swainsona
Greyana, *Lindl.*, var. coccinea

Synechanthus
fibrosus, *H. Wendl.*

Tacca
cristata, *Jack*
viridis, *Hemsl.*

Tacsonia
Van-Volxemii, *Hook.*

Talinum
patens, *Willd.*

Templetonia
retusa, *R. Br.*

Tetragonia
expansa, *Murr.*

Tetranema
mexicanum, *Benth.*

Teucrium
africanum, *Thunb.*
Marum, *Linn.*

Theropogon
pallidus, *Maxim.*

Thomasia
solanacea, *Benth. et Hook.*

Thunbergia
erecta, *T. Anders.*
mysorensis, *T. Anders.*

Thysanotus
tuberosus, *R. Br.*

Tibouchina
semidecandra, *Cogn.*

Tigridia
Pavonia, *Ker-Gawl.*
— var. grandiflora

Tillandsia
Regina, *Vell.*

Tillaea
pharnaceoides, *Hochst.*

Tinnea
aethiopica, *Kotschy et Peyr.*

Torenia
cordifolia, *Roxb.*
flava, *Buch.-Ham.*
Fournieri, *Linden*

Tourretia
volubilis, *J. F. Gmel.*

Tovaria
pendula, *Ruiz et Pav.*

Trachelium
caeruleum, *Linn.*

Trachelospermum
jasminoides, *Lem.*, var. variegatum

Triglochin
striatum, *Ruiz et Pav.*

Triphasia
Aurantiola, *Lour.*

Tripterygium
Forrestii, *Loes.*

Trochocarpa
laurina, *R. Br.*

Tropaeolum
pentaphyllum, *Lam.*

Tydaea
Lindeniana, *Regel*

Umbilicus
Pestalozzae, *Boiss.*

Urbinea
Purpusii, *Rose*

Urena
sinuata, *Linn.*

Vanilla
planifolia, *Andr.*

Verbesina
Purpusii, *Brandegee*

Villadia
imbricata, *Rose*

Villarsia
parnassiaefolia, *R. Br.*

Visnea
Mocanera, *Linn. f.*

Vitis
antarctica, *Benth.*
heterophylla, *Thunb.*, var. humulifolia
nitens, *F. Muell.*

Wachendorfia
thyrsiflora, *Linn.*

Wahlenbergia
gracilis, *Schrad.*
tasmanica, *Hort.*

Westringia
rosmariniformis, *Sm.*

Whipplea
modesta, *Torr.*

Whitfieldia
lateritia, *Hook.*

Xanthosia
rotundifolia, *DC.*

Xyris
capensis, *Thunb.*

Zephyranthes
texana, *Herb.*

Printed under the authority of His Majesty's Stationery Office
By John Pellow, Murraygate, Dundee.

(110D) Wt9744/S.O.P. 182 425 12/23 G7.

FOR OFFICIAL USE

ROYAL BOTANIC GARDEN
EDINBURGH

LIST OF SEEDS
1930

Plants in the Open - - - - page i
Plants under Glass - - - - „ xxxi

EDINBURGH:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
SOLD AT THE GARDEN,
And to be purchased directly from H.M. STATIONERY OFFICE at the following addresses.
120 GEORGE STREET, EDINBURGH; ADASTRAL HOUSE, KINGSWAY, LONDON, W.C.2;
YORK STREET, MANCHESTER; 1 ST. ANDREW'S CRESCENT, CARDIFF;
15 DONEGALL SQUARE WEST, BELFAST;
or through any Bookseller.
1930
Price 1s. 3d. *Net.*

[*Crown Copyright Reserved.*]

49-26-00-30

ROYAL BOTANIC GARDEN
DEC 19 1930

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1930.

The following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1930. The quantity of seed obtained from some of the species is of limited amount, and in many cases has been entirely absorbed for sowing in the Garden. Of these, therefore, none can be distributed, otherwise the seeds are available for exchange, but they are not for sale:—

PLANTS IN THE OPEN.

Abelia triflora
umbellata

Acaena fissistipula
Hieronymi
inermis
laevigata
microphylla
—var. glauca
Novae-Zelandiae
Sanguisorbae

Acanthopanax Henryi
leucorrhizus var. fulvescens
—var. scaberulus

Acanthus Schottii

Acer campestre
Heldreichii
japonicum var. laciniatum
monspessulanum
opulifolium var. obtusatum
Pseudo-platanus
—var. euchlorum
—var. flavo-marginatum
—var. foliis cupreis
—var. purpureum
Trautvetteri

Achillea ageratifolia
brachyphylla
crithmifolia
filipendulina

Achillea—*continued*
grandiflora
Lereschei
lingulata
macrophylla
Millefolium
pyrenaica
rupestris
serbica
spinulifolia
tomentosa
Tournefortii
umbellata var. major

Aconitum ferox
Fischeri
Forrestii
Lycoctonum
—var. album
—var. pyrenaicum
—var. rubicundum
Napellus
—var. album
palmatum
paniculatum
reclinatum
transsectum
volubile var. latisectum
Wilsonii

Actaea alba
spicata

Adenocarpus intermedius

Adenophora Bulleyana

Aegopodium Podagraria

Aethionema armenum
schistosum

Aethusa Cynapium

Agrimonia agrimonioides
Eupatoria
odorata

Aira caryophyllea

Alchemilla alpina var. conjuncta
vulgaris

Alisma Plantago

Alkanna graeca

Allium acuminatum
albidum
ascalonicum
Aschersonianum (Bulbils)
attenuifolium
Beesianum
cernuum
darwasicum
fallax
fistulosum (Bulbils)
hymenorrhizum
Libani
macranthum
Moly
narcissiflorum
ochroleucum
odorum
oleraceum (Bulbils)
oreophilum
oviflorum
paradoxum
platyspathum var.
angustifolium
pulchellum
roseum
rubrum (Bulbils)
Schubertii
scorzonerifolium
senescens var. glaucum
sikkimense
stellatum
stenopetalum
urceolatum (Bulbils)
Victorialis
Wallichianum

Alnus Alnobetula
cordifolia
firma var. hirtella
glutinosa
—var. laciniata
—var. rubrinervia
incana
—var. aurea
—var. emarginata
—var. glauca
—var. hirsuta
—var. incisa
—var. orbicularis
—var. pendula nova
japonica
Maximowiczii
oregona
rhombifolia
sitchensis
tenuifolia
tinctoria
viridis

Alstroemeria aurantiaca
haemantha
revoluta

Althaea ficifolia
officinalis
pallida
pontica
rosea

Alyssum argenteum
corymbosum
leucadeum
longicaule
maritimum
montanum
podolicum
rostratum
saxatile
spinosum
Szovitsianum
trichostachyum

Amelanchier oligocarpa
ovalis

Ammophila arenaria

Amsinckia lycopsoides

Anagallis arvensis
—var. foemina
collina

Anaphalis araneosa
cinnamomea
japonica
margaritacea
triplinervis
yedoensis

Anchusa officinalis
riparia

Anemone alpina
baicalensis
caroliniana
demissa
japonica
—var. tomentosa
magellanica
mexicana
multifida
narcissiflora
Pulsatilla
rivularis
sulphurea
vitifolia

Antennaria dioica
—var. tomentosa
imbricata var. rosea
neodioica
plantaginifolia

Anthemis cinerea
macedonica
Triumfettii

Anthericum Liliago

Anthriscus sylvestris

Anthyllis montana
Vulneraria

Antirrhinum Asarina
Barrelieri
glutinosum
Orontium

Aphyllanthes monspeliensis

Aplopappus croceus

Aponogeton distachyum

Aquilegia californica
discolor
formosa
Moorcroftiana
pyrenaica
Skinneri
vulgaris var. alpestris
—var. atrata
—var. nivea
—var. stellata

Arabis alpina
—var. crispata
aubrietioides
brassicaeformis
erubescens
hirsuta
procurrens
verna

Aralia cachemirica
californica
chinensis var. glabrescens

Archangelica atropurpurea
officinalis

Arctium minus

Arenaria balearica
capillaris
caricifolia
cretica
foliosa
frigida
gracilis
graminifolia
grandiflora
juniperina
Koriniana
laricifolia
leptoclados
pinifolia
purpurascens
sajanensis
saxatilis
setacea
tmolea

Armeria Adamovici
alpina
—var. alba
—var. nana
caespitosa
chilensis

Armeria—*continued*
dianthifolia
elongata
fasciculata
juncea
latifolia
leucocephala
longearistata
Macloviana
majellensis
maritima
olympica
plantaginea
pungens
sardoa
sibirica

Arnica alpina
Chamissonis
montana

Artemisia Baumgartenii
hololeuca
lanata
sericea
vulgaris

Arum italicum

Asperula aristata
humifusa
odorata

Asphodeline lutea

Asphodelus albus
—var. pyrenaicus
fistulosus

Aster acris
alpinus
—var. himalaicus
brachytrichus
caucasicus
Delavayi
diplostephioides
Farreri
Forrestii
fuscescens
Harrowianus
Hauptii
Lipskyi
molliusculus
oreophilus
Porteri

Aster—*continued*
ramulosus
sibiricus
sikkimensis
staticifolius
Stracheyi
subcoeruleus
tricephalus
Vahlii
Vilmorini

Astilbe Davidii
—var. rosea
grandis
japonica
koreana
rivularis
rubra
simplicifolia

Astragalus armeniacus
asper
chlorostachys
Echinus
exscapus
falcatus
Glycyphyllos
gummifer
hypoglottis
leontinus
Onobrychis
penduliflorus
podocarpus
purpureus
reflexistipulus
Robbinsii
utriger
verus

Astrantia gracilis
helleborifolia
major
—var. intermedia

Atraphaxis Billardieri
lanceolata

Atriplex hortense var. rubrum

Atropa Belladonna
—var. lutea

Aubrietia deltoidea
—var. Eyrei
erubescens
Pinardi

Avena sempervirens

Ballota nigra

Barbarea intermedia
orthoceras
praecox
rupicola
vulgaris

Beckmannia erucaeformis

Bellium bellidioides

Berberis aemulans
aggregata
—var. Prattii
angulosa
aristata
brachypoda
brevipaniculata
buxifolia
concinna
Coryi
Darwinii
dictyophylla
Dielsiana
Edgeworthiana
Francisci-Ferdinandii
Gagnepaini
Guimpellii
heterophylla
heteropoda
koreana
Lecomtei
mekongensis
morrisonensis
pruinosa
Sieboldii
stenophylla
subcaulialata
Thunbergii
Tischleri
umbellata
virescens
Wallichiana var. compacta
Wilsonae

Beta patellaris

Betula alba
—var. pendula
—var. pubescens
Andrewsii
chinensis
Ermani
excelsa
fontinalis
fruticosa
humilis
japonica var. szechuanica
—var. mandschurica
lutea
papyrifera
populifolia
tristis
ulmifolia
utilis
—var. Prattii

Biscutella didyma
laevigata

Blumenbachia Hieronymi

Borago laxiflora

Boykinia major
occidentalis

Brachypodium distachyum
ramosum

Brassica alba
campestris var. chinensis
juncea

Brodiaea lactea
laxa var. maxima

Bromus giganteus
macrostachys

Bruckenthalia spiculifolia

Bryanthus empetriformis
taxifolius

Buddleia albiflora
alternifolia
Fallowiana
Forrestii
Hemsleyana
nivea
serotina
variabilis
—var. nanhoensis
—var. Veitchiana

Bulbinella Hookeri

Bunias orientalis

Buphthalmum salicifolium
speciosum

Bupleurum Candollii
falcatum
longicaule
longifolium
—var. aureum

Buxus sempervirens

Calamintha grandiflora
graveolens

Calceolaria chelidonioides
crenatiflora
tenella
valdiviana

Calendula arvensis
officinalis

Callirhoe digitata

Calluna vulgaris
—var. Hammondii
—var. tenuis

Caltha polypetala
radicans

Camassia Cusickii
esculenta
Leichtlinii

Campanula abietina
alliariaefolia
barbata
caespitosa var. Vensloi
carpatica
—var. alba
—var. pelviformis
—var. turbinata
—var. turbinata alba
cochlearifolia
cristallocalyx
divaricata
filicaulis
glomerata
istriaca
Kolenatiana

Campanula—*continued*
lactiflora
—var. caerulea
—var. eriocalyx
latifolia var. macrantha
—var. macrantha alba
latiloba
linifolia
macrorrhiza
Medium var. calycanthema
nobili-macrantha
persicifolia
phyctidocalyx
pilosa
pseudo-carnica
psilostachya
pulla
pulloides
pyrenaica
Reuteriana
rhomboidalis
rhomboidea
rotundifolia
—var. arcuata
Scheuchzeri
speciosa
spicata
Spruneriana
thessala
thyrsoides
Trachelium

Cannabis sativa

Capsella Bursa-pastoris

Caragana arborescens
—var. cuneifolia
—var. pendula
Boisii
frutescens var. latifolia

Cardamine Impatiens

Carduncellus mitissimus

Carduus defloratus
medius
stenolepis

Carex aquatilis
binervis
flava
glauca
Grayi

Carex—*continued*
hirta
Hudsonii
laevigata
muricata
Pseudo-cyperus
remota
rigida
riparia
sparganioides

Carmichaelia Enysii
flagelliformis

Carthamus tinctorius

Carum Carvi
segetum

Cassinia fulvida
Vauvilliersii

Catananche bicolor
caerulea

Cautleya lutea

Ceanothus dentatus
Veitchianus

Cedronella triphylla

Celastrus articulatus

Celmisia coriacea
densiflora
holosericea
Hookeri
Lindsayi
longifolia
petiolata
spectabilis
verbascifolia
viscosa

Centaurea Cyanus
—var. alba
cynaroides
macrocephala
montana
nervosa
nigrescens
pulcherrima
rutifolia
Scabiosa
Spruneri
uniflora

Centranthus ruber
—var. albus

Cephalaria alpina
tatarica
Tchihatchewi

Cerinthe glabra
major

Chaerophyllum aureum

Charieis heterophylla

Cheiranthus Allionii
Menziesii
Senoneri

Chelidonium majus
—var. laciniatum

Chelone glabra var. alba

Chenopodium album
Bonus-Henricus

Chionodoxa Luciliae

Chrysanthemum achilleaefolium
arcticum
atratum
caucasicum
coccineum
densum
hispanicum
—var. radicans
Leucanthemum
Parthenium
praealtum
rotundifolium
segetum
Zawadskii

Chrysogonum virginianum

Chrysopsis camporum
villosa var. Rutteri

Cichorium Intybus

Cimicifuga americana
cordifolia
davurica
foetida
racemosa

Cirsium acaule
eriophorum
monspessulanum
oleraceum
spinosissimum
tuberosum

Cistus albidus
laurifolius
villosus var. corsicus

Claytonia sibirica

Clematis campaniflora
Flammula
Fremontii
glauca
heracleaefolia
orientalis
recta
—var. mandschurica
songorica

Clintonia alpina
umbellata

Clypeola Jonthlaspii

Cnicus Bertolonii
canus
Falconeri
pratensis
tartaricus

Cochlearia danica
glastifolia
officinalis

Codonopsis meleagris
ovata

Collinsia bicolor

Collomia coccinea
gilioides
grandiflora
linearis

Coluria potentilloides

Colutea brevialata
cilicica
orientalis

Commelina sikkimensis

Conium maculatum

Conringia orientalis
planisiliqua

Coptis asplenifolia
brachypetala

Coreopsis tinctoria

Coriaria nepalensis

Cornus alba
Baileyi
Hessei
pubescens
sanguinea
—var. latifolia
—var. variegata
stolonifera var. flaviramea

Corokia Cotoneaster
—var. fructu luteo
virgata

Coronilla emeroides

Cortia Lindleyi

Cortusa Matthioli

Corydalis chaerophylla
cheilanthifolia
lutea

Cotoneaster acutifolia
—var. villosula
affinis
ambigua
amoena
apiculata
bacillaris
bullata
—var. macrophylla
buxifolia
Dammeri
—var. radicans
denticulata
Dielsiana
—var. elegans
divaricata
Francheti
frigida
—var. Vicarii
hebephylla var. monopyrena

Cotoneaster—*continued*
Henryana
horizontalis
—var. perpusilla
—var. prostrata
lactea
laxiflora
microphylla
—var. thymaefolia
—var. vellaea
moupinensis
multiflora var. calocarpa
Nummularia
—var. Meyeri
obscura
pannosa
rotundifolia
rubens
salicifolia var. floccosa
—var. rugosa
serotina
Simonsii
tomentosa
turbinata
Zabeli

Crambe cordifolia
maritima
Tataria

Craspedia uniflora

Crataegus acclivis
acutiloba
anomala
Arnoldiana
Azarolus
caesa
canadensis
coccinea
Crus-galli var. prunifolia
—var. splendens
Douglasii
durobrivensis
Ellwangeriana
flabellata
flammea
Heldreichii
Holmesiana
integriloba
Jackii
macracantha
mollis
nigra
orientalis

Crataegus—*continued*
Oxyacantha
—var. flore puniceo
—var. fuscata
—var. monogyna
—var. pendula variegata
—var. stricta
pascens
pentagyna
sinaica
submollis
Wilsonii

Cremanthodium Delavayi

Crepis aurea
blattarioides
chondrilloides
grandiflora
incana

Crocus medius
speciosus

Crucianella Sintenisii
stylosa

Cyananthus lobatus

Cyclamen europaeum
neapolitanum

Cydonia japonica
Maulei

Cymopterus anisatus

Cynoglossum amabile
—var. album
nervosum
pictum
Wallichii

Cytisus albus
austriacus
biflorus
capitatus
decumbens
eriocarpus
hirsutus
monspessulanus
nigricans
purpureus
scoparius
—var. Andreanus
sessilifolius
Spachianus

Daboecia polifolia

Dactylis glomerata

Dahlia Merckii

Daphne acutiloba

Datisca cannabina

Datura inermis
Stramonium

Delphinium altissimum
amoenum
bicolor
Brunonianum
Consolida var. micranthum
Delavayi
dictyocarpum
elatum
—var. alpinum
exaltatum
flexuosum
formosum
Maackianum
nudicaule
occidentale
Przewalskii
Requienii
scopulorum var. stachydeum
speciosum var. glabratum
tatsienense
triste
vestitum
yunnanense

Deutzia corymbosa
longifolia
scabra
Veitchii

Dianthus alpinus
anatolicus
Arrostii
atrorubens
attenuatus
brevicaulis
caesius
—var. grandiflorus
—var. semiplenus
calocephalus
campestris
chinensis
crinitus

Dianthus—*continued*
deltoides
—var. glaucus
Falconeri
furcatus
gallicus
grandiflorus
Hoeltzeri
leptopetalus
Liboschitzianus
liburnicus
Lumnitzeri
monspessulanus var. alpestris
pallens
petraeus var. spiculifolius
pinifolius
plumarius
pubescens
pungens
rupicolus
scardicus
squarrosus
Sternbergii
strictus
—var. grandiflorus
strumarius
subacaulis
Suendermannii
Tatrae
tener
tergestinus
tymphresteus
Velenowskyi
virgineus
viscidus
Waldsteinii
zonatus

Dicentra eximia

Dictamnus albus

Dierama pulcherrimum

Diervilla florida
—var. candida
grandiflora
Lonicera
Middendorfiana
sessilifolia

Digitalis ambigua
purpurea
—var. alba

Dimorphotheca pluvialis

Dioscorea pyrenaica

Dipelta ventricosa
yunnanensis

Diphylleia cymosa

Dipsacus asper
chinensis
fullonum
inermis
pilosus

Discaria Toumatou

Dodecatheon Meadia var. integrifolium

Doronicum carpetanum
corsicum
Pardalianches

Draba aizoides
altaica
aurea
bronchialis
fladnizensis
hirta
hispida
incana
—var. Adamsii
laxa
nemorosa
nivalis
ramosissima
rupestris
scandinavica
siliquosa
stellata
subamplexicaulis

Dracocephalum austriacum
bullatum
Forrestii
fruticulosum
grandiflorum
Isabellae
peregrinum
Ruprechti
Ruyschiana
speciosum
tanguticum
thymiflorum
Wilsonii

Dryas Drummondii
octopetala

Echinospermum patulum

Echium plantagineum
vulgare

Elaeagnus umbellata

Eleocharis palustris

Elymus arenarius

Enkianthus Palibinii
pallidiflorus
recurvus
sinohimalaicus
tectus

Epilobium angustifolium
collinum
Dodonaei
glabellum
hirsutum
montanum
pedunculare
rosmarinifolium

Eranthis cilicica

Erica australis
cinerea var. alba minor
—var. rosea
stricta
vagans var. alba multiflora
—var. kevernensis
—var. leucantha

Erigeron atticus
aurantiacus
confinis
flagellaris
frigidus
grandiflorus
montanensis
multiradiatus
oreganus
Roylei
Rusbyi
speciosus

Erinus alpinus
—var. albus
—var. carmineus

Erodium alpinum
carvifolium
geifolium
macradenum
—var. Willkommianum

Eruca sativa

Erucaria aleppica

Eryngium agavifolium
alpinum
eburneum
Heldreichii
paniculatum
planum
prostratum

Erysimum asperum
hieracifolium
linifolium
nanum
ochroleucum
pachycarpum
rupestre

Erythronium revolutum

Escallonia Philippiana
pterocladon
punctata
rubra

Eschscholzia californica

Euonymus europaeus
latifolius var. planipes
phellomana
yedoensis

Eupatorium ageratoides
cannabinum
deltoideum
glechonophyllum
purpureum

Euphorbia spinosa

Exochorda Albertii

Farsetia clypeata

Ferula communis
tingitana

Festuca duriuscula
glauca
ovina
rubra

Filipendula Ulmaria
—var. variegata

Foeniculum giganteum
vulgare

Fragaria indica

Fritillaria involucrata
lanceolata var. gracilis
Meleagris

Froelichia gracilis

Fuchsia Riccartonii

Fumaria officinalis

Funkia Sieboldiana

Galax aphylla

Galega officinalis

Galinsoga parviflora

Galium Aparine
boreale

Garrya elliptica

Gaultheria antipoda
cuneata
hispida
nummularioides
pyroloides var. fructu albo
Shallon

Genista aetnensis
anglica
dalmatica
depressa
hispanica
sagittalis
sylvestris
tinctoria
—var. apennina
—var. prostrata
virgata

Gentiana asclepiadea
—var. alba
brevidens
crassicaulis
Cruciata
detonsa
Farreri
lutea
prolata
pterocalyx
purpurea
septemfida
—var. procumbens
sino-ornata
tibetica
verna

Geranium cinereum
Endressii
Fremontii
Grevilleanum
Londesii
lucidum
molle
palustre
phaeum
polyanthes
pratense
—var. album
—var. bicolor
Robertianum
sanguineum
—var. album
—var. prostratum
sessiliflorum
subcaulescens
sylvaticum
—var. album
Wilfordii

Gerbera Kunzeana

Geum bulgaricum
calthifolium var. dilatatum
chiloense
coccineum
inclinatum
macrophyllum
montanum
parviflorum
pyrenaicum
rivale
tyrolense
uniflorum
urbanum

Gilia abrotanifolia
achilleaefolia
capitata
liniflora
tricolor

Gillenia stipulacea

Glaucium flavum
—var. Serpieri

Globularia incanescens
vulgaris

Glyceria aquatica

Gnaphalium sylvaticum var. scoparium
trinerve

Grindelia inuloides
speciosa

Gypsophila paniculata
prostrata
repens

Halesia hispida

Hastingsia alba

Hedysarum microcalyx

Helenium autumnale var. Halleri

Helianthemum glaucum var. stoechadifolium
marifolium var. vineale
oelandicum
pilosum var. purpureum
polifolium
Tuberaria
vulgare
—var. roseum

Helianthus annuus
strumosus

Helichrysum antennarium
bracteatum
callichrysum
lanatum
plicatum
rosmarinifolium

Heliopsis padula
scabra var. Pitcheriana

Helipterum Manglesii
roseum

Helonias bullata

Hemerocallis Forrestii
plicata

Heracleum asperum
sibiricum var. angustifolium
Sphondylium
villosum

Hesperis dinarica
lutea
matronalis

Heuchera bracteata
cylindrica var. glabella
hispida
pilosissima
sanguinea

Hieracium alpinum
aurantiacum
Auricula
bombycinum
Bornmuelleri
callistophyllum
gymnocephalum
Heldreichii
incisum
Jankae
lanatum
maculatum
pallidum
Pilosella
sinuans
Sommerfeltii
villosum

Hippophae rhamnoides

Hippuris vulgaris

Holcus mollis

Homeria collina

Homogyne alpina

Hordeum murinum

Horminum pyrenaicum
—var. pallidum
—var. purpureum
—var. roseum

Hosackia oblongifolia
Torreyi

Hottonia palustris

Hyacinthus amethystinus

Hydrangea Bretschneideri
dumicola
heteromalla
—var. mollis
paniculata var. grandiflora
petiolaris
vestita
xanthoneura
—var. glabrescens
—var. setchuenensis
—var. Wilsonii

Hydrocotyle vulgaris

Hydrophyllum virginicum

Hymenanthera crassifolia

Hyoscyamus niger

Hypecoum leptocarpum

Hypericum Androsaemum
Ascyron
caprifolium
Coris
Desetangsii
Gebleri
hirsutum
Hookerianum
humifusum
Kotschyanum
linarifolium
nanum
orientale
patulum
—var. Henryi
perforatum
pulchrum
repens
rhodopeum
rumelicum
Webbii

Hyssopus officinalis
—var. albus
—var. ruber

Iberis amara
Lagascana
Pruitii
saxatilis
semperflorens
sempervirens
—var. superba

Ilex Aquifolium
—var. camelliaefolia

Illecebrum verticillatum

Impatiens Roylei

Incarvillea Delavayi
grandiflora var. brevipes

Inula ensifolia
Helenium
macrophylla
Oculus-Christi
Royleana
squarrosa

Ionopsidium acaule

Iris Bulleyana
Chamaeiris
chrysographes
Clarkei
Delavayi
Douglasiana
—var. Watsoniana
foetidissima
Forrestii
laevigata
orientalis
prismatica
Pseudacorus
—var. acoroides
sibirica
Sintenisii
spuria
tectorum var. lilacina
versicolor
Wilsoni

Isatis tinctoria

Jamesia americana

Jasione humilis
Jankae
perennis

Jasminum Beesianum
humile

Juncus effusus
—var. spiralis
ensifolius
Novae-Zelandiae
squarrosus

Jurinea anatolica

Laburnum alpinum
—var. aureum
—var. autumnalis
—var. fragrans
—var. Parksii
vulgare
—var. Alschingeri
—var. involutum
—var. quercifolium

Lactuca Bourgaei
bracteata
Dubyaea
hastata
longifolia
macrorhiza
Plumieri
virosa

Lagenophora Forsteri

Lamium Galeobdolon
longiflorum
maculatum

Lapsana communis

Laserpitium Siler

Lathraea Clandestina

Lathyrus latifolius var. albus
luteus
—var. aureus
maritimus
montanus

Lathyrus *continued*
niger
pisiformis
undulatus
variegatus
venosus
vernus
—var. flaccidus

Lavandula vera
—var. nana

Lavatera cachemiriana
thuringiaca

Ledum palustre
—var. latifolium

Legousia perfoliata
speculum-veneris

Leiophyllum buxifolium

Leontopodium alpinum
—var. himalaicum
—var. transsylvanicum
calocephalum
hybridum
japonicum
leontopodioides
sibiricum

Leonurus Cardiaca

Lepidium Draba
pubicarpum
sativum
spinescens

Leptospermum scoparium

Leptosyne gigantea
Stillmannii

Leuzea conifera

Levisticum officinale

Leycesteria formosa

Libertia formosa
grandiflora
ixioides

Ligusticum scoticum

Ligustrum Delavayanum
Ibota
—var. Regelianum
ionandrum
ovalifolium
Prattii
vulgare
—var. italicum

Lilium giganteum
Grayi
Martagon
—var. album
—var. dalmaticum
monadelphum
—var. Szovitzianum
regale
Willmottiae

Limnanthes Douglasii

Linaria bipartita var. elegans
Broussonetii
Cymbalaria
Elatine
genistifolia
Jattae
maroccana
origanifolia
purpurea
repens
supina
vulgaris

Linum angustifolium
hologynum
monogynum
Muelleri
perenne var. sibiricum
usitatissimum
viscosum

Lithospermum officinale

Lobelia erecta
syphilitica
Tupa

Lonicera adenophora
alpigena
angustifolia
bella var. rosea
Charlottei
chrysantha
deflexicalyx
flava

Lonicera—*continued*
flavescens
Giraldii
Henryi
involucrata
—var. humilis
—var. serotina
Koehneana
ligustrina var. yunnanensis
Maximowiczii
Morrowii
Myrtillus
nitida
parvifolia
Periclymenum
pileata
pyrenaica
quinquelocularis
rupicola
salicifolia
Sullivantii
syringantha
thibetica
tomentella
translucens
trichopoda
Webbiana
xerocalyx
Xylosteum

Lophosciadium meifolium

Lotus corniculatus
Tetragonolobus
uliginosus

Lunaria annua

Lupinus arboreus
Douglasii
micranthus
nootkatensis
polyphyllus
rivularis

Luzula campestris
parviflora
sylvatica

Lychnis alpina
chalcedonica
coronaria
—var. alba
dioica
Flos-cuculi
—var. alba
Flos-jovis
fulgens
Githago
Viscaria
—var. alba

Lysichitum camtschatcense

Lysimachia verticillata

Lythrum Salicaria
—var. hirsutum

Mahonia Aquifolium

Malcomia africana
maritima

Malva sylvestris
Tournefortiana
verticillata

Mandragora officinarum

Marrubium supinum
vulgare

Matthiola sinuata var. glabra
albiflora

Meconopsis aculeata
betonicifolia
cambrica
integrifolia
latifolia
Prattii
rudis
Wallichii

Medicago arabica
Echinus
sativa

Melica nutans

Melilotus alba

Melittis Melissophyllum

Menyanthes Crista-galli
trifoliata

Mertensia elongata

Meum athamanticum

Microglossa albescens

Microseris Forsteri

Mimulus Lewisii
luteus
—var. guttatus

Moloposperma
peloponnesiacum

Moltkia petraea

Monarda Bradburiana
fistulosa

Morina Delavayi
longifolia

Morus nigra

Muscari alpinum
Argaei
armeniacum
Aucheri
botryoides
comosum
elegans
neglectum

Myosotis caespitosa
capitata var. albiflora
semperflorens

Myosurus minimus

Myrrhis odorata

Nardostachys grandiflora

Narthecium ossifragum

Nasturtium officinale

Neillia affinis
opulifolia
—var. lutea
sinensis
Torreyi

Nemophila insignis
—var. grandiflora
Menziesii var. discoidalis

Nepeta cyanea
distans
granatensis
kokanica
lamiopsis
longiflora
macrantha
nuda
racemosa var. crassifolia
ucranica
violacea

Nigella orientalis

Nolana prostrata

Nonnea rosea

Notospartium Carmichaeliae

Nuttallia cerasiformis

Odontospermum maritimum

Oenanthe crocata
pimpinelloides
silaifolia

Oenothera acaulis
biennis
—var. grandiflora
Clutei
glauca
odorata
pumila

Olearia avicenniaefolia
Haastii
ilicifolia
macrodonta
myrsinoides
stellulata
virgata

Oligoneuron canescens

Omphalodes linifolia
Luciliae

Onobrychis supina
viciaefolia

Ononis aragonensis
fruticosa
hircina

Onopordon Acanthium
arabicum
heteracanthum
Olgae

Onosma echioides
stellulatum

Ophiopogon intermedius
Jaburan

Opulaster Ramaleyi

Ornithogalum narbonense var. pyramidale
pyrenaicum

Oryzopsis miliacea

Ostrya carpinifolia

Ourisia macrocarpa
macrophylla

Oxalis valdiviensis

Oxyria digyna

Oxytropis argentata
campestris

Paeonia Delavayi
obovata
Veitchii
Woodwardii

Papaver aculeatum
californicum
dubium
monanthum
nudicaule
Rhoeas var. latifolium
Schinzianum
somniferum
—var. polycephalum
tauricolum

Paradisea Liliastrum

Parietaria officinalis

Paris polyphylla

Parnassia palustris

Patrinia palmata

Peltaria turkmena

Pentstemon coeruleus
confertus
diffusus
Eatonii
glaber
—var. alpinus
glaucus var. stenosepalus
grandiflorus
Hallii
imberbis
Menziesii
pinetorum
Richardsonii
tubiflorus
venustus
Watsoni

Perezia multiflora

Pernettya mucronata
rupicola

Peucedanum Ostruthium
verticillare

Phacelia pimpinellioides
viscida

Phalaris arundinacea

Phellodendron amurense
japonicum

Philadelphus coronarius
Delavayi
Gordonianus
—var. cordatus
grandiflorus
—var. floribundus
incanus var. Sargentianus
Lewisii
Satsumi var. acuminatus
sericanthus var. Rehderianus
Wilsonii

Phillyrea decora

Phleum pratense

Phlomis alpina
fruticosa
Herba-ventii
macrophylla
pratensis
samia
umbrosa var. australis
viscosa

Phormium tenax

Phygelius capensis

Physalis Alkekengi

Phyteuma campanuloides
canescens
Halleri
Lebachiana
lobelioides
nigrum
Scheuchzeri
serratum
Sibthorpianum
Sieberi
spicatum
Vagneri

Phytolacca acinosa
clavigera
decandra

Picridium tingitanum

Pimpinella Flahaultii
Gouani
serbica ×

Piptanthus Forrestii
nepalensis

Pisum formosum
Jomardi

Plagianthus Lyallii

Plantago alpina
arborescens
argentea
Coronopus
fuscescens
lanceolata
major var. monstrosa
Raoulii

Platycodon grandiflorum var.
glaucum
—var. Mariesii

Platystemon californicus

Podophyllum Emodi
—var. chinense
—var. Leichtlinii

Polemonium boreale
caeruleum
—var. album
—var. gracile
—var. monstrosum
filicinum
flavo-caeruleum ×
humile
—var. Richardsonii
mexicanum
Van Bruntiae

Polygonatum latifolium var.
commutatum
verticillatum

Polygonum affine
Bistorta
capitatum
polystachyum

Potamogeton natans

Potentilla adscharica
alchemilloides
ambigens
andicola
apennina
argyrophylla
—var. atrosanguinea
bifurca
Buccoana
caulescens
crinita
Delavayi
delphinensis
dissecta
Dombeyi
effusa
fragiformis
fruticosa
—var. Vilmoriniana
fulgens
glandulosa
—var. Wrangeliana
gracilis

Potentilla—*continued*
grammopetala
grandiflora
haematochrus
Haynaldiana
Herbichii
Hippiana
Kerneri ×
kurdica
Leschenaultiana
leuconota
Levieri
litoralis
Macnabiana
montenegrina
monticola
Mooniana
multifida
nepalensis
—var. Willmottiana
Nicicii
niponica
nivea
norvegica
palustris
peduncularis
pimpinelloides
pyrenaica
recta
Richardii
rupestris
—var. pygmaea
Salesoviana
Sanguisorba
sericea
Sibbaldi
Sibthorpiana
Sommieri
splendens
taliensis
Thurberi
transcaspia
Valderia
viscosa
Visianii

Poterium canadense
diandrum
dodecandrum
filiforme
hakusanense
obtusum
officinale
rupicolum
Sanguisorba

Pratia repens

Prenanthes purpurea

Primula anisodora
apoclita
Beesiana
Bulleyana
burmanica
Cockburniana
crispata
cyanantha
elatior
Florindae
geraniifolia
helodoxa
japonica
lepta
leucophylla
lichiangensis
Littoniana
longiflora
microdonta var. alpicola
— var. violacea
Mooreana
muscarioides
Poissonii
prionotes
pseudo-sikkimensis
pulverulenta
saxatilis
secundiflora
sikkimensis
sinoplantaginea
Smithiana
sphaerocephala
Veitchii
vittata
Waltoni
Wilsoni

Prismatocarpus strictus

Prosartes oregana

Prunella grandiflora
hyssopifolia
laciniata
vulgaris
—var. rosea

Prunus acida var. semperflorens
Avium
communis
mollis

Ptelea trifoliata

Pulicaria vulgaris

Pyracantha angustifolia
coccinea var. Lalandii

Pyrethrum Akinfiewi
Haussknechtii

Pyrus alpina var. superaria
americana
Aria
—var. flabelliformis
—var. lutescens
—var. majestica
—var. Mougeoti
—var. obtusata
—var. salicifolia
—var. Theophrasta
—var. vestita
Aucuparia
—var. Dirkenii aurea
—var. discolor
—var. Fifeana
—var. moravica
—var. pendula variegata
—var. rossica
—var. satureifolia
baccata
—var. cerasifera
—var. fructu maximo
—var. microcarpa praecox
Chamaemespilus
communis
—var. fascicularis
germanica
Hostii
hybrida
intermedia
Malus var. Arnoldiana
nivalis
orthocarpa
pinnatifida
prunifolia var. Rinkii
Ringo var. fastigiata bifera
rotundifolia
salicifolia
Sargentiana
sikkimensis
theifera
Toringo
—var. incisa
transitoria var. toringoides
Wilsoniana

Quercus pedunculata
sessiliflora

Ramondia pyrenaica
serbica

Ranunculus acris
—var. Stevenii
Broteri
Ficaria
Flammula
gramineus
illyricus
Kerneri
Lingua
monspeliacus
sceleratus

Rapistrum rugosum

Reseda alba
complicata
glauca
lutea
Luteola

Rhamnus alpina
davurica
Erythroxylon
Frangula
rupestris
saxatilis
spathulaefolia
tinctoria

Rheum acuminatum
Alexandrae
Moorcroftianum
officinale
palmatum
—var. rubrum
Rhaponticum

Rhododendron adenogynum
aechmophyllum
ambiguum
Amesiae
Anthopogon
Augustinii
Baileyi
barbatum
brachyanthum
brachycarpum

Rhododendron—*continued*
calendulaceum
californicum
callimorphum
calostrotum
campanulatum
campylocarpum
cantabile
caucasicum
cephalanthum
charianthum
chartophyllum
chloranthum
ciliatum
cinnabarinum
complexum
crassum
cuneatum
cyclium
Davidsonianum
decorum
Degronianum
desquamatum
detonsum
diacritum
drumonium
euchaites
fastigiatum
Fauriei
ferrugineum
fictolacteum
flavidum
flavum
Fortunei
galactinum
glaucophyllum
glaucum
Hanceanum
heliolepis
hemitrichotum
hippophaeoides
Hodgsonii
hormophorum
hypolepidotum
impeditum
insigne
intricatum
irroratum
Kaempferi
kamtschaticum
keleticum
Kotschyi
ledoides
lepidotum
litangense

Rhododendron—*continued*
lochmium
longesquamatum
longistylum
maximum
micranthum
minus
Morii
neriiflorum
nipponicum
niveum
obovatum
obtusum var. japonicum
oreotrephes
oreotrephoides
oresbium
orthocladum
ovatum
paradoxum
phaeochrysum
pholidotum
polylepis
ponticum
primulinum
pseudo-yanthinum
punctatum
racemosum
ravum
rhantum
Rhodora
rubiginosum
rupicola
saluenense
Sargentianum
schistocalyx
Schlippenbachii
scintillans
Searsiae
Smirnowi
Souliei
sperabile
sphaeranthum
tapetiforme
telmateium
tephropeplum
Thomsoni
Traillianum
trichocladum
triflorum
Tschonoskii
Vaseyi
verruculosum
villosum
Vilmorinianum
virgatum

Rhododendron—*continued*
viscosum
Wallichii
Wasonii
yanthinum
yunnanense
—var. praecox
zaleucum

Rhodotypos kerrioides

Ribes cruentum
divaricatum
futurum ×
Lobbii
rubrum
—var. pubescens
sanguineum
—var. albidum
—var. splendens
speciosum

Ricotia Lunaria

Rodgersia aesculifolia
pinnata
podophylla
sambucifolia
tabularis

Romanzoffia unalaschcensis

Rosa acicularis
Albertii
blanda
—var. Sayi
californica
canina
cinnamomea
damascena
—var. elongata
Fedtschenkoana
Fendleri
ferox
glauca
glutinosa
Jundzilli
kamtchatica
macrophylla
moschata
Moyesii
—var. rosea
multibracteata
multiflora
muriculata

Rosa—*continued*
nitida
—var. pteracantha
oxyodon var. haematodes
pendulina
pimpinellifolia
poteriifolia
rubiginosa
rubrifolia
rugosa
—var. alba
Seraphinii
sericea
spinosissima
tomentosa
Webbiana

Roscoea alpina
cautleoides
purpurea

Rubus biflorus
Giraldianus
Idaeus
—var. Leesii
inopertus
laciniatus
Lambertianus
lasiocarpus
macropetalus
phoenicolasius
pileatus
spectabilis
Thomsonii

Rudbeckia laciniata
triloba

Rumex Acetosa
flexuosus
nivalis
obtusifolius
pulcher

Ruta chalepensis
graveolens

Salvia acetabulosa
austriaca
Bulleyana
campanulata
glutinosa
Jurisicii
mexicana
officinalis

Salvia—*continued*
patens
pratensis
Przewalskii
Sclarea
Soulici
verbascifolia
Verbenaca
verticillata

Sambucus caerulea
canadensis
nigra
—var. fructu albo
—var. heterophylla
—var. variegata
racemosa
—var. serratifolia foliis aureis
Thunbergiana

Sanicula europaea

Saponaria bellidifolia
caespitosa
officinalis
Vaccaria

Satureia cuneifolia
intricata
montana
—var. pygmaea

Saururus Loureiri

Saussurea alpina
denticulata
Laneana
salicifolia

Saxifraga aizoides var. atrorubens
Aizoon f. minima
—f. rosularis
Allionii ×
caespitosa
canaliculata
cochlearis
crassifolia
cuneifolia
decipiens
—f. grandiflora
—f. pulchella
Delavayi
Geum f. dentata
—f. ovalifolia

Saxifraga—*continued*
granulata
Hirculus var. vestita
hypnoides
intricata
irrigua
juniperifolia
lanceolata
micrantha
pedatifida
peltata
pentadactylis
porophylla
pseudo-sancta
purpurascens
rigescens ×
rotundifolia
—var. repanda
tellimoides
umbrosa
—f. gracilis
—f. Ogilvieana
—f. primuloides
—f. serratifolia
—f. variegata
Vayredana var. major
virginiensis
vochinensis ×

Scabiosa anthemifolia
caucasica
fumarioides
graminifolia
Hookeri
macedonica
Pterocephala
Succisa
—var. alba

Scandix australis
brachycarpa
Pecten-Veneris
pinnatifida

Scilla festalis
hispanica

Scirpus caespitosus
Holoschoenus
lacustris var. Tabernaemontanii

Scopolia lurida

Scorpiurus sulcata

Scrophularia nodosa
pauciflora
vernalis

Scutellaria alpina
altissima
galericulata
orientalis
peregrina

Securigera Coronilla

Sedum Aizoon
Anacampseros
anopetalum
asiaticum
crassipes
Ellacombianum
Ewersii
kamtschaticum
—var. variegatum
maximum
Middendorffianum
multicaule
pilosum
populifolium
roseum
rupestre
Stephanii
Telephium
—var. Borderi
yunnanense var. valerianoides

Selinum tenuifolium

Sempervivum arenarium
barbatum
sanguineum
Schnittspahnii
tectorum var. glaucum
—var. pulchrum
triste var. sanguineum
Verloti ×

Senebiera Coronopus

Senecio acuminatus
adonidifolius
amplexicaulis
cacaliaefolius
clivorum
—var. subcrenatus
compactus
Senecio—*continued*
Doronicum
elaeagnifolius
elodes
fibrillosus
graciliflorus
Greyii
laxifolius
Ligularia
macrophyllus
Munroi
southlandicus
squalidus
stenocephalus var. comosus
tuberivagus
Veitchianus

Serratula coronata
Gmelini
tinctoria var. monticola

Seseli caespitosum

Sherardia arvensis

Sidalcea candida
malvaeflora
—var. atro-purpurea
—var. rubra
neo-mexicana
spicata

Sideritis glacialis
scordioides
spinosa

Silene alpestris
Armeria
Asterias
Campanula
caramanica
caucasica
colorata
cordifolia
crassipes
Cucubalus
dinarica
Fabaria
fimbriata
flavescens
fruticosa
fruticulosa
fuscata
gallica
maritima

Silene—*continued*
multicaulis
nutans
orientalis
pendula var. Bonnettii
Pumilio
quadrifida
Reichenbachii
rupestris
Saxifraga
scaposa
sinowatsoni
tenuis
vallesia
Zawadzkii

Siler trilobum

Silphium perfoliatum

Silybum Marianum

Sisymbrium Alliaria
deltoideum
erysimoides
Irio
Lagascae
myriophyllum
strictissimum

Sisyrinchium angustifolium
—var. bellum
—var. mucronatum
filifolium
pachyrhizum
striatum

Skimmia Fortunei
japonica

Smilacina racemosa
stellata

Smyrnium Olusatrum

Solanum crispum
Dulcamara
nigrum

Solidago canadensis
glomerata
multiradiata
neglecta
odora
ohioensis
rigidiuscula
rugosa
Virgaurea

Sonchus oleraceus

Sorbaria arborea

Sparganium ramosum

Spartium junceum

Spergula arvensis

Spergularia rubra
rupestris

Spiraea arcuata
Aruncus
assurgens
Blumei
camtschatica
discolor
Douglasii
Foxii ×
Henryi
japonica
—var. alba
—var. Froebelii
—var. ovalifolia
—var. variegata
laevigata
lobata
micrantha
Miyabei var. glabrata
mollifolia
mongolica
Nobleana
palmata
—var. elegans
prunifolia
Rosthornii
salicifolia
sorbifolia
Veitchii
Wilsoni

Stachys alopecuros
aspera
Betonica
—var. alba
coccinea
densiflora
graeca

Stachys—*continued*
grandiflora
—var. robusta
Jacquini
lanata
recta
setifera

Staphylea colchica
pinnata

Stellaria Holostea

Stenanthium occidentale
robustum

Stipa pennata

Stranvaesia Davidiana
—var. undulata
salicifolia

Styrax Wilson

Swertia calicina var. major
Hookeri
Kingii

Symphoricarpus Heyeri
mollis
occidentalis
orbiculatus
racemosus
—var. laevigatus
—var. ovatus

Symphyandra armena

Symphytum orientale

Symplocarpus foetidus

Syringa Adamiana
Emodi
—var. variegata
Josikaea
pinetorum
reflexa
Sargentiana
Sweginzowii
villosa var. Lutece
vulgaris
—var. nigricans
Wilsonii
Wolfii
yunnanensis

Tagetes lucida

Tanacetum Pseudachillea
vulgare

Taraxacum officinale

Taxus baccata
—var. adpressa
—var. Dovastoni

Teesdalia nudicaulis

Tellima grandiflora

Tetragonia expansa

Teucrium cinereum
palmatum
Polium
Scorodonia

Thalictrum aquilegifolium
calabricum
corynellum
dioicum
dipterocarpum
—var. album
Fendleri
foetidum
glaucum
isopyroides
minus
—var. adiantifolium
—var. saxatile
petaloideum
purpurascens
rostellatum
squarrosum

Thaspium aureum

Thermopsis angustata
lanceolata
rhombifolia

Thlaspi alpestre
arvense
bellidifolium
densiflorum

Thymus azoricus
Chamaedrys var.
nummularius
Herba-barona

Thymus—*continued*
nitidus
Serpyllum var. comosus
—var. grandiflorus
—var. pannonicus
—var. pulchellus

Tofieldia calyculata

Trachymene caerulea

Tragopogon porrifolius

Trautvetteria palmata

Trigonella corniculata
Foenum-graecum

Trillium grandiflorum
stylosum

Trinia Kitaibelii

Tripetaleia bracteata

Trochodendron aralioides

Trollius asiaticus
—var. giganteus
chinensis
europaeus
patulus
—var. yunnanensis
pumilus

Tulipa dasystemon
Kaufmanniana
Orphanidea
praestans
silvestris

Tunica Saxifraga
stricta

Typha angustifolia
latifolia
Shuttleworthii

Uncinia compacta

Ursinia anthemoides
pulchra

Urtica dioica

Vaccinium glauco-album
Myrtillus
padifolium
Vitis-idaea

Valeriana alliariaefolia
officinalis
pyrenaica
tripteris

Valerianella dentata

Veratrum album
californicum

Verbascum Blattaria
—var. albo-magnificum
Chaixii
gnaphalodes
nigrum
phoeniceum
pyramidatum

Veronica albicans
Allionii
amplexicaulis
—var. albicana
austriaca var. multifida
Barkeri
Bidwillii
Biebersteiniana
carnosula
catarractae
Colensoi
decumbens
Forrestii
glaucophylla
Godefroyana
grandis
Grievei
incana
Lindsayi
longifolia
Lyallii
monticola
morrisonicola
nivalis
peduncularis
pinguifolia
—var. decumbens
pinnata
Ponae
prostrata var. alba
rakaiensis
salicifolia

Veronica—*continued*
serpyllifolia
spicata
spuria
subalpina
thracica
urticaefolia var. trifoliata
vernicosa var. canterburiensis
virginica

Vesicaria utriculata

Viburnum betulifolium
burejaeticum
dasyanthum
flavescens
foetidum
hupehense
ichangense
Lantana var. lanceolatum
—var. foliis pulverulentis
Opulus
—var. aureum
—var. fructu-luteo
ovatifolium
rhytidophyllum
theiferum
tomentosum
—var. Mariesii
Wilsonii

Vicia Cracca
Faba
ochroleuca
onobrychioides
oroboides
sylvatica
unijuga

Vincetoxicum fuscatum
luteum
nigrum

Viola alichariensis
alpina
Battandieri
cornuta
Munbyana
Orphanidis
Patrinii
tricolor

Vittadenia australis

Wahlenbergia graminifolia
Pumilio
tenuifolia

Wulfenia Amherstiana
carinthiaca

Xerophyllum asphodeloides

Zacintha verrucosa

Zygadenus elegans

PLANTS UNDER GLASS.

Abrus precatorius
pulchellus

Abutilon Darwinii
megapotamicum var. variegatum

Acacia armata
aspera
Cyclops
Drummondii
extensa
penninervis
pycnantha
Riceana
spadicigera
stricta
uncinella

Acanthostachys strobilacea

Achyranthes borbonica

Aechmea coelestis
glomerata

Agapanthus caulescens
inapertus
umbellatus

Agathaea coelestis

Agave heteracantha

Aglaonema commutatum

Albizzia lophantha

Albuca fastigiata
Nelsoni

Aloe variegata

Alpinia malaccensis

Alstroemeria Ligtu var. Hookeri

Altamiranoa elongata

Amaranthus caudatus
salicifolius

Amasonia calycina

Amorphophallus bulbifer

Amphicome arguta

Anacampseros arachnoides
filamentosa
Telephiastrum

Anigozanthos flavida

Antholyza intermedia

Anthurium acaule
ferrierense ×
Hookeri
hybridum

Aphelandra aurantiaca var. Roezlii
pumila
velutina

Arachis hypogaea

Ardisia crenata
humilis
involucrata
mamillata
Martiana
sanguinolenta
umbellata

Arisaema biauriculatum
consanguineum

Aristea Eckloni

Aristolochia elegans
fimbriata
grandiflora
trilobata

Aristotelia Colensoi

Arthropodium candidum
cirrhatum

Asclepias curassavica

Asparagus crispus
madagascariensis
medeoloides
plumosus
racemosus
scandens
Sprengeri

Asystasia bella

Atylosia barbata

Baeckea linifolia

Barleria cristata
siamensis

Basella rubra

Bauera rubioides

Begonia Evansiana
laciniata
luxurians
maculata
subvillosa

Bertolonia maculata

Billardiera longiflora

Biophytum sensitivum

Boenninghausenia albiflora

Bomarea Banksii ×
Caldasiana
Carderi
Lehmanni
multiflora

Brachychilum Horsfieldii

Brillantaisia Palisotii

Browallia demissa
—var. alba

Brucea amarissima

Bryophyllum crenatum

Buettneria urticifolia

Bulbine alooides

Bulbinella Hookeri

Calceolaria crenatiflora
dentata
Fothergillii
Pavonii
repens
tenella
valdiviana

Callicarpa purpurea

Callistemon lanceolatus
phoeniceus
speciosus

Calothamnus homalophyllus

Calvoa sessiliflora

Campanula Vidalii

Canavalia ensiformis

Candidea stenostegia

Canna indica

Carex japonica
limosa

Carissa acuminata
Arduina

Carludovica Gardneri
Wendlandii

Carmichaelia australis
subulata

Catopsis penduliflora

Celosia argentea var. pyramidalis

Cenchrus echinatus

Cephalophora aromatica

Ceropegia debilis (bulbil)
Woodii (bulbil)

Cestrum Newellii
Smithii

Chamaeranthemum Beyrichii

Chlorophytum elatum
Orchidastrum
ukambense

Citrullus vulgaris

Citrus Aurantium
Medica var. Limonum
nobilis var. major

Clematis uncinata

Clerodendron fallax
infortunatum
speciosum
Thomsonae

Clianthus puniceus
—var. albus

Clidemia hirta

Clitoria Ternatea

Clivia miniata
nobilis

Cobaea scandens

Cocos Weddelliana

Coix Lachryma-Jobi

Colensoa physaloides

Coleus Mahonii

Columnea flava
gloriosa var. superba
Schiedeana

Commelina pallida

Conandron ramondioides

Corallospartium crassicaule

Corchorus pilolobus

Corethrogyne californica

Corydalis thalictrifolia
tomentosa

Cotyledon agavoides
amoena
edulis
fulgens
Grusoni
maculata
orbiculata
secunda
Zeyheri

Cowania plicata

Crassula alpestris
barbata
hemisphaerica
impressa
nudicaulis
orbicularis
sarcocaulis
tenuifolia

Crinum Macowani
Moorei

Crossandra undulaefolia

Cuphea cyanea
ignea
strigillosa

Cuscuta reflexa

Cyanotis somaliensis

Cyperus alternifolius
fertilis
Papyrus

Cyphomandra betacea

Cytisus canariensis
Fontanesii
fragrans
Hillebrandtii

Dalechampia Roezliana

Debregeasia velutina

Dermatobotrys Saundersii

Desmanthus virgatus

Desmodium gyrans
incanum

Dianella caerulea
intermedia
nemorosa
tasmanica

Dianthera nodosa

Dicentra scandens

Dichondra repens

Dioscorea alata (tuber)
Batatas (tuber)
macroura (tuber)
sinuata (tuber)

Distylium racemosum

Dolichos Lablab

Dracaena surculosa

Dracophyllum secundum

Drosera capensis
spathulata

Dudleya Cotyledon

Dyckia brevifolia
floribunda

Eccremocarpus scaber
—var. carmineus

Echeveria alpina
cuspidata
gracilis
multicaulis
pulchella

Elaeocarpus cyaneus

Eranthemum albiflorum
leuconeurum

Erythrochiton brasiliensis

Eugenia apiculata
myrtifolia
uniflora

Euphorbia lophogona

Eustrephus latifolius var.
angustifolius

Evodia elegans

Exacum affine

Fabiana imbricata

Ficus diversifolia

Francoa appendiculata
ramosa
sonchifolia

Fuchsia bacillaris
corymbiflora
—var. alba
integrifolia
macrostemma
—var. globosa
minutiflora
procumbens

Garcinia Xanthochymus

Gasteria decipiens
disticha
maculata var. fallax

Gaultheria Hookeri

Gladiolus blandus var. albidus

Globba bulbifera (bulbil)
strobilifera (bulbil)

Gloriosa superba

Glycosmis pentaphylla
pleiogyne

Goodenia ovata

Goodia lotifolia

Gossypium herbaceum

Grevillea Forsteri
glabrata

Gurania malacophylla

Hakea microcarpa
ulicina var. carinata

Haloragis alata
micrantha

Hanabusaya asiatica

Haworthia attenuata
fasciata var. major
glabrata
—var. concolor
Kraussei

Hebenstretia comosa
dentata

Hedychium yunnanense

Heeria elegans

Heimia salicifolia

Heliotropium peruvianum

Hemigraphis drymophila

Hemiphragma heterophyllum

Hermannia candicans
hyssopifolia

Hibbertia dentata

Hibiscus cannabinus var. trachysepalus
Denisonii
Hamabo
Trionum

Hippeastrum advenum

Homalanthus Leschenaultianus

Homeria collina

Howittia trilocularis

Humea elegans

Hydrocotyle javanica

Hymenanthera dentata var.
angustifolia

Hymenopogon parasiticus

Hypericum floribundum

Hypoxis Rooperi
villosa

Ilex insignis

Impatiens capensis

Indigofera atropurpurea

Ipomoea Bona-Nox

Isoplexis canariensis

Ixora undulata

Justicia calycotricha

Kalanchoe Bentii
crenata
edinensis ×
flammea

Kennedya prostrata
—var. Marryattae

Klugia Notoniana

Kosteletzkya hastata

Kunzea corifolia
parvifolia

Kyllinga nepalensis

Lagenaria vulgaris

Lantana Camara

Lapeyrousia cruenta

Lathyrus splendens

Leea aspera
coccinea
sambucina

Leptospermum ericoides
—var. lineatum
flavescens
Liversidgei
pubescens
scoparium
—var. Nicholli

Leucaena glauca

Leucocarpus alatus

Lhotskya ericoides

Lilium auratum
myriophyllum
neilgherrense (Bulbils)
nepalense var. burmanicum (Bulbils)
philippinense var. formosanum
sulphureum (Bulbils)

Littonia modesta

Loasa papaverifolia
triphylla

Lobelia Gibberoa
tenuior

Lonicera Braceana
Hildebrandiana
sempervirens

Lycopersicum racemigerum

Macleania punctata

Malpighia glabra

Malvastrum lateritium

Mammillaria pusilla
—var. albida

Marica humilis

Maurandia scandens
semperflorens
Purpusii

Melastoma malabathricum

Mesembryanthemum Brownii
deltoides
digitiforme
formosum
Haworthii
hirtum

Metrosideros robusta
tomentosa

Micromeria filiformis

Mimosa pudica

Mimulus glutinosus

Mirabilis Jalapa

Momordica Charantia
cochinchinensis

Monanthes agriostaphys
anagensis
atlantica
laxiflora

Monolena primulaeflora

Moraea iridioides

Muehlenbeckia complexa

Musschia Wollastoni

Mutisia ilicifolia
retusa var. glaberrima

Myoporum acuminatum
laetum
oppositifolium

Myrsine africana

Myrtus communis
pedunculata
Ugni

Nephthytis liberica
picturata

Nerine Bowdeni
candida

Nertera ciliata
depressa

Nicandra physaloides var. albiflora

Nicotiana alata
rustica
Sanderae
Tabacum

Ochna mossambicensis
serrulata

Ocimum viride

Oliveranthus elegans

Ophiopogon intermedius
japonicus

Ornithogalum Ecklonii

Osteomeles Schwerinae
—var. microphylla

Ouratea flava

Oxalis cernua

Oxylobium Callistachys
cuneatum

Palisota Barteri
bracteosa
Maclaudii
Pynaertii

Pancratium fragrans

Panicum plicatum

Passiflora caerulea
capsularis
edulis
suberosa

Paullinia thalictrifolia

Pavonia spinifex

Pelargonium peltatum var. glabratum
triste var. filipendulifolium
vitifolium

Peliosanthes humilis

Pentactina rupicola

Pentaterygium serpens

Pentaraphia reticulata

Pentas carnea

Pentstemon cordifolius

Peperomia tithymaloides

Pertya phylicoides

Petiveria alliacea

Petrophila pedunculata
sessilis

Phoenix dactylifera

Phylica paniculata

Phyllanthus montanus
reticulatus

Physalis peruviana

Pieris formosa
taiwanensis
villosa

Pilea muscosa
Spruceana

Pimelea ferruginea

Pitcairnia Andreana
Funkiana
punicea
rubiginosa
xanthocalyx

Pittosporum crassifolium

Pleuropetalum costaricense

Pomaderris elliptica
phylicaefolia
phylliraeoides
prunifolia
racemosa

Porphyrocoma lanceolata

Prasium majus

Primula floribunda
—var. isabellina
Forrestii
imperialis
Kewensis ×
malacoides
mollis
redolens
seclusa
sinolisteri
verticillata
—var. floribunda

Procris frutescens

Prostanthera lasianthos
linearis
nivea

Pseuderanthemum seticalyx

Psidium montanum

Psychotria capensis

Pterostegia drymarioides

Rehmannia angulata

Reinwardtia trigyna

Remusatia vivipara

Rhabdothamnus Solandri

Rhipsalis madagascariensis

Rhodochiton volubile

Rhododendron arboreum
—var. album
argenteum
—var. roseum
aureum
Boothii
bullatum
burmanicum
calophytum
camelliaeflorum
Cooperi
crassum
Dalhousiae
dendricola

Rhododendron—*continued*
diaprepes
formosum
fragrantissimum
Griersonianum
Griffithianum
javanicum
Keysii
Kingianum
leptothrium
Lindleyanum
Maddeni
—var. calophyllum
manipurense
megeratum
pendulum
prophantum
supranubuim
Taggianum

Rhoeo discolor

Rhopalostylis sapida

Richardia africana

Ricinus communis

Rivina humilis
—var. aurantiaca
tinctoria

Romulea candida

Rondeletia odorata

Rubus moluccanus
parvus

Ruellia Blumei
insignis
rubicaulis

Sabal Blackburniana

Salvia spinosa

Samolus littoralis
repens

Sandersonia aurantiaca

Saxifraga sarmentosa
Veitchiana

Schismatoglottis Roebelina

Schizanthus Wisetonensis

Schizocapsa plantaginea

Sedum amecamecanum
Bourgaei
caeruleum
diffusum
Jaccardianum
multiceps
oxypetalum
Palmeri
praealtum
rhodanthum
sempervivoides

Selago corymbosa
serrata

Sempervivum annuum
aureum
Bethencourtianum
Braunii
brevifolium
caespitosum
canariense
cruentum
cuneatum
decorum
dodrantale
Dorame
glandulosum
glutinosum
holochrysum
lancerottense
sedifolium
tortuosum
urbicum
viscatum
Webbii

Solanum aviculare
barbisetum
Capsicastrum
jasminoides

Solenomelus chilensis

Sollya heterophylla

Spathicarpa sagittifolia

Sphacele campanulata

Sporobolus indicus

Spyridium globulosum

Stachytarpheta indica
purpurea

Stenandrium Lindeni

Streptocarpus Blythinii ×
caulescens
Kirkii
Rexii

Stylidium adnatum
graminifolium

Tacca Chantieri
cristata

Tacsonia insignis
mixta var. quitensis

Talinum patens

Templetonia retusa

Tetragonia echinata

Teucrium fruticans

Thomasia solanacea

Tigridia Pavonia

Tillaea pharnaceoides

Tinnea aethiopica

Torenia Fournieri

Tourretia volubilis

Trachelium caeruleum

Tricyrtis pilosa

Triglochin striatum

Trochocarpa laurina

Utricularia montana

Vaccinium erythrinum

Vallota purpurea

Veltheimia viridifolia

Verbesina Purpusii

Veronica Lavaudiana

Villadia imbricata

Villaresia emarginata

Villarsia parnassifolia

Visnea Mocanera

Vitis heterophylla var. humulifolia

Wachendorfia paniculata thyrsiflora

Watsonia Meriana var. O'Brieni

Westringia rosmariniformis

Whipplea modesta

Yucca aloifolia

Zephyranthes verecunda

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
by McCorquodale & Co. Limited, Printers, Caxton Works, Glasgow.

Wt. 10427/57. 450. 11/30. (G. 4.)

[For Official Use.

D. 3442

ROYAL BOTANIC GARDEN EDINBURGH

LIST OF SEEDS

1933

Plants in the Open - - - - page i

Plants under Glass - - - - „ xxviii

Crown Copyright Reserved

EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

SOLD AT THE GARDEN

And to be purchased directly from H. M. STATIONERY OFFICE at the following addresses
120 George Street, Edinburgh 2; Adastral House, Kingsway, London, W.C.2
York Street, Manchester 1; 1 St Andrew's Crescent, Cardiff
15 Donegall Square West, Belfast
or through any Bookseller

1933

Price 1s. 3d. Net.

49-26-0-33

B. 3

MISSOURI BOTANICAL GARDEN
RECEIVED
AUG 24 1933
LIBRARY

List of Seeds Collected in the Royal Botanic Garden, Edinburgh, during the Year 1933.

The following is a list of plants cultivated in the Royal Botanic Garden, Edinburgh, from which ripened seeds have been collected during the year 1933. The quantity of seed obtained from some of the species is of limited amount, and in many cases has been entirely absorbed for sowing in the Garden. Of these, therefore, none can be distributed, otherwise the seeds are available for exchange, but they are not for sale :—

PLANTS IN THE OPEN.

Abelia triflora
umbellata

Acaena cylindristachya
fissistipula
glabra
Hieronymi
inermis
microphylla
—var. glauca
Novae-Zelandiae
Sanguisorbae
splendens

Acanthopanax Henryi
leucorrhizus var. fulvescens

Acer monspessulanum
opulifolium var. obtusatum
Pseudo-platanus
—var. euchlorum
—var. foliis cupreis
—var. purpureum
Trautvetteri

Achillea biserrata
grandiflora
macrophylla
rupestris
spinulifolia
umbellata var. major

Aconitum ferox
Fischeri
Forrestii
heterophyllum
Kusnezoffii
Lycoctonum
—var. album
—var. pyrenaicum
—var. rubicundum
Napellus
—var. album
—var. carneum
—var. tauricum
palmatum
paniculatum
reclinatum
transsectum
volubile var. latisectum
Wilsonii

Actaea alba
spicata

Adenophora Bulleyana
marsupiiflora
ornata
Potanini
stylosa

Aegopodium Podagraria

Aethionema pulchellum
saxatile
schistosum

Aethusa Cynapium

Agrimonia agrimonioides
Eupatoria
odorata

Aira caryophyllea

Alchemilla alpina
—var. conjuncta
retinervis
vulgaris

Alisma Plantago

Allium acuminatum
Ampeloprasum
Aschersonianum
Beesianum
cernuum
cyaneum
darwasicum
fallax
fistulosum (Bulbils)
Libani
narcissiflorum
odorum
oviflorum
pulchellum
sikkimense
stellatum
subhirsutum
urceolatum (Bulbils)
Victorialis
Wallichianum
yunnanense

Alnus Alnobetula
cordata
firma var. hirtella
glutinosa
—var. laciniata
—var. quercifolia
—var. rubrinervia
incana
—var. aurea
—var. emarginata
—var. glauca
—var. hirsuta
—var. incisa
—var. pendula nova
japonica
Maximowiczii
oregona
orientalis

Alnus—*continued*
sitchensis
subcordata
tenuifolia
tinctoria
viridis

Alstroemeria aurantiaca
haemantha
revoluta

Althaea ficifolia
officinalis
pallida
pontica
rosea

Alyssum argenteum
corymbosum
leucadeum
longicaule
montanum
podolicum
rostratum
saxatile
spinosum
trichostachyum

Amelanchier florida
rotundifolia

Amsinckia lycopsoides

Anagallis arvensis
—var. foemina

Anaphalis cinnamomea
cuneifolia
japonica
margaritacea
triplinervis
yedoensis

Anchusa officinalis
sempervirens

Anemone alpina
dahurica
demissa
japonica
—var. tomentosa
magellanica
mexicana
multifida
narcissiflora

Anemone—*continued*
Pulsatilla
rivularis
rupicola
sulphurea
umbrosa
vitifolia

Antennaria imbricata var. rosea
neodioica
plantaginifolia

Anthemis chia
macedonica
Sancta-Johannis
tinctoria
Triumfettii

Anthericum Liliago

Anthriscus Cerefolium
sylvestris

Antirrhinum Asarina
Orontium

Aphyllanthes monspeliensis

Aplopappus coronopifolius
croceus

Aponogeton distachyum

Aquilegia alpina
Buergeriana
discolor
flabellata
fragrans
glandulosa
pyrenaica
Reuteri
sibirica
suaveolens
vulgaris var. alpestris
—var. nivea

Arabis alpina var. crispata
collina
erubescens
hirsuta
Hornungiana
Lyallii
procurrens

Aralia californica
chinensis var. glabrescens

Archangelica atropurpurea
officinalis

Arctium minus

Arenaria caricifolia
foliosa
frigida
graminifolia
Koriniana
laricifolia
leptoclados
pinifolia
pungens
sajanensis
saxatilis
Saxifraga
Steveniana
tmolea

Armeria Adamovici
alpina
—var. alba
—var. nana
berlengensis
chilensis
dianthifolia
elongata
fasciculata
juncea
latifolia
leucocephala
longearistata
Macloviana
maritima
olympica
plantaginea
pungens
sardoa
sibirica
Welwitschii

Arnica alpina
Chamissonis
montana

Artemisia hololeuca
sericea
vulgaris

Asperula ciliata
humifusa
odorata
tinctoria

Asphodelus albus
—var. pyrenaicus

Aster alpinus
brachytrichus
caucasicus
Delavayi
diplostephioides
Farreri
Forrestii
fuscescens
Hauptii
holophyllus
Lipskyi
molliusculus
oreophilus
Purdomii
ramulosus
sikkimensis
staticifolius
subcoeruleus
tibeticus
tricephalus
Vahlii
yunnanensis

Asterolinon stellatum

Astilbe Davidii
grandis
japonica
koreana
rivularis
rubra
simplicifolia

Astragalus chlorostachys
Echinus
falcatus
Glycyphyllos
gummifer
hypoglottis
Onobrychis
ophiocarpus
penduliflorus
pentaglottis
podocarpus
ponticus
purpureus
reflexistipulus
Robbinsii
sulcatus
utriger

Astrantia helleborifolia
major
—var. intermedia

Astrodaucus orientalis

Atraphaxis Billardieri

Atriplex hortense var. rubrum

Atropa Belladonna
—var. lutea

Aubrietia deltoidea

Avena sempervirens

Baccharis patagonica

Ballota nigra

Barbarea intermedia
orthoceras
praecox
rupicola
vulgaris var. variegata

Beckmannia erucaeformis

Bellium bellidioides

Berberis aemulans
aggregata
—var. Prattii
angulosa
aristata
brachypoda
—var. Gibbsii
brevipaniculata
buxifolia
concinna
consimilis
cretica
Darwinii
dictyophylla
Dielsiana
discolor
Edgeworthiana
Francisci-Ferdinandii
Gagnepaini
Lecomtei
leptoclada
mekongensis
morrisonensis
nervosa

Berberis—*continued*
polyantha
Poiretii var. weichangensis
pruinosa
replicata
stenophylla
sinensis
subcaulialata
Thunbergii
Tischleri
tsarongensis
umbellata
Vilmorinii
virescens
Wallichiana var. compacta
Wilsonae
yunnanensis

Berkheya membranifolia

Beta patellaris

Betula alba
—var. pendula
—var. pubescens
Ermani
excelsa
fruticosa
japonica
—var. szechuanica
—var. mandschurica
lutea
Medwediewii
populifolia
ulmifolia
utilis
—var. Prattii

Borago laxiflora

Boykinia major
occidentalis

Brachycome Thomsonii

Brachypodium distachyum
ramosum
sylvaticum

Brassica alba
campestris var. chinensis

Bromus giganteus

Bruckenthalia spiculifolia

Bryanthus Breweri
empetriformis

Buddleia albiflora
alternifolia
Davidii var. superba
Fallowiana
Forrestii
Hemsleyana
nivea
stenostachya
variabilis
—var. nanhoensis
—var. Veitchiana

Bulbinella Hookeri

Bunias orientalis

Buphthalmum salicifolium
speciosum

Bupleurum Candollii
longicaule
longifolium
—var. aureum

Calamintha grandiflora
graveolens

Calceolaria chelidonioides
crenatiflora

Calendula officinalis

Callirhoe digitata

Calluna vulgaris var. tenuis

Caltha palustris
polypetala

Camassia Cusickii
esculenta

Campanula alliariaefolia
barbata
Barbeyi
carpatica
—var. alba
—var. pelviformis
—var. turbinata
—var. turbinata alba
Cervicaria
cristallocalyx

Campanula—*continued*
filicaulis
Kladniana
lactiflora
—var. caerulea
—var. eriocalyx
latifolia var. macrantha
—var. macrantha alba
—var. macrantha lilacina
latiloba
lingulata
linifolia
macrorrhiza
Medium var. calycanthema
michauxioides
mollis
nobili-macrantha
persicifolia
phyctidocalyx
pilosa
Poscharskyana
pulloides
Raddeana
rapunculoides
rhomboidalis
rhomboidea
rotundifolia
—var. arcuata
—var. Baumgartenii
Scheuchzeri
speciosa
spicata
Trachelium

Caragana arborescens
—var. cuneifolia
—var. pendula
Boisii
frutescens var. latifolia
microphylla

Carduus stenolepis

Carex aquatilis
binervis
digitata
distans
flava
glauca
Grayi
hirta
Hudsonii
laevigata
muricata
paniculata
Pseudo-cyperus
remota
rigida
riparia

Carmichaelia Enysii
flagelliformis
Petriei

Cassinia fulvida

Catananche bicolor

Cathcartia villosa

Cautleya lutea

Ceanothus dentatus
integerrimus
thrysiflorus
Veitchianus

Cedronella triphylla

Celastrus articulatus

Celmisia coriacea
densiflora
holosericea
Hookeri
Lindsayi
Munroi
petiolata
verbascifolia
viscosa

Centaurea Cyanus
cynaroides
dealbata
montana
nervosa
nigrescens
rutifolia
Scabiosa
Spruneri
uniflora

Centranthus ruber
—var. albus

Cephalaria alpina
tatarica
Tchihatchewi

Cerastium tomentosum

Cerinthe minor var. hispida

Chaerophyllum aureum

Cheiranthus Allionii
Menziesii
Senoneri

Chelidonium majus
—var. laciniatum

Chelone glabra var. alba
nemorosa

Chenopodium album
Bonus-Henricus

Chionodoxa Luciliae

Chrysanthemum caucasicum
corymbosum
hispanicum
Leucanthemum
Mawii
praealtum
segetum

Chrysopsis camporum
villosa var. Rutteri

Cichorium Intybus

Cicuta maculata

Cimicifuga foetida

Circaeaster agrestis

Cirsium acaule
eriophorum
monspessulanum
oleraceum
tuberosum

Cistus hirsutus
laurifolius

Clematis campaniflora
diversifolia
Flammula
Fremontii
integrifolia
orientalis

Clematis—*continued*
recta
—var. mandschurica
songorica
Viticella var. kermesina

Clerodendron Fargesii
trichotomum var. montanum

Clintonia alpina
umbellata

Cnicus canus
Falconeri
pratensis
tartaricus

Cochlearia glastifolia

Codonopsis meleagris
ovata
ussuriensis

Collinsia grandiflora

Collomia coccinea
gilioides
grandiflora
linearis

Coluria potentilloides

Colutea cilicica
orientalis

Commelina sikkimensis

Conium maculatum

Conringia orientalis
planisiliqua

Coptis asplenifolia
brachypetala

Coreopsis tinctoria

Coriaria lurida

Cornus alba
Baileyi
pubescens
sanguinea
—var. latifolia

Corokia Cotoneaster
virgata

Coronilla emeroides

Cortusa pubens

Corydalis chaerophylla
cheilanthifolia
lutea

Cotoneaster acutifolia
—var. villosula
affinis
ambigua
amoena
apiculata
bacillaris
bullata
—var. macrophylla
buxifolia
Cooperi
Dammeri
denticulata
Dielsiana
divaricata
Franchetii
frigida
—var. Vicarii
glaucophylla var. vestita
Harroviana
hebephylla var. monopyrena
horizontalis
—var. perpusilla
hupehensis
lactea
lucida
microphylla
—var. gracilis
—var. vellaea
moupinensis
multiflora
—var. calocarpa
Nummularia var. Meyeri
obscura
pannosa
prostrata
rhytidophylla
rotundifolia
salicifolia var. floccosa
serotina
Simonsii
tomentosa
turbinata
Zabeli

Crambe juncea
tatarica

Craspedia uniflora

Crataegus acclivis
alnorum
Azarolus
canadensis
cerasina
coccinea var. flabellata
—var. indentata
Crus-galli var. splendens
Douglasii
durobrivensis
Ellwangeriana
hiemalis var. pubescens
Holmesiana
Jackii
macracantha
mollis
nigra
orientalis
Oxyacantha
—var. auriculata
—var. fuscata
—var. monogyna
—var. pteridifolia
—var. ramulis aureis
pascens
pastorum
pentagyna
pentandra
persimilis
sinaica
submollis
tanacetifolia
—var. fructu albo
Wilsonii

Cremanthodium reniforme
Delavayi

Crepis aurea
blattarioides
grandiflora

Cyananthus incanus
lobatus

Cyclamen europaeum

Cydonia japonica
Maulei

Cynoglossum amabile
—var. album
nervosum

Cytisus Ardoinii
austriacus
decumbens
emeriflorus
eriocarpus
nigricans
purgans
ratisbonensis
sessilifolius
Spachianus

Daboecia polifolia

Dactylis glomerata

Danthonia Raoulii

Daphne acutiloba

Datisca cannabina

Datura inermis
Stramonium

Delphinium altissimum
amoenum
azureum
bicolor
Brunonianum
Bulleyanum
caucasicum
cheilanthum
coelestinum
decorum
Delavayi
dictyocarpum
Duhmbergii
elatum
—var. alpinum
exaltatum
flexuosum
formosum
Maackianum
nudicaule
—var. aurantiacum
occidentale
oxysepalum
Przewalskii
Requienii
scopulorum var. stachydeum
speciosum var. glabratum

Delphinium—*continued*
tatsienense
tiroliense
triste
trolliifolium
vestitum
yunnanense

Desmodium tiliaefolium

Deutzia discolor var. purpurascens
longifolia
Veitchii

Dianthus anatolicus
Arrostii
atrorubens
attenuatus
brevicaulis
caesius
—var. semiplenus
calocephalus
campestris
crinitus
gallicus
gracilis
Hoeltzeri
hyssopifolius
leptopetalus
Liboschitzianus
liburnicus
Lumnitzeri
monspessulanus var. alpestris
pallens
pelviformis
petraeus var. spiculifolius
plumarius
pubescens
pungens
rupicolus
squarrosus
strumarius
subacaulis
superbus
Tatrae
tener
tergestinus
velebiticus
Velenowskyi
virgineus
Waldsteinii
zonatus

Dicentra eximia

Dictamnus albus

Dierama pulcherrimum

Diervilla florida
—var. candida
Lonicera
rivularis
sessilifolia

Digitalis eriostachya
lutea
purpurea
—var. alba

Dimorphotheca pluvialis

Dipelta ventricosa
yunnanensis

Dipsacus asper
chinensis
inermis
pilosus

Doronicum carpetanum
corsicum
Pardalianches

Dorycnium rectum

Draba altaica
aurea
bronchialis
fladnizensis
incana var. Adamsii
laxa
magellanica
ramosissima
siliquosa
subamplexicaulis

Dracocephalum Forrestii
fruticulosum
Isabellae
Purdomii
Ruprechti
Ruyschiana
speciosum
stamineum
tanguticum
Wilsonii

Dryas octopetala

Echium vulgare

Elaeagnus multiflora
umbellata

Elymus arenarius

Empetrum nigrum

Enkianthus latiflorus
perulatus
recurvus
sinohimalaicus
tectus

Epilobium angustifolium
Dodonaei
hirsutum
montanum
pedunculare
rosmarinifolium

Erica arborea
—var. alpina
australis
—var. atropurpurea
cinerea var. atrosanguinea
—var. coccinea

Erigeron atticus
aurantiacus
confinis
Coulteri
flagellaris
frigidus
montanensis
multiradiatus
Roylei
Rusbyi
speciosus

Erinus alpinus
—var. albus
—var. carmineus

Erodium Manescavi
petraeum

Eryngium alpinum
eburneum
Heldreichii
paniculatum
planum

Erysimum asperum

Erysimum—*continued*
linifolium
pachycarpum
purpureum
rupestre

Erythronium revolutum

Escallonia Philippiana
pterocladon
punctata
rubra

Eschscholzia californica

Euonymus europaeus
latifolius var. planipes
phellomana
yedoensis

Eupatorium ageratoides
cannabinum
deltoideum
glechonophyllum
sachalinense

Euphorbia spinosa

Exochorda
Albertii

Farsetia clypeata
—var. eriocarpa

Felicia Bergeriana
fragilis

Ferula glauca

Festuca duriuscula
glauca
rubra

Filipendula Ulmaria
—var. variegata

Foeniculum giganteum
vulgare

Fragaria Daltoniana

Fremontia californica

Fritillaria involucrata
lanceolata var. gracilis

Fuchsia Riccartonii

Fumaria officinalis

Funkia Sieboldiana

Galax aphylla

Galega officinalis

Galium boreale
erectum

Galtonia candicans

Garrya elliptica

Gaultheria antipoda
Griffithiana
procumbens
Shallon

Genista aetnensis
anglica
hispanica
pilosa
sagittalis
tinctoria var. apennina
virgata

Gentiana asclepiadea
—var. alba
crassicaulis
Cruciata
Farreri
lagodechiana
prolata
purpurea
septemfida
—var. procumbens
sino-ornata
tibetica

Geranium albiflorum
balkanum
cinereum
Endressii
Fremontii
Grevilleanum
Londesii
macrorrhizum
nepalense
palustre
platypetalum
pratense

Geranium—*continued*
pratense var. album
—var. bicolor
pyrenaicum
refractum
Robertianum
sanguineum
sessiliflorum
sylvaticum
Traversii
Wilfordii
yunnanense

Gerbera Kunzeana

Geum bulgaricum
calthifolium var. dilatatum
chiloense
coccineum
japonicum
macrophyllum
parviflorum
pyrenaicum
rivale
rubellum
strictum
uniflorum
urbanum
versipatella

Gilia achilleaefolia
capitata

Gillenia stipulacea

Globularia incanescens
nudicaulis
vulgaris

Gnaphalium sylvaticum var.
scoparium
trinerve

Gunnera magellanica

Gypsophila paniculata
prostrata
repens
silenoides

Haberlea Ferdinandi-Coburgi
rhodopensis

Halesia hispida

Hastingsia alba

Hedysarum microcalyx

Helianthemum glaucum var.
stoechadifolium
oelandicum
polifolium
Tuberaria
umbellatum
vulgare
—var. roseum

Helichrysum antennarium
bracteatum
callichrysum
lanatum
plicatum

Heliopsis padula
scabra var. Pitcheriana

Helonias bullata

Hemerocallis Forrestii
nana
plicata

Heracleum asperum
pyrenaicum
Sphondylium
villosum

Hesperis dinarica
fragrans
lutea
matronalis

Heuchera americana
cylindrica var. glabella
glabra
hispida
pilosella
pilosissima

Hieracium alpinum
aurantiacum
bombycinum
Bornmuelleri
callistophyllum
gymnocephalum
incisum
Jankae
lanatum
maculatum

Hieracium—*continued*
pallidum
Pilosella
sinuans
Sommerfeltii
stoloniflorum
villosum

Hippophae rhamnoides

Hippuris vulgaris

Homeria collina

Homogyne alpina

Hordeum murinum

Horminum pyrenaicum
—var. album
—var. pallidum
—var. purpureum
—var. roseum

Hosackia oblongifolia

Hottonia palustris

Hydrangea Bretschneideri
heteromalla
—var. mollis
petiolaris
xanthoneura
—var. glabrescens
—var. Wilsonii

Hydrocotyle vulgaris

Hyoscyamus niger

Hypericum Androsaemum
Desetangsii
Gebleri
Hookerianum
inodorum
Kotschyanum
orientale
patulum
—var. grandiflorum
—var. Henryi
perforatum
pulchrum
repens
rhodopeum
rumelicum
Webbii

Hyssopus officinalis
—var. albus
—var. ruber

Iberis Jordanii
Pruitii
saxatilis
semperflorens
sempervirens

Ilex Aquifolium
—var. camelliaefolia

Illecebrum verticillatum

Impatiens parviflora
Roylei

Incarvillea Delavayi
grandiflora var. brevipes

Indigofera pendula

Inula ensifolia
Helenium
macrophylla
Royleana
squarrosa

Iris bracteata
Bulleyana
chrysographes
Clarkei
Delavayi
Douglasiana
—var. Watsoniana
foetidissima
Forrestii
laevigata
orientalis
Pseudacorus
sibirica
tectorum var. lilacina
versicolor
Wilsoni

Isatis alpina
glauca
lusitanica
tinctoria

Jamesia americana

Jasione humilis

Jasione—*continued*
Jankae
perennis

Jasminum heterophyllum var. glabricymosum
humile
pubigerum

Juncus effusus
ensifolius
Novae-Zelandiae
squarrosus

Kalmia glauca

Kitaibelia vitifolia

Koeleria setacea

Laburnum alpinum
—var. aureum
—var. autumnalis
—var. fragrans
—var. Parksii
vulgare
—var. Alschingeri
—var. involutum
—var. quercifolium

Lactuca Bourgaei
bracteata
Dubyaea
hastata
macrorhiza
Plumieri

Lamium Orvala

Lapsana communis

Laserpitium Siler

Lathraea Clandestina

Lathyrus latifolius
luteus var. aureus
maritimus
niger
pisiformis
undulatus
variegatus
venosus
vernus
—var. flaccidus

Lavandula vera
—var. compacta
—var. prostrata

Lavatera cachemiriana
thuringiaca

Ledum palustre
—var. latifolium

Legousia speculum-veneris

Leiophyllum buxifolium

Leontopodium alpinum
—var. himalayanum
—var. transsylvanicum
calocephalum
hybridum
japonicum
leontopodioides
Stracheyi

Leonurus Cardiaca

Lepidium Draba
latifolium
pubicarpum
sativum
spinescens

Leptospermum scoparium

Leptosyne gigantea
Stillmannii

Leuzea conifera

Levisticum officinale

Leycesteria formosa

Libertia formosa
grandiflora
ixioides

Ligusticum scoticum

Ligustrum confusum
Ibota
—var. Regelianum
ionandrum
ovalifolium
Prattii
vulgare
—var. italicum

Lilium giganteum
Martagon
—var. dalmaticum
monadelphum var. Szovitzianum
pardalinum
regale
Roezlii
Willmottiae

Limnanthes Douglasii

Linaria bipartita var. elegans
Broussonetii
Cymbalaria
Elatine
genistifolia
Jattae
maroccana
purpurea
repens
supina
vulgaris

Lindelofia longifolia

Linum altaicum
angustifolium
hologynum
monogynum
Muelleri
usitatissimum

Lobelia erecta
Tupa

Lonicera adenophora
alpigena
angustifolia
bella var. rosea
deflexicalyx
Ferdinandii
flava
gynochlamydea
Henryi
involucrata var. flavescens
—var. humilis
—var. serotina
Koehneana
Ledebourii
ligustrina var. yunnanensis
nitida
parvifolia
Periclymenum
pyrenaica
Lonicera—*continued*
quinquelocularis
salicifolia
translucens
trichopoda
Webbiana
Xylosteum

Lophosciadium meifolium

Lotus corniculatus
Tetragonolobus
uliginosus

Lunaria annua

Lupinus arboreus
Douglasii
luteus
micranthus
nootkatensis
perennis
polyphyllus
rivularis

Luzula campestris
parviflora
sylvatica

Lychnis alpina var. alba
chalcedonica
coronaria
—var. alba
dioica
Flos-cuculi
—var. alba
Flos-jovis
fulgens
Githago
Viscaria
—var. alba

Lyonia ligustrina

Lysichitum camtschatcense

Lythrum Salicaria
—var. hirsutum

Mahonia Aquifolium
fasicularis

Malva Alcea
oxyloba
Tournefortiana

Malva—*continued*
verticillata

Mandragora officinarum

Marrubium supinum
vulgare

Matthiola incana
sinuata var. glabra albiflora

Meconopsis aculeata
betonicifolia
cambrica
Dhwojii
integrifolia
latifolia
paniculata
Prattii
rudis
simplicifolia
Wallichii

Medicago sativa

Melica nutans

Melilotus alba

Meliosma cuneifolia

Menyanthes Crista-galli
trifoliata

Menziesia
purpurea

Meum athamanticum

Microglossa albescens

Microseris Forsteri

Mimulus Lewisii
luteus
—var. guttatus

Mitella diphylla
pentandra

Molopospermum
peloponnesiacum

Morina betonicoides
longifolia

Morus alba
nigra

Muehlenbeckia axillaris

Muscari Argaei
armeniacum
botryoides
comosum
conicum
paradoxum

Myosotis dissitiflora
semperflorens

Myricaria germanica

Myrrhis odorata

Neillia opulifolia
—var. lutea
Torreyi

Nemophila Menziesii var.
discoidalis

Nepeta cyanea
granatensis
macrantha
nervosa
nuda
racemosa var. crassifolia
ucranica
violacea

Nuttallia cerasiformis

Oenanthe crocata
pimpinelloides
silaifolia

Oenothera biennis
—var. grandiflora
caespitosa
Clutei
glauca
nocturna
odorata
pumila

Olearia albida
avicenniaefolia
Haastii
ilicifolia
macrodonta

Olearia—*continued*
myrsinoides
odorata
stellulata
virgata

Oligoneuron canescens

Omphalodes Luciliae

Onobrychis viciaefolia

Ononis aragonensis
arvensis
hircina

Onopordon Acanthium
arabicum
heteracanthum
Olgae

Ophiopogon intermedius
Jaburan

Opulaster Ramaleyi

Ornithogalum pyrenaicum

Oryzopsis miliacea

Osmanthus Delavayi

Ostrya carpinifolia

Ourisia macrophylla

Oxalis valdiviensis

Oxyria digyna

Paeonia Delavayi
lutea
Veitchii
Woodwardii

Papaver californicum
dubium
Heldreichii
lateritium
monanthum
nudicaule
oreophilum
Schinzianum
somniferum
—var. polycephalum
tauricolum

Paradisea Liliastrum

Parietaria officinalis

Paris polyphylla

Peltaria turkmena

Pentstemon albidus
confertus
diffusus
glaber
—var. alpinus
glaucus var. stenosepalus
Hallii
Menziesii
ovatus
Palmeri
rupicola
venustus
virgatus

Perezia multiflora

Pernettya mucronata

Pertya sinensis

Peucedanum coriaceum
Ostruthium
verticillare

Phellodendron amurense
japonicum

Philadelphus coronarius
—var. tomentosus
Delavayi
Gordonianus var. cordatus
incanus
—var. Sargentianus
Satsumi var. acuminatus
Schrenkii
sericanthus var. Rehderianus

Phillyrea decora

Phleum pratense

Phlomis alpina
breviflora
fruticosa
Herba-ventii
macrophylla
pratensis

Phlomis—*continued*
samia
viscosa

Phormium tenax

Photinia variabilis

Phygelius capensis

Physalis Alkekengi

Phyteuma campanuloides
canescens
Carestiae
comosum
Halleri
Lebachiana
linifolium
lobelioides
nigrum
scorzonerifolium
Sibthorpianum
spicatum
Vagneri

Phytolacca acinosa
clavigera
decandra

Picrorrhiza Kurroa

Pieris ovalifolia

Pimpinella Flahaultii
Gouani
Saxifraga
serbica ×

Piptanthus Forrestii

Pisum formosum

Plagianthus Lyallii

Plantago alpina
arborescens
argentea
Coronopus
fuscescens
lanceolata
major var. monstrosa
Raoulii

Poa nemoralis

Podolepis acuminata

Podophyllum Emodi

Polemonium boreale
caeruleum
—var. album
—var. gracile
—var. monstrosum
filicinum
flavo-caeruleum ×
humile
—var. Richardsonii
mexicanum
Van Bruntiae

Polygonatum latifolium var.
commutatum
verticillatum

Polygonum affine
macrophyllum
polystachyum

Potamogeton natans

Potentilla adscharica
ambigens
alchemilloides
andicola
argyrophylla
—var. atrosanguinea
bifurca
Buccoana
caulescens
chrysantha
crinita
Delavayi
delphinensis
dissecta
Dombeyi
effusa
fragiformis
frutiscosa
—var. Vilmoriniana
fulgens
glandulosa
—var. Wrangeliana
gracilis
haematochrus
Haynaldiana
Herbichii
Hippiana
Kerneri ×
Knappii

Potentilla—*continued*
kurdica
Leschenaultiana
Levieri
litoralis
Macnabiana
montenegrina
monticola
Mooniana
nepalensis var. Willmottiana
Nicicii
niponica
nivea
palustris
peduncularis
pennsylvanica
pimpinelloides
pyrenaica
recta
Richardii
rupestris
—var. pygmaea
Schrenkiana
Sibbaldi
Sibthorpiana
Sommieri
taliensis
transcaspia
valderia
viscosa
Visianii

Poterium canadense
diandrum
dodecandrum
hakusanense
obtusum
officinale
rupicolum
Sanguisorba

Pratia angulata
repens

Prenanthes purpurea

Primula anisodora
apoclita
Beesiana
Bulleyana
burmanica
chungensis
Cockburniana
cyanantha
elatior
Florindae
geraniifolia
helodoxa
japonica
lepta
leucophylla
lichiangensis
Littoniana
longiflora
Menziesiana
microdonta var. alba
—var. alpicola
—var. violacea
Mooreana
muscarioides
prionotes
pseudo-sikkimensis
pulverulenta
secundiflora
sikkimensis
Smithiana
sphaerocephala
Veitchii
vittata
Waltonii
Wardii
Wilsoni

Prosartes oregana

Prunella grandiflora
laciniata
vulgaris
—var. rosea

Ptelea trifoliata

Pyracantha angustifolia
coccinea
—var. Lalandii
crenulata

Pyrus alnifolia
arbutifolia
Aria
—var. chrysophylla
—var. majestica
—var. Mougeoti
—var. obtusata
—var. salicifolia
Aucuparia
—var. Dirkenii aurea

Pyrus—*continued*
Aucuparia var. discolor
—var. Fifeana
—var. moravica
—var. rossica
—var. sambucifolia
—var. satureifolia
baccata
—var. cerasifera
communis
—var. fascicularis
germanica
Hostii
hybrida
intermedia
Malus
—var. aldenhamensis
—var. Prattii
munda var. sub-arachnoidea
pinnatifida
Rehderiana
rotundifolia
rufo-ferruginea
salicifolia
Sargentiana
sikkimensis
(Sorbus) poteriifolia
(Sorbus) Prattii
theifera
Toringo var. incisa
Torminalis
transitoria var. toringoides
Vilmorini
Wilsoniana
—var. glaberrima

Quercus pedunculata
sessiliflora

Ramondia pyrenaica
serbica

Ranunculus abortivus
acris
—var. Stevenii
Broteri
Ficaria (bulbils)
gramineus
illyricus
Kerneri
Lingua
parnassifolius
platanifolius

Reseda alba
Reseda—*continued*
complicata
glauca
Luteola

Rhamnus californica
—var. tomentella
Frangula
Purshiana
rupestris
spathulaefolia
tinctoria

Rheum Alexandrae
Franzenbachii
officinale
palmatum
Rhaponticum

Rhododendron adenogynum
adenophorum
aechmophyllum
ambiguum
Amesiae
Anthopogon
argyrophyllum var. leiandrum
Augustinii
auritum
Baileyi
barbatum
brachyandrum
brachyanthum
brachycarpum
californicum
callimorphum
calostrotum
campanulatum
—var. aeruginosum
campylocarpum
campylogynum
cantabile
caucasicum
cephalanthum
charitopes
charitostreptum
chartophyllum
chasmanthoides
chloranthum
chryseum
ciliatum
cinnabarinum
—var. Roylei
concinnum
crassum
cuneatum

Rhododendron—*continued*
cyanocarpum
cyclium
Davidsonianum
decorum
Degronianum
detonsum
diacritum
dichroanthum
didymum
diphrocalyx
drumonium
elaeagnoides
Falconeri
Fargesii
fastigiatum
Fauriei
ferrugineum
fictolacteum
flavidum
flavum
Fortunei
fulgens
fulvum
galactinum
glaucum
glischrum
haematodes
Hanceanum
heliolepis
hirsutum
hippophaeoides
—var. album
Hodgsonii
hormophorum
Hunnewellianum
hypenanthum
hypolepidotum
idoneum
impeditum
inopinum
insigne
intricatum
irroratum
kamtschaticum
Keiskei
keleticum
Kotschyi
lepidotum
litangense
longesquamatum
longistylum
lutescens
lysolepis
micranthum

Rhododendron—*continued*
mollicomum
monosematum
Morii
moupinense
neriiflorum
niphargum
obovatum
obtusum var. japonicum
oreodoxa
oreotrephes
ovatum
pachytrichum
paradoxum
pentaphyllum
pholidotum
polylepis
ponticum
Prattii
primulinum
prostratum
pseudo-yanthinum
pubescens
puralbum
racemosum
—var. album
radinum
ravum
reticulatum
rhaibocarpum
rhantum
rigidum
riparium
rubiginosum
rufum
rupicola
russatum
saluenense
sanguineum
Sargentianum
schistocalyx
Schlippenbachii
scintillans
scyphocalyx
Searsiae
Smirnowii
Smithii
Souliei
stereophyllum
strigillosum
taliense
tapetiforme
telmateium
tephropeplum
Thomsonii

Rhododendron—*continued*
Thomsonii var. grandiflorum
Traillianum
triflorum
tsangpoense
Tschonoskii
Ungernii
Vaseyi
vernicosum
villosum
Vilmorinianum
virgatum
Wallichii
Wardii
Wiltonii
yanthinum
yunnanense
—var. praecox

Rhodotypos kerrioides

Ribes futurum ×
sanguineum
—var. albidum

Rodgersia aesculifolia
pinnata
podophylla
sambucifolia
tabularis

Romanzoffia sitchensis

Rosa acicularis
Albertii
arkansana
blanda var. Sayi
damascena
Davidii var. elongata
Fedtschenkoana
Fendleri
ferox
macrophylla
moschata
Moyesii
—var. rosea
muriculata
oxyodon var. haematodes
pendulina
—var. pyrenaica
pimpinellifolia
rubiginosa
rugosa
—var. alba
spinosissima var. altaica
tomentosa
Webbiana
xanthina

Roscoea alpina
cautleoides
Humeana
purpurea

Rosmarinus officinalis

Rubus Idaeus var. Leesii
laciniatus
lasiocarpus
macropetalus
phoenicolasius
Thomsonii

Rudbeckia laciniata
triloba

Rumex flexuosus
obtusifolius
pulcher
scutatus

Salvia Bulleyana
campanulata
glutinosa
hians
japonica
napifolia
officinalis
patens
pratensis
Przewalskii
Souliei
verbascifolia
Verbenaca
verticillata

Sambucus caerulea
canadensis
nigra var. fructu albo
racemosa
—var. serratifolia

Sanguinaria canadensis

Sanicula europaea

Santolina Chamaecyparissus

Saponaria bellidifolia
ocymoides var. versicolor
officinalis
Vaccaria

Sarcococca ruscifolia

Satureia cuneifolia
montana var. pygmaea

Saussurea alpina
denticulata
Laneana
salicifolia

Saxifraga aizoides var. atrorubens
Aizoon f. rosularis
Allionii ×
canaliculata
cordifolia
Cotyledon
crassifolia
cuneata
cuneifolia
decipiens
—f. grandiflora
—f. pulchella
Delavayi
diversifolia
Forsteri
Geum f. ovalifolia
granulata
hypnoides
intricata
lanceolata
pedatifida
peltata
pentadactylis
porophylla
purpurascens
rotundifolia
—var. repanda
sancta
tellimoides
trifurcata
umbrosa
—f. primuloides
—f. punctata
—f. serratifolia
—f. variegata
Vayredana var. major

Scabiosa caucasica
graminifolia
Pterocephala

Scabiosa—*continued*
Succisa
—var. alba
sylvatica

Scandix australis
brachycarpa
pinnatifida

Scilla festalis

Scirpus Holoschoenus
lacustris var. Tabernaemontanii

Scopolia lurida

Scrophularia nodosa
vernalis

Scutellaria alpina
altissima
galericulata
orientalis
peregrina
tuberosa

Securigera Coronilla

Sedum Aizoon
album
anopetalum
asiaticum
crassipes
Ellacombianum
Ewersii
kamtschaticum
Kirilowii var. rubrum
Middendorffianum
pilosum
roseum
rupestre
Telephium var. Borderi

Selinum tenuifolium
—var. album

Sempervivum arenarium
glaucum
tectorum
—var. glaucum
—var. pulchrum

Senebiera Coronopus

Senecio acuminatus
adonidifolius
amplexicaulis
cacaliaefolius
clivorum
—var. subcrenatus
Doria
Doronicum
elaeagnifolius
elodes
fibrillosus
graciliflorus
Greyii
laxifolius
Ligularia
sarracenicus
southlandicus
stenocephalus var. comosus
Veitchianus

Serratula coronata
Gmelini
tinctoria var. monticola

Seseli caespitosum

Sherardia arvensis

Sidalcea campestris
candida
malvaeflora
—var. atro-purpurea
neo-mexicana
spicata

Sideritis glacialis
scordioides

Silene alpestris
Armeria
Asterias
caucasica
chloraefolia
Cucubalus
dinarica
Elizabethae
Fabaria
fimbriata
flavescens
fuscata
gallica
maritima
multicaulis
nutans
orientalis
Otites
pendula
quadrifida
Reichenbachii
vallesia
Zawadzkii

Siler trilobum

Silybum Marianum

Sisymbrium Alliaria
Lagascae
strictissimum

Sisyrinchium angustifolium
—var. bellum
—var. mucronatum
filifolium
pachyrhizum
striatum

Skimmia Fortunei
japonica
—var. obovata

Smilacina stellata

Solanum
Dulcamara

Solidago canadensis
glomerata
odora
ohioensis
Virgaurea

Sparganium ramosum

Spartium junceum

Spenceria ramalana

Spergula arvensis

Spiraea Aitchisonii
altaiensis
arcuata
Aruncus
camtschatica
canescens
chamaedrifolia

Spiraea—*continued*
discolor
—var. dumosa
Douglasii
Henryi
japonica
—var. alba
—var. Froebelii
—var. ovalifolia
—var. variegata
lobata
longigemmis
micrantha
mollifolia
Nobleana
palmata
—var. elegans
salicifolia
sorbifolia
tomentosa
trichocarpa
Veitchii
virgata
Wilsoni

Stachys Betonica
coccinea
germanica
grandiflora
—var. robusta
Jacquinii
Janiana
lanata
setifera

Stachyurus chinensis

Stranvaesia Davidiana
—var. undulata
salicifolia

Styrax Wilsonii

Swertia Kingii
speciosa

Symphoricarpus Heyeri
mollis
occidentalis
orbiculatus
racemosus
—var. laevigatus
—var. ovatus

Symphyandra armena
Hofmannii
pendula

Symphytum orientale

Symplocarpus foetidus

Syringa Adamiana
amurensis
chinensis
Emodi var. variegata
reflexa
Sargentiana
villosa var. Lutece
Wolfii
yunnanensis

Tanacetum Pseudachillea
vulgare

Taxus baccata
—var. adpressa
—var. Dovastoni
cuspidata

Tellima grandiflora

Teucrium palmatum
pyrenaicum
Scorodonia

Thalictrum angustifolium var.
minus
aquilegifolium
calabricum
corynellum
Delavayi
dioicum
Fendleri
flavum
foetidum
glaucum
majus
minus
—var. adiantifolium
—var. saxatile
odoratum
petaloideum
purpurascens
rostellatum
squarrosum

Thaspium aureum

Thermopsis lanceolata
rhombifolia

Thlaspi alpestre
arvense

Thymus Chamaedrys var.
nummularius
Serpyllum
—var. grandiflorus
—var. pulchellus

Tiarella polyphylla

Tofieldia calyculata

Tradescantia virginiana

Tragopogon porrifolius

Trautvetteria palmata

Trigonella Foenum-graecum

Trillium grandiflorum
ovatum

Trinia Kitaibelii

Trochodendron aralioides

Trollius altaicus
asiaticus var. giganteus
chinensis
europaeus
patulus
pumilus
yunnanensis

Tulipa dasystemon
Kaufmanniana

Tunica Saxifraga
stricta

Vaccinium glauco-album
Mortinia
Myrtillus
padifolium

Valeriana alliariaefolia
officinalis
Phu
pyrenaica

Valerianella dentata

Veratrum album
californicum

Verbascum Blattaria var. albo-
magnificum
Chaixii
gnaphalodes
Lychnitis
nigrum
phoeniceum
pyramidatum

Veronica Allionii
austriaca var. multifida
Biebersteiniana
gentianoides
Hookeriana
longifolia
Lyallii
monticola
morrisonicola
nivalis
rakaiensis
thracica
urticaefolia var. trifoliata
virginica

Vesicaria utriculata

Viburnum alnifolium
betulifolium
burejaeticum
cylindricum
dasyanthum
Davidii
flavescens
foetidum
hupehense
Lantana var. lanceolatum
—var. versicolor
lobophyllum var. flocculosum
Opulus
—var. aureum
—var. fructu-luteo
ovatifolium
rhytidophyllum
Tinus var. lucidum
tomentosum

Vicia Faba
onobrychioides
oroboides
pyrenaica
sylvatica

Vincetoxicum luteum
nigrum
officinale

Viola Battandieri
cornuta
Munbyana
pinnata

Vittadenia australis

Wahlenbergia graminifolia
Matthewsii
saxicola

Wulfenia Amherstiana

Zygadenus elegans

PLANTS UNDER GLASS.

Acacia armata
—var. brevifolia
aspera
Drummondii
extensa
rostellifera
spadicigera
stricta
uncinella

Acanthostachys strobilacea

Aechmea coelestis
crocophylla
glomerata

Aeonium Burchardii
canariense
Manriqueorum
sedifolium

Agapanthus inapertus
umbellatus

Agathaea coelestis

Aglaonema commutatum
costatum
Robelinii

Ainsliaea acerifolia

Albuca caudata
Nelsoni

Allamanda neriifolia

Alpinia malaccensis

Altamiranoa elongata
Goldmani

Amaranthus caudatus

Amorphophallus bulbifer (Bulbils)

Amphicome arguta

Anacampseros arachnoides
filamentosa
Telephiastrum

Anigozanthos flavida

Antholyza intermedia

Anthurium acaule
hybridum
leodiense
Scherzerianum

Aphelandra aurantiaca var. Roezlii
velutina

Arachis hypogaea

Ardisia crenata
mamillata
Martiana
sanguinolenta
umbellata

Arisaema consanguineum
tortuosum

Aristea Eckloni

Aristolochia elegans

Aristotelia Colensoi

Arthropodium candidum
cirrhatum

Asclepias curassavica

Asparagus madagascariensis
plumosus
racemosus
scandens
Sprengeri

Asystasia bella

Atylosia barbata

Barleria cristata
siamensis

Basella rubra

Bauera rubioides

Begonia Evansiana
luxurians
parva
Sutherlandii

Benincasa hispida

Bertolonia maculata

Billardiera longiflora

Biophytum sensitivum

Boenninghausenia albiflora

Bomarea Caldasiana

Bowiea volubilis

Brillantaisia Palisotii

Browallia demissa
—var. alba

Bryonopsis laciniosa

Bryophyllum crenatum

Bulbine annua

Buxus Hildebrandtii

Calandrinia discolor

Calceolaria crenatiflora
deflexa
dentata
repens
tenella
valdiviana

Callicarpa purpurea

Callistemon lanceolatus
phoeniceus
pinifolius
salignus

Calvoa sessiliflora

Camoensia maxima

Campanula Vidalii

Campomanesia cerasoides

Canavalia ensiformis

Candidea stenostegia

Canna indica

Cardiospermum Halicacabum

Carex japonica

Carissa Arduina

Carludovica Gardneri
Wendlandii

Carmichaelia subulata

Catopsis penduliflora

Celosia argentea var. pyramidalis

Cenchrus echinatus

Ceropegia Woodii (bulbil)

Cestrum aurantiacum
Newellii
Smithii

Chironia baccifera

Chlorophytum elatum
Orchidastrum

Chorizema ilicifolium

Citrullus vulgaris

Citrus Aurantium
Limonia
nobilis var. deliciosa

Clematis uncinata

Cleome spinosa

Clerodendron infortunatum
splendens

Clethra arborea

Clianthus puniceus
—var. albus

Clidemia hirta

Clitoria Ternatea

Clivia miniata

Cobaea scandens

Codonopsis dicentrifolia

Colensoa physaloides

Coleus Mahonii

Columnea flava
gloriosa
—var. superba

Commelina dianthifolia
graminifolia
tuberosa

Conandron ramondioides

Corallospartium crassicaule

Corchorus pilolobus

Corethrogyne californica

Corydalis rosea
tomentosa

Costus speciosus

Cotyledon amoena
edulis
fulgens
Grusonii
orbiculata
roseata
secunda
Zeyheri

Crassula albiflora
Bolusii
ericoides
falcata
impressa
lactea

Crassula—*continued*
monticola
nudicaulis
rosularis
sarcocaulis

Crinum augustum
Kirkii
Moorei
variabile

Cuphea cyanea
ignea
strigillosa

Cyperus alternifolius
Luzulae

Cyphomandra betacea

Cytisus Fontanesii

Debregeasia longifolia

Desmanthus virgatus

Desmodium gyrans
incanum
tiliaefolium

Dianella ensifolia
intermedia
tasmanica

Dichondra repens

Dioscorea bulbifera
divaricata
macroura (tuber)
sativa
sinuata (tuber)
stemonoides

Disa grandiflora

Distylium racemosum

Dolichos Lablab

Dorstenia Contrajerva
urceolata

Drimia ciliaris

Drimys Winteri
—var. andina

Drosera binata
capensis

Dudleya Cotyledon

Dyckia brevifolia
floribunda

Eccremocarpus scaber
—var. carmineus

Echeveria alpina
gracilis
pulchella

Eranthemum albiflorum
leuconeurum

Erythrochiton brasiliensis

Eugenia apiculata
myrtifolia
uniflora

Evodia elegans

Fieldia australis

Francoa appendiculata
ramosa
sonchifolia

Fuchsia bacillaris
Codringtonii
corymbiflora
—var. alba
parviflora
procumbens
thymifolia

Garcinia Xanthochymus

Gasteria colubrina
disticha
sulcata
verrucosa

Geranium canariense

Gladiolus blandus var. albidus

Globba strobilifera (bulbil)

Gloriosa superba

Glycosmis pentaphylla
pleiogyne

Gomphocarpus fruticosus

Goodenia ovata

Goodia lotifolia

Gossypium arboreum
herbaceum

Haemanthus Katherinae

Hakea microcarpa
ulicina var. carinata

Haloragis alata
micrantha

Hamelia patens

Hebenstretia dentata

Hedychium coronarium
yunnanense

Heeria elegans

Heimia salicifolia

Heliotropium peruvianum

Hemigraphis drymophila

Hemiphragma heterophyllum

Heptapleurum Stelznerianum

Hermannia candicans
hyssopifolia

Hibiscus cannabinus var. trachysepalus
Denisonii
Hamabo
Trionum

Homalanthus Leschenaultianus

Howittia trilocularis

Humea elegans

Hydrocotyle javanica

Hymenanthera dentata var.
angustifolia

Hypericum balearicum
floribundum

Hypolytrum latifolium

Hypoxis Rooperi
villosa

Hypsela longiflora

Ilex insignis

Impatiens Balfourii
capensis

Indigofera atropurpurea

Ipomoea pilosa

Isoplexis canariensis

Isotoma axillaris
longiflora

Jasminum rex
simplicifolium

Justicia calycotricha

Kalanchoe Bentii
Dyeri
edinensis ×
globulifera var. coccinea
rotundifolia
tubiflora

Kennedya prostrata
—var. Marryattae

Kosteletzkya hastata

Kunzea corifolia

Kyllinga nepalensis

Lagenaria vulgaris

Lagenophora Billardieri

Lantana Camara

Lapeyrousia cruenta

Lathyrus pubescens
violaceus

Leea aspera
coccinea
sambucina

Leptospermum ericoides
—var. lineatum
flavescens
Liversidgei
scoparium

Leucaena glauca

Leucopogon Fraseri
lanceolatus

Lhotskya ericoides

Lilium auratum
nepalense var. burmanicum
philippinense var. formosanum

Littonia modesta

Loasa triphylla

Lobelia linnaeoides

Lomatia tinctoria

Lonicera Braceana
Hildebrandiana

Lopezia coronata
miniata

Luffa aegyptiaca

Lycopersicum racemigerum

Lysimachia Leschenaultii

Mallotus japonicus

Malpighia coccigera

Malvastrum lateritium

Marica humilis

Mariscus umbilensis

Martynia fragrans

Maurandia scandens

Medinilla magnifica

Melastoma malabathricum

Mesembryanthemum aequilaterale
deltoides
vespertinum

Micromeria filiformis

Mimosa pudica

Mimulus glutinosus var. coccineus
—var. puniceus

Mirabilis Jalapa

Momordica Charantia
cochinchinensis

Monanthes anagensis
atlantica
pallens

Moraea iridioides

Moricandia sonchifolia

Muehlenbeckia complexa

Mutisia retusa var. glaberrima

Myoporum acuminatum

Myrrhinum sarcopetalum

Myrtus capensis
communis
Ugni

Nephthytis liberica
picturata

Nerine Bowdeni

Nertera ciliata
depressa

Nicandra physaloides var. albiflora

Nicotiana alata
rustica
Tabacum

Ochna mossambicensis
serrulata

Ocimum viride

Olea capensis

Ophiopogon intermedius

Ornithogalum arabicum

Oryza sativa

Osteomeles Schwerinae var. microphylla

Ouratea flava

Oxalis cernua

Oxylobium Callistachys
cuneatum

Palisota bracteosa
Elizabethae
Maclaudii
Pynaertii

Pancratium fragrans

Panicum plicatum

Passiflora caerulea
capsularis
—var. acutifolia
edulis
Herbertiana
quadrangularis
suberosa

Paullinia thalictrifolia

Pavonia spinifex
urens

Pelargonium alchemilloides
peltatum
scandens
triste var. filipendulifolium
vitifolium

Pentactina rupicola

Pentaraphia reticulata

Pentas carnea

Pentstemon antirrhinoides
cordifolius

Peperomia tithymaloides

Pertya phylicoides

Petiveria alliacea

Petrophila sessilis

Phoenix dactylifera

Phylica paniculata

Phyllanthus montanus

Physalis peruviana

Pieris taiwanensis
villosa

Pilea muscosa
Spruceana

Pimelea ferruginea

Pitcairnia Andreana
Klotzschiana
punicea

Pittosporum crassifolium
daphniphylloides
divaricatum

Platytheca galioides

Pleuropetalum costaricense

Polyalthia suberosa

Pomaderris phylicaefolia
phylliraeoides
prunifolia

Porphyrocoma lanceolata

Prasium majus

Pratia begonifolia

Primula floribunda
—var. isabellina
Forrestii
Kewensis ×
Primula—*continued*
Kewensis × var. farinosa
malacoides
mollis
seclusa
sinolisteri
verticillata

Prostanthera lasianthos
linearis

Psidium montanum

Pteronia camphorata var. longifolia

Pterostegia drymarioides

Ranunculus cortusaefolius

Remusatia vivipara

Rhabdothamnus Solandri

Rhagodia Billardieri

Rhipsalis fasciculata

Rhododendron arboreum
—var. album
argenteum var. roseum
aureum
Boothii
bullatum
burmanicum
camelliaeflorum
ciliicalyx
Cooperi
crassum
diaprepes
formosum
Genestierianum
Griersonianum
Griffithianum var. roseum
Kingianum
Lindlevi
Maddeni
—var. calophyllum
moupinense
pendulum
polyandrum
prophantum
serpyllifolium
supranubium

Rhoeo discolor

Rhopalostylis sapida

Ricinus communis

Rivina humilis
—var. aurantiaca

Rondeletia odorata

Ruellia rubicaulis

Rulingia hermanniaefolia

Sabal Blackburniana

Salvia spinosa
splendens

Samolus littoralis
repens

Sarracenia Chelsonii

Saurauja subspinosa

Saxifraga cuscutaeformis
sarmentosa
Veitchiana

Schismatoglottis Roebelina

Schizeiloma nitens

Schizocapsa plantaginea

Sedum amecamecanum
Bourgaei
caeruleum
compressum
dendroideum
diffusum
griseum
murale
oxypetalum
Palmeri
praealtum
primuloides
retusum

Selliera radicans

Sempervivum annuum
barbatum
cuneatun
tabulaeforme

Sempervivum—*continued*
urbicum
viscatum

Senecio scandens

Sisyrinchium bermudiana

Solanum aculeatissimum
Capsicastrum
Seaforthianum

Solenomelus chilensis

Spathicarpa sagittifolia

Sphacele campanulata

Sporobolus indicus

Spyridium globulosum

Stachytarpheta indica
purpurea

Streptocarpus grandis
polyanthus
Rexii

Stylidium adnatum
graminifolium

Sutherlandia frutescens

Tacca Chantieri
cristata

Tacsonia insignis

Talinum caffrum
patens

Templetonia retusa

Testudinaria Elephantipes

Tetragonia echinata

Teucrium fruticans

Thea sinensis
—var. assamica

Tigridia Pavonia

Tillaea pharnaceoides

Torenia flava Fournieri

Trachelium caeruleum rumelianum

Tricyrtis pilosa

Triglochin striatum

Trochocarpa laurina

Utricularia emarginata

Vaccinium Delavayi fragile

Velleia paradoxa

Vellozia elegans

Verbesina Purpusii

Vernonia Tenoreana

Veronica Lavaudiana

Villadia imbricata

Villarsia parnassifolia

Visnea Mocanera

Vitis heterophylla var. humulifolia

Wachendorfia thyrsiflora

Westringia rosmariniformis

Whipplea modesta

Yucca aloifolia

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE
by J. & J. Gray, St. James Place, Edinburgh

Wt. 9402/79 450 11/33 J. & J. G. G. 156